



MSI MPG VELOX 100P AIRFLOW Computer Case Midi Tower User Guide

[Home](#) » [MSI](#) » MSI MPG VELOX 100P AIRFLOW Computer Case Midi Tower User Guide

Contents [[hide](#)]




- [1 MSI MPG VELOX 100P AIRFLOW Computer Case Midi Tower](#)
- [2 Accessories](#)
- [3 Specification](#)
- [4 Case FeaturesSide & Front View](#)
- [5 10 Panel/ 10](#)
- [6 Motherboard Installation](#)
- [7 ARGB Fan Connection](#)
- [8 Control Board Specification](#)
- [9 PSU Installation](#)
- [10 Documents / Resources](#)
- [11 Related Posts](#)



MSI MPG VELOX 100P AIRFLOW Computer Case Midi Tower



Accessories

Item 項目	Name 名稱 / Q'ty 數量	Used for 用途
	Cable ties 束綫帶 x5	Cable management 整線
	Screw #6-32 5mm 平頭螺絲 x12	Securing liquid cooling radiator 固定水冷排
	Fan screws 風扇長螺絲 x4	Front 120/140mm fan 前置 120/140mm 風扇
	Screw #6-32 10mm 手轉螺絲 x2	Securing drive tray 固定硬碟托架
	Screw #6-32 6.5mm x1	Motherboard Stud 主機板螺柱
	Screw M3 5mm x21	Motherboard / SSD 主機板 / SSD
	Screw #6-32 6mm 六角螺絲 x6	PSU / PCIe Card 電源供應器 / PCIe 卡
	Screw #6-32 5mm 圓頭螺絲 x8	3.5" HDD 3.5" 硬碟
	Vertical graphics card holder kit 垂直顯示卡支架套件 x1	Installing graphics card 安裝顯示卡
	1 to 3 fan splitter cable 1 對 3 風扇分接線 x1	Connecting 3 fans 連接 3 個風扇


Specification

Fan LED Controller	1 to 6 ARGB (3 pin) Control Board
--------------------	-----------------------------------


Pre-Installed Fan	MPG VELOX 100P AIRFLOW MPG VELOX 100P AIRFLOW MPG VELOX 100R Case Dimensions Motherboard Support IO Panel Fan Support Specification / &A11ffl .!!ilLED!ffJli Drive Bays li!li■ 1 to 6 ARGB (3 pin) Control Board Front: 3x 120 mm black fans Rear: 1x 120 mm ARGB fan Front: 3x 120 mm ARGB fans Rear: 1x 120 mm ARGB fan MPG VELOX 100R
Case Dimensions	474(□) x 231(W) x 490(H) mm 18.67(□) x 9.09(W) x 19.29IHl inch
Motherboard Support	E-ATX/ ATX/ M-ATX/ ITX
Fan Support	Top: 120 mm x3/ 140 mm x2 Front: 120mm x 3 / 140mm x 3 Rear: 120 mm x 1 Side: 120 mm x 2 —
IO Panel	2x 2.5" SSD trays 2x 3.5" HD □ trays
Fan Support	1x LED switch button 1x USB 3.2 Gen2 Type C port 2x USB 3.2 Gen 1 Type A ports 1x Mic in jack 1xAudio out jack 1 x Reset button 1x Power button

Radiator Support	Top: 120/ 140/ 240/ 280/ 360 mm Front: 120/140/240/280/360 mm Rear: 120 mm Side: 120/ 240 mm
Clearance	PSU Length:Max 220mm/8.66inch (without 3.5" HDD tray installed, 3.5")
Material	Chassis: SPCC 0.6 mm Left Panel: Tempered glass Right Panel: Metal Front Bezel: Plastic+ Mesh Front Bezel: Plastic+ Glass MPG VELOX 100P AIRFLOW MPG VELOX 100R
Dust Filters	MPG VELOX 100R MPG VELOX 100P AIRFLOW MPG VELOX 100P AIRFLOW MPG VELOX 100R


Case Features



Side & Front View




10 Panel/ 10




1. LED switch button/ LED
2. USB 3.2 Gen 2 Type-C
3. USB 3.2 Gen 1 Type-A
4. Mic in
5. Audio out
6. Reset button
7. Power button


3.5" HDD Installation/ 3.5"




2.5" SSD , HDD Installation/ 2.5" SSD




Opening the Left & Right Side Cover




Motherboard Installation



Graphics Card Vertical Installation




Graphics Card horizontal Installation



ARGB Fan Connection


LED switch control description,

1. Short press the LED switch once to switch the LED effect
2. Press and hold the LED switch for 3 seconds the LED flash white light once, and then into the MSI motherboard Mystic Light synchronization mode. Short press once to back to the Hub control mode.
3. Press and hold the LED switch for 6 seconds to turn off the LED.



Note

Support up to 128 LEDs, Exceeding this limit will lead to overheating, abnormal color or no light




Control Board Specification

	50 X 30			
	DC5V Addressable RGB	LED		
Connectors	1x LED switch connector (LED J'liilfflii'l) 1x SATA power connector (SATA II[;J,fflii.i'l) 1x MSI motherboard JRA INB OW connector 1 1"2 .±IJ\H& JRAINBOW ffilil.i'l) 6x 3-pin ARGB LED connectors (3 tt ARGB LED ffilili'l)			

	Graund Data	., +5V			
	LED effect cycle:			LED)<J(Jillcjll,	:
	1 Rainbow			1. *. <tl	
	2. Seven-color trailing			2.t@.t1 life€	
	3. Seven-color gradient			3. t@.lii	
	4. Violet			4. @.	
	5. White			5. a@.	
	6. Blue			6. §&@.	
	7. Cyan			7. @.	
	8. Green			8. #.l\@.	
	9. Yellow			9. N@.	
	10. Red			10. U@.	
	11 Rainbow breathing			11.*.mo¥0Ji!	
	12. Red breathing			12. U@.o¥oJi!	
	13. Yellow breathing			13. N@.o¥oJi!	
	14. Green breathing			14. #.l\@.0¥0Ji!	
	15. Cyan breathing			15. @.0¥0Ji!	
	16. Blue breathing			16. §&@.0¥0Ji!	
	17. White breathing			17. a @.o¥o Ji!	
	18. Violet breathing			18. @.0¥0Ji!	
	19. Fixed rainbow			19. IE'¥ <tl	
	20. Red			20. U@.	
	21 Yellow			21. N@.	
	22. Green			22. #.l\@.	
	23. Cyan			23. g,_	
	24. Blue			24. @.	
	25. White			2_5 a@.	
	26. Violet			26. g,_	

PSU Installation



Documents / Resources

 MSI VELOX 100P AIRFLOW VELOX 100R User Guide 使用手册	MSI MPG VELOX 100P AIRFLOW Computer Case Midi Tower [pdf] User Guide MPG VELOX 100P AIRFLOW Computer Case Midi Tower
---	--