



MTI Baths MBCR6036 Rectangular Drop-in Tub Instructions

[Home](#) » [MTI Baths](#) » MTI Baths MBCR6036 Rectangular Drop-in Tub Instructions 

Contents

- [1 MTI Baths MBCR6036 Rectangular Drop-in Tub](#)
- [2 SPECIFICATION](#)
- [3 Shown with Whirlpool Package](#)
- [4 Important Ordering and Installation Information](#)
- [5 Options](#)
- [6 Accessories](#)
- [7 Installation Options.](#)
- [8 Documents / Resources](#)
- [9 Related Posts](#)

MTI BASICS®

MTI Baths MBCR6036 Rectangular Drop-in Tub




SPECIFICATION

- MBCR6036 60" x 36" x 20.75"
- Installation: Drop-In or undermount
- Material: Acrylic
- Plumbed Weight: 125 lbs / 57 kg
- Soaker Weight: 100 lbs / 45 kg
- Average Fill: 55 gal to above jet level
- Maximum Fill: 90 gal to overflow

Package	Package Content	Part #
Soaker	Soaking bath – No jets. Includes textured bottom.	MBSCR6036
Air Bath	12 air jets, heated air blower, pre-leveled foam base and textured bottom. Pre-leveled foam base increases overall tub height 2"-3"	MBACR6036
Whirlpool	6 point-massage jets, 1-bhp pump and textured bottom	MBWCR6036

Shown with Whirlpool Package



Important Ordering and Installation Information

- Before ordering or installing, consider access to equipment.
- Always measure tub on-site before building tub deck.
- Use proper bedding compound to fully level and support the tub.
- Tubs equipped with an air system or factory installed pre-leveled foam base are designed to install directly onto a flat level subfloor.
- Tub height is increased up to 3" when equipped with factory-installed foam base.
- Location of all therapy components is predetermined and cannot be changed.
- Options listed cannot be combined with Designer Collection options.
- Before discarding tub crate, check for accessories that may be packaged inside.
- All product measurements are +1/2".
- Specifications and configurations are subject to change without notice.
- Measurements herein supersede all others published prior to publication date below.

Options

- Must be ordered at time of purchase.
- Standard White (no charge)
- Color Upgrade: Biscuit (MTISCOLOR)
- Quick Ship / Priority Soaker & Whirlpool (QSHIPMTIS) Airbath (QSHIPMTISA)
- Inline Heater For Whirlpool (HTRMTIS) uses existing pump For Soaker & Air Bath (MBHTI SOAK) heater with recirculating pump

Accessories

Lift and Turn Drain & Overflow

Chrome (MBWOC), White (MBWOW), Brushed Nickel (MBWOBN)

Pillows

Soft Pillow White (MBPSW) Black (MBPSB) Roll-Up Pillow Light Aqua (MBPRUC) Black (MBRUB)

Installation Options.

Must be ordered at time of purchase.

Tile Flange

- Factory-Installed rigid ABS
- 3 sides (MBTFK3), 2 sides (MBTFK2),
- 1 side (MBTFK1)
- Must specify flange location(s) on order.

Pre-Leveled Foam Base

- 5' Tubs (MBPLFOAM)
- 5.5' & 6' Tubs (MBPLFOAM2)
- All airbaths include a pre-leveled foam base.

Pre-Leveled Frame and Foam Base with Skirting


- Raised Fixed Panel
- 5' Tubs (MBFSKAO5), 5.5' Tubs (MBFSKAO55), 6' Tubs (MBFSKAO6)
- Raised Removable Panels
- 5' Tubs (MBFSKAR5), 5.5' Tubs (MBFSKAR55), 6' Tubs (MBFSKAR6)

Hydrotherapy Package	Components Included	GFCI / 110V
Soaker with Optional Inline Heater	½-bhp pump, inline heater	1-15 amp
Whirlpool or Air Bath	1-bhp pump	1-15 amp
Whirlpool with Optional Inline Heater	1-bhp pump, inline heater	1-20 amp
Air Bath with Optional Inline Heater	heated blower, ½-bhp pump, inline heater	2-15 amp

CSA Certified C/US; ANSI Z124.1 and ANSI 112.19.7

NOTE: Filling this tub to the maximum may require an above average size or dedicated water heater.

Documents / Resources



[MTI Baths MBCR6036 Rectangular Drop-in Tub](#) [pdf] Instructions

MBCR6036 Rectangular Drop-in Tub, Rectangular Drop-in Tub, MBCR6036 Drop-in Tub, Drop-in Tub, Tub, MBCR6036