



n-com B601 Bluetooth Communication System User Manual

[Home](#) » [N-Com](#) » n-com B601 Bluetooth Communication System User Manual 

n-com B601 Bluetooth Communication System



Contents

- 1 INTRODUCTION
- 2 GENERAL INFORMATION
 - 2.1 PAIRING UP
 - 2.2 CONNECTION
- 3 INDIVIDUAL USE
 - 3.1 GPS INDICATIONS
 - 3.2 MOBILE PHONE
 - 3.3 MUSIC
- 4 USE IN PAIR
 - 4.1 GPS INDICATIONS
 - 4.2 MOBILE PHONE
 - 4.3 MUSIC
 - 4.4 UNIVERSAL INTERCOM
- 5 Documents / Resources
- 6 Related Posts

INTRODUCTION

The B601 system is compatible via Bluetooth with the Tom Tom Rider 550. After pairing up and connecting the navigator to the N-Com system, you will be able to hear the signals coming from the Tom Tom in your helmet. For best results, it is recommended to download the latest available Firmware version of the satellite navigator

and of the N-Com system.

GENERAL INFORMATION

PAIRING UP

For the pairing up procedure between N-Com and navigator, please refer to the user manual of the N-Com system, chapter "Managing two mobile phones (or Bluetooth devices)".

N.B.: For proper management of the various devices, the navigator must always be paired up with the N-Com system as a SECONDARY DEVICE (please refer to the user manual of the N-Com system, chapter "Managing two mobile phones (or Bluetooth devices)").

CONNECTION

Once the GPS has been paired up, connection takes place automatically upon switching on the B601 system.

INDIVIDUAL USE

The navigator must be paired up and connected to the rider helmet only, following the instructions provided in the "General" section.

GPS INDICATIONS

After pairing up and connecting the navigator to the N-Com system, you will be able to hear the audio signals coming from the Tom Tom Rider 550 in your helmet.

MOBILE PHONE

For proper management of the various devices, the mobile phone must be paired up to the N-Com system as MAIN DEVICE.

For proper operation of all devices involved, it is recommended to NOT pair up and connect the mobile phone and navigator one to the other.

Incoming calls temporarily interrupt the connection with the navigator.

MUSIC

FROM THE NAVIGATOR: Currently being tested.

FROM THE MOBILE PHONE: Currently being tested.

USE IN PAIR

The navigator must be paired up and connected to the rider helmet only, following the instructions provided in the "General" section.

GPS INDICATIONS

The intercom connection is automatically interrupted with each indication coming from the navigator and restored at the end of said indication.

MOBILE PHONE

For proper management of the various devices, the mobile phone must be paired up to the N-Com system as MAIN DEVICE.

For proper operation of all devices involved, it is recommended to NOT pair up and connect the mobile phone and navigator one to the other.

Incoming phone calls automatically interrupt the connection with the navigator and the intercom connection.

MUSIC

FROM THE NAVIGATOR: Currently being tested.


FROM THE MOBILE PHONE: Currently being tested.

UNIVERSAL INTERCOM

During the UNIVERSAL INTERCOM connection, the B601 system keeps the connection active only to the MAIN DEVICE (and not to the SECONDARY DEVICE). Hence it will not be possible to use the navigator.



Documents / Resources

	<p>n-com B601 Bluetooth Communication System [pdf] User Manual B601 Bluetooth Communication System, B601, Bluetooth Communication System, Communication System</p>
---	--