



## NAVTOOL NTV-KITxxx Navigation Video Interface User Guide

[Home](#) » [navtool](#) » NAVTOOL NTV-KITxxx Navigation Video Interface User Guide 

### Contents

- [1 NTV-KITxxx Navigation Video Interface](#)
- [2 Product Information](#)
- [3 Product Usage Instructions](#)
- [4 Quick Connection](#)
- [5 Documents / Resources](#)



### NTV-KITxxx Navigation Video Interface



## Product Information

The product is a NavTool Interface device that allows for multiple camera inputs and audio outputs to be connected to a car radio system. The device comes with a supplied harness, box, and cables for easy installation.

- Switch 1 and Switch 2 can be set to ON or OFF position depending on the desired usage.
- The device has four video inputs, including Rear Camera Input/ Video Input 1, Front Camera Input/ Video Input 2, Left Camera Input/ Video Input 3, and Right Camera Input/ Video Input 4.
- The device has two audio outputs, including Right Audio Output and Left Audio Output.
- The device also has an AUX Input that depends on the type of jack installed in the car from the factory.
- The device comes with a supplied microphone for audio input.

## Product Usage Instructions

1. Locate Switch 1 and Switch 2 on the NavTool Interface device.
2. Set Switch 1 and Switch 2 to the desired ON or OFF position depending on the intended usage.
  - If both switches are up, then the device is in OFF position.
  - If both switches are down, then the device is in ON position.
3. Connect the NavTool Interface device to the car radio system using the supplied harness, box, and cables.
  - Connect the NavTool Supplied Harness to the NavTool Interface device.
  - Connect the Rear Camera Input/ Video Input 1 and Front Camera Input/ Video Input 2 to the back of the car radio using the NavTool Supplied LVDS Cable or the Factory LVDS Cable.
  - Connect the Left Camera Input/ Video Input 3 and Right Camera Input/ Video Input 4 to the back of the car radio using the Factory Wire and NavTool Supplied Cable.
  - Connect the Right Audio Output and Left Audio Output to the back of the car radio using the NavTool

Supplied Cable.

- Connect the AUX Input to the car radio system depending on the type of jack installed in the car from the factory using the NavTool Supplied Cable.
  - Connect the NavTool Supplied Microphone to the NavTool Interface device for audio input.
4. Enjoy using the NavTool Interface device to enhance your car radio experience with multiple camera inputs and audio outputs.

## Quick Connection



