


# **NEAR SIGNATURE S5-S5T 2 Way Speaker Owner's Manual**

Home » NEAR SIGNATURE » NEAR SIGNATURE S5-S5T 2 Way Speaker Owner's Manual



Owner's Guide:
Models S5/S5T and S4/S4T
Installation Instruction Manual



# Contents

- 1 Technical Specifications
- 2 Limited Warranty; Exclusion of Certain Damages
- 3 Documents / Resources
  - 3.1 References
- **4 Related Posts**

# **Technical Specifications**

Frequency Response (-10 dB)*	58 Hz to 18kHz
Low-Frequency Design – Metal- Compos'rte Cone Utilizing MLS Voice Coil Guidance System:	4-1/2" Nominal Dia.
High-Frequency Driver – Titanium Cone:	1" Nominal Dia.
Sensitivity (1W/1m, Ave. 100 Hz to	86 dB SPL
15kHz): Dispersion Horizontal: Vertical:	150 Degrees 120 Degrees
Impedance Ratings Low: High:	80 Only (S4 version) 70V and 8Q (S4T version)
Power Input (Maximum):	75W @ 8 ohms
Power Taps 70V:	16,8,4,2,1 watts
Product Weight:	S4:51bs./S4T:6lbs.
Speaker Dimensions (WxHxD) Without Bracket: With Bracket:	5-1/4" x 8-1/4" x 5-3/8" 5-1/4"X 8-1/4"X 7-3/8"

Enclosure Material:	High-impact ABS
Product Color:	White ("W" suffix) and Black ("B" suffix)
Mounting Bracket Material:	Aluminum Alloy, Powder-Coated Finish
Grille Material:	Perforated Aluminum, Powder-Coated Finish
Terminations:	Pressure Clamp
I nd u ded Accessories:	Conor-Matched Mounting Bracket
Optional Accessories:	Safety Cable CK10

<sup>\*</sup> Haff-Space Response

## **Limited Warranty; Exclusion of Certain Damages**

**NEAR\*** Signature models are warranted to be free from defects in material or workmanship for five (S) years from the date of sale to the original purchaser. Any part of the product covered by This warranty that, with normal installation and use, becomes defective will be repaired or replaced by Bogen, at our option, provided the product is shipped insured and prepaid to Bogen Factory Service Department, 50 Spring Street, Ramsey, NJ 07446, USA. The product will be returned to you freight prepaid. This warranty does not extend to any of our products that have been subjected to abuse, misuse, improper storage, neglect, accident, improper installation or have been modified or repaired, or altered in any manner whatsoever, or where the serial number or date code has been removed or defaced.

THE FOREGOING LIMITED WARRANTY IS BOGEN'S SOLE AND EXCLUSIVE WARRANTY AND THE PURCHASER'S SOLE AND EXCLUSIVE REMEDY. BOGEN MAKES NO OTHER WARRANTIES OF ANY KIND. EITHER EXPRESS OR IMPLIED, AND ALL IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR

#### A PARTICULAR PURPOSE ARE HEREBY DISCLAIMED AND EXCLUDED TO THE MAXIMUM EXTENT

**ALLOWABLE BY LAW.** Bogen's liability arising out of the manufacture, sale, or supply of products or their use or disposition, whether based upon warranty, contract, law, or otherwise, shall be limited to the price of the product. In no event shall Bogente be liable for special, incidental, or consequential damages (including, but not limited to, loss of profits, lossofdataor toss of use damages) arising out of the manufacture, sale, or supply of products, even if Bogen has been advised of the possibility of such damages or losses. Some states do not allow the exclusion or [imitation of incidental or consequential damages, so the above limitation or exclusion may not apply to you. This warranty gives you specific legal rights, and you may also have other rights which vary from State to State. Products that are out of warranty will also be repaired by the Bogen Factory Service Department-same address as above or call 201-934-3500, The parts and labor invoice/ed in these repairs are warranted for 90 days when repaired by the Bogen Factory Service Department. All shipping charges in addition to parts and labor charges will be at the owner's expense. All returns require a Return Authorization number.

# BOGEN. COMMUNICATIONS, INC.

50 Spring Street, Ramsey, NJ 07446 USA \* Tel. 201 -934-8500

Fax: 201 -934-9832

www.bogen.com

Specifications are subject to change.
©Copyright 2010 Bogen Communications, inc.
54-2191-01 C 1010

#### **Documents / Resources**



**NEAR SIGNATURE S5-S5T 2 Way Speaker** [pdf] Owner's Manual S5-S5T, 2 Way Speaker, S5-S5T 2 Way Speaker, Speaker

## References

• ■ Home | Bogen

Manuals+