



Neoteck 100W Audio Amplifier with Bluetooth 5.0 User Manual

[Home](#) » [Neoteck](#) » Neoteck 100W Audio Amplifier with Bluetooth 5.0 User Manual

100W Audio Amplifier with Bluetooth 5.0
User Manual
Model: PW064us



Plug the power cord into the amp then the AC outlet

Contents [[hide](#)]

1 Special Notice:

2 How to use audio amplifier?

3 Documents / Resources

4 Related Posts

Special Notice:

1. Please plug the power cord into the amp then the AC outlet. Some customers may see some slight sparks flying when they plug the power supply into the amplifier because they use it in the wrong way, you need to connect the amp to the power supply first, then plug the power supply into the 110V AC outlet. Don't worry about the sparks, our latest Bluetooth 5.0 Stereo Audio Amplifier with advanced circuitry design, built-in speakers protection circuit, avoid sparks flying.

2. You can pair with your Bluetooth device when the amp power on.

1) After normal power-on, turn on the power switch, there will be four consecutive clicks, and that mean the Bluetooth function is normally turned on. After the connection is successful, there will be two consecutive clicks prompt

2) The Bluetooth name is YJHiFi. But if Bluetooth connects, playback from the RCA input is interrupted. If you want to connect this amplifier with the RCA audio cable(physical input), you need to interrupt the Bluetooth first.

How to use audio amplifier?

Step 1 – Make sure the VOL button to the minimum

Step 2 – Connecting the Speaker Wire

Audio amplifier accept bare wire, banana plugs, spade lugs, or pin terminators. Please turn off the amplifier before connecting to the speakers.

Step 3 – Connecting the Audio Source Connect the audio source to amplifier via RCA cables.

Step 4 – Connecting the Power Supply Be sure that the volume/power switch on the front panel is in the OFF position before connecting the power supply. NOTE: Please plug the power cord into the amp then the AC outlet.

Step 5 – Operation

Turn on the audio amplifier volume/power knob and set the volume control to an initial setting of about 9 o'clock.

Turn on your audio input source and adjust the volume to your desired listening level.


Step 6 – Bluetooth Connecting

a. The Bluetooth name is YJHiFi. You can pair with your Bluetooth device when the amp power on.

b. But if Bluetooth connects, playback from the RCA input is interrupted. If you want to connect this amplifier with the RCA audio cable(physical input), you need to interrupt the Bluetooth first.



You can pair with your Bluetooth device when the amp power on



The Bluetooth name is YJHiFi

Warranty

Thanks for using our product all product comes with warranty of 18 months from the day of purchase, if you need any support, please feel free to contact us.

Documents / Resources

	<p>Neoteck 100W Audio Amplifier with Bluetooth 5.0 [pdf] User Manual 100W Audio Amplifier with Bluetooth 5.0, Pw064us</p>
-----------------------------------------------------------------------------------	-----------------------------------------------------------------------------------------------------------------------------------------------