



newline NT+ Series WiFi Modules Installation Guide

[Home](#) » [newline](#) » newline NT+ Series WiFi Modules Installation Guide

Contents [[hide](#)]

- [1 newline NT+ Series WiFi Modules](#)
- [2 Product Information](#)
- [3 Product Usage Instructions](#)
- [4 How to Install Wi-Fi Modules](#)
- [5 Contact Us](#)
- [6 Documents / Resources](#)
 - [6.1 References](#)
- [7 Related Posts](#)

newline

newline NT+ Series WiFi Modules



Product Information

The NT+ series is a display panel with a built-in Wi-Fi module that can be installed on the rear of the panel to enable wireless connectivity. The Wi-Fi module is designed to work with the NT+ series and should only be installed by a qualified technician.

Product Usage Instructions

To install the Wi-Fi module on the NT+ series, follow these steps:


1. Power off the display panel and unplug it from the power source.
2. Remove the Wi-Fi module cover by unscrewing the two screws that secure it to the panel. Save the Wi-Fi module cover and screws if the panel will be transported in its original packaging in the future.
3. Insert the Wi-Fi module into the open port on the rear of the panel until it is firmly seated. Make sure to insert the Wi-Fi module with the black fins facing outward towards the wall.
4. Use the new M3*6 screws provided with the Wi-Fi module to secure it to the panel. Do not over tighten the screws.
5. Replace the Wi-Fi module cover and secure it with the two screws that were removed in step 2.
6. Power on the display panel and verify that the Wi-Fi module is functioning properly.

Caution: Do not attempt to insert or remove the Wi-Fi module when the display is powered on. Doing so may cause damage to the display or Wi-Fi module. For further assistance, contact our Technical Support Team at 833-469-9520, ext 5000 or email support@newline-interactive.com.

How to Install Wi-Fi Modules


Perform the following steps to install the Wi-Fi Module on the NT+ Series.

Step 1: Remove the Wi-fi module cover by unscrewing the two screws securing the cover to the panel. The Wi-Fi module cover and screws should be saved if the panel will be transported in its original packaging in the future.



Step 2: Insert the Wi-Fi module into the open port on the rear of the panel until it is firmly seated.

Note: Insert the Wi-Fi module with the black fins facing outward towards the wall.



Step 3: Use the new M3*6 screws provided with the Wi-Fi module to secure it to the panel.

Note: Do not over tighten screws.




Caution

The Wi-Fi Module does not support hot plugging. Therefore, you must insert or remove the Wi-Fi Module when the display is powered off. Otherwise, the displays or Wi-Fi Module may be damaged.

Contact Us

Still need additional assistance? Contact our Technical Support Team at 833-469-9520, ext 5000 or support@newline-interactive.com.

Documents / Resources



[newline NT+ Series WiFi Modules](#) [pdf] Installation Guide
NT Series, NT Series WiFi Modules, WiFi Modules

References

- [✔ Interactive - The Power of Communication - Interactive - The Power of Communication](#)