



# NEXIGO EF60 ECR Touch POS Terminal User Guide

[Home](#) » [NEXIGO](#) » NEXIGO EF60 ECR Touch POS Terminal User Guide 

## NEXIGO EF60 ECR Touch POS Terminal User Guide




### Contents


- [1 Touch POS Terminal \(Brief introduction\)](#)
- [2 Product introduction](#)
- [3 Power on/off](#)
- [4 FCC Caution.](#)
- [5 Specific Absorption Rate \(SAR\) information:](#)
- [6 Documents / Resources](#)
  - [6.1 References](#)
- [7 Related Posts](#)

## Touch POS Terminal (Brief introduction)

### Unpacking




- POS terminal




- AC adapter



- AC power cable



- User's manual



- Roll paper



- 58mm paper stop




- Foot pads




- Card retrieval needle




## Product introduction




## Introduction to Side Interface and Serial Port Definition



1. DC5V
2. GND
3. TXD
4. RXD




## Bottom Interface




The descriptions and images involved are subject to the actual product in the box. This information is for reference only. If there is any change, no notice will be given.

## Bank card reading and importing key

Insert the bank card with the chip facing upwards into the machine.




Import keys through the TYPE-C port here.




## Printer Usage



- Press the open cover key



- Load paper roll




- Close the cover-lid




## 58mm paper stop Usage


- Press the open cover key



- Place the 58mm paper stop at the far left corner of the paper bin




- Close the cover-lid



## Power on/off

1. Thread the power plug from the bottom of the machine;
2. Insert the output head of power adapter into the power port of the machine;
3. Insert the other end of the adapter into the electrical socket for power supply;



**FCC Caution.**

**This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions:**

1. This device may not cause harmful interference, and
2. this device must accept any interference received, including interference that may cause undesired operation.

Any Changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

**Note:** This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.


### **Specific Absorption Rate (SAR) information:**

This device meets the government's requirements for exposure to radio waves. The guidelines are based on standards that were developed by independent scientific organizations through periodic and thorough evaluation of scientific studies. The standards include a substantial safety margin designed to assure the safety of all persons regardless of age or health. FCC RF Exposure Information and Statement the SAR limit of USA (FCC) is 1.6 W/kg averaged over one gram of tissue.

**Device types:** Touch POS Terminal (FCC ID: XDQEF60-01) has also been tested against this SAR limit. This device was tested for typical body-worn operations with the back of the device kept 0mm from the body. To maintain compliance with FCC RF exposure requirements, use accessories that maintain a 0mm separation distance between the user's body and the back of the Touch POS Terminal. The use of belt clips, holsters and similar accessories should not contain metallic components in its assembly. The use of accessories that do not satisfy these requirements may not comply with FCC RF exposure requirements, and should be avoided.



### **Documents / Resources**



[NEXIGO EF60 ECR Touch POS Terminal](#) [pdf] User Guide

EF60 ECR Touch POS Terminal, EF60, ECR Touch POS Terminal, ECR, ECR Terminal, Touch P OS Terminal, POS Terminal, Terminal



## References

- [User Manual](#)

[Manuals+](#), [Privacy Policy](#)

This website is an independent publication and is neither affiliated with nor endorsed by any of the trademark owners. The "Bluetooth®" word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. The "Wi-Fi®" word mark and logos are registered trademarks owned by the Wi-Fi Alliance. Any use of these marks on this website does not imply any affiliation with or endorsement.