



NEXTIVITY CEL-FI Quatra 4000c Instruction Manual

[Home](#) » [NEXTIVITY](#) » NEXTIVITY CEL-FI Quatra 4000c Instruction Manual 

Contents

- [1 NEXTIVITY CEL-FI Quatra 4000c](#)
- [2 Product Information](#)
- [3 Product Usage Instructions](#)
- [4 Warranty](#)
- [5 FCC Statement](#)
- [6 Documents / Resources](#)
 - [6.1 References](#)



NEXTIVITY CEL-FI Quatra 4000c



Product Information

- Model Numbers: Q44-1M34CNU, Q41-RECU, Q40-1234FNU
- This product can be used outdoors. Nextivity Inc provides a limited warranty for its products. For details, please refer to nextivityinc.com/warranty.
- For a list of patents covering this product, please visit nextivityinc.com.
- **WARNING:** E911 location information may not be provided or may be inaccurate for calls served by using this device. This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions:
 1. This device may not cause harmful interference.
 2. This device must accept any interference received, including interference that may cause undesired operation.
- In order to comply with FCC RF Exposure requirements:
 1. The donor antenna must be installed to provide at least 65 cm separation from the human body at all times.
 2. The server antenna must be installed to provide at least 20 cm separation from the human body at all times.
- All compliance certificates for this product are available at nextivityinc.com/doc. In the event of a regulatory compliance issue, please get in touch with Nextivity Inc. directly. Nextivity Inc can be contacted at nextivityinc.com/contact.
- Trademark: CEL-FI, IntelliBoost, and the Nextivity logo are trademarks of Nextivity, Inc.
- This product is covered by Nextivity, Inc., US patents and patents pending. Please refer to nextivityinc.com for details.
- Address: Nextivity, Inc. 16550 West Bernardo Drive, Bldg. 5, Suite 550 San Diego, CA 92127

Product Usage Instructions

1. Ensure that the product is used outdoors.
2. Refer to the user manual for warranty details and information on patents covering the product.
3. Be aware that E911 location information may not be provided or may be inaccurate when using this device for calls.
4. Comply with FCC Rules, which state that the device should not cause harmful interference and must accept any interference received.
5. To comply with FCC RF Exposure requirements:
 - Install the donor antenna to provide at least 65 cm separation from the human body at all times.
 - Install the server antenna to provide at least 20 cm separation from the human body at all times.
6. For regulatory compliance issues or additional information, visit nextivityinc.com/contact.

CAUTION

- Use CEL-FI QUATRA 4000c indoors. It should not be used outdoors.
- The donor antenna(s) MUST be installed to ensure a minimum of 25.5 in (65 cm) separation distance from human body at all times.
- The server antenna(s) MUST be installed to ensure a minimum of 8 in (20 cm) separation distance from

persons from human body at all times.

- These products are designed to be used with a direct plug-in power supply unit. When installing the equipment, all the requirements of the manufacturer and the referenced standards must be met.
- There are no user-serviceable parts inside.
- Changes or modifications to this product not expressly approved by Nextivity may void your right to operate the equipment. There are no user-serviceable parts inside.
- Only the antennas listed or approved by the manufacturer can be used with CEL-FI QUATRA 4000c.
- This device may be operated ONLY in a fixed location for in-building use.
- Use of unauthorized antennas, cables, and/or coupling devices not conforming with ERP/EIRP and/or indoor-only restrictions is prohibited.

Warranty

- Nextivity Inc provides a limited warranty for its products. For details, please refer to nextivityinc.com/warranty.

Limitation of Liability

In no event shall NEXTIVITY, nor its directors, employees, agents, suppliers or End Users, be liable under contract, tort, strict liability, negligence or any other legal or equitable theory with respect to the Products or any other subject matter of this Agreement (i) for any lost profits, cost of procurement of substitute goods or services, or special, indirect, incidental, punitive, or consequential damages of any kind whatsoever or (ii) for any direct damages in excess of (in the aggregate) the fees actually received by NEXTIVITY from End User with respect to the Products actually purchased and paid for. See nextivityinc.com for a list of patents covering this product.

This is a CONSUMER device.

This device may be operated ONLY in a fixed location. BEFORE USE, you MUST REGISTER THIS DEVICE with your wireless provider and have your provider's consent. Most wireless providers consent to the use of signal boosters. Some providers may not consent to use this device on their network. If you are unsure, contact your provider. In Canada, BEFORE USE, you must meet all the requirements in ISED CPC-2-1-05. You MUST operate this device with approved antennas and cables as specified by the manufacturer. Donor Antennas MUST be installed at least 26 in (65 cm) from any person. Server Antennas MUST be installed at least 8 in (20 cm) from any person. You MUST cease operating this device immediately if requested by the FCC (or ISED or a licensed wireless service provider). WARNING. E911 location information may not be provided or may be inaccurate for calls served by this device.

WARNING

E911 location information may not be provided or may be inaccurate for calls served by using this device.

FCC Statement

Regulatory Information: US FCC Statement

This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.

- Consult the dealer or an experienced radio/TV technician for help.

This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions:

1. This device may not cause harmful interference, and
2. this device must accept any interference received, including interference that may cause undesired operation.

In order to comply with FCC RF Exposure requirements

- The donor antenna must be installed to provide at least 65 cm separation from the human body at all times.
- The server antenna must be installed to provide at least 20 cm separation from the human body at all times.


Regulatory Information: Canada

This is a CONSUMER device. BEFORE USE, you must meet all requirements set out in CPC-2-1-05. This device MUST ONLY be operated with approved antennas and cables as specified by the manufacturer. Antennas must be installed in a way where the minimum separation distance between the antennas and a user (or bystander) specified by the manufacturer is ALWAYS maintained. To reduce oscillations, sufficient separation distance is recommended between the donor and server antennas of the zone enhancer system. You MUST cease operation of this device immediately if requested by ISED or a licensed wireless service provider. WARNING: E911 location information may not be provided or inaccurate for calls served by this device.

Nextivity, Inc.

- 16550 West Bernardo Drive, Bldg. 5, Suite 550
- San Diego, CA 92127
- www.nextivityinc.com.

Documents / Resources

	<p>NEXTIVITY CEL-FI Quatra 4000c [pdf] Instruction Manual Q44-1M34CNU, Q41-RECU, Q40-1234FNU, CEL-FI Quatra 4000c, CEL-FI 4000c, Quatra 4000 c, 4000c, CEL-FI</p>
---	--

References

- [✕ Nextivity](#)
- [✕ Nextivity](#)
- [✕ Contact Us - Nextivity](#)
- [✕ Declaration of Conformity - Nextivity](#)
- [✕ Nextivity](#)