

NEXTIVITY G41-BE Single-Operator Cellular Coverage Solution Instruction Manual

Home » NEXTIVITY » NEXTIVITY G41-BE Single-Operator Cellular Coverage Solution Instruction Manual



Contents

- 1 NEXTIVITY G41-BE Single-Operator Cellular Coverage **Solution**
- **2 Product Information**
- **3 Product Usage Instructions**
- 4 FAQ
- **5 Introduction**
- **6 Warranty**
- **7 FCC STATEMENT**
- **8 CONTACT**
- 9 Documents / Resources
 - 9.1 References



NEXTIVITY G41-BE Single-Operator Cellular Coverage Solution



Product Information

Specifications

• Model Numbers: G41-BE

• Usage: Outdoors

E911 location information may not be provided or may be inaccurate for calls served by using this device.

- 1. This device may not cause harmful interference.
- 2. This device must accept any interference received, including interference that may cause undesired operation.

Industry Canada Compliance

This device complies with Industry Canada license-exempt RSS standard(s). Operation is subject to the following two conditions:

Compliance Contact: All compliance certificates for this product are available at <u>nextivityinc.com/doc</u>. In the
event of a regulatory compliance issue, please get in touch with Nextivity Inc. directly. Nextivity Inc. can be
contacted at <u>nextivityinc.com/contact</u>.

Product Usage Instructions

Unboxing

• Open the product packaging carefully and ensure all components are included.

Installation

• Follow the installation guide provided in the package to set up the device correctly.

Power On

• Connect the device to a power source and turn it on using the power button.

Configuration

Access the device settings as per the user manual and configure it based on your requirements.

Testing

Test the device by making a call or using its intended function to ensure it is working properly.

FAQ

- Q: What should I do if I encounter interference issues with the device?
- A: If you experience interference, try relocating the device to a different location. If the issue persists, contact Nextivity Inc for further assistance.
- Q: How can I claim warranty service for the product?
- A: To claim warranty service, refer to the details provided at <u>nextivityinc.com/warranty</u> or contact Nextivity
 Inc. directly.

Introduction

CAUTION

- Use CEL-FI GO G41 indoors. It should not be used outdoors.
- The donor antenna(s) MUST be installed to ensure a minimum of 25.5 in (65 cm) separation distance from the human body at all times.
- The server antenna(s) MUST be installed to ensure a minimum of 8 in (20 cm) separation distance from persons from the human body at all times.
- These products are designed to be used with a direct plug-in power supply unit. When installing the equipment, all the requirements of the manufacturer and the referenced standards must be met.
- There are no user-serviceable parts inside.
- Changes or modifications to this product not expressly approved by Nextivity may void your right to operate the equipment. There are no user-serviceable parts inside.
- Only the antennas listed or approved by the manufacturer can be used with GO G41.
- This device may be operated ONLY in a fixed location for in-building use.
- Use of unauthorized antennas, cables, and/or coupling devices not conforming with ERP/EIRP and/or indooronly restrictions is prohibited.

Warranty

• Nextivity Inc. provides a limited warranty for its products. For details, please refer to nextivityinc.com/waranty.

Limitation of Liability

In no event shall NEXTIVITY, nor its directors, employees, agents, suppliers or End Users, be liable under contract, tort, strict liability, negligence or any other legal or equitable theory to the Products or any other subject matter of this Agreement (i) for any lost profits, cost of procurement of substitute goods or services, or special, indirect, incidental, punitive, or consequential damages of any kind whatsoever or (ii) for any direct damages above (in the aggregate) the fees received by NEXTIVITY from End User to the Products purchased and paid for.

WARNING

E911 location information may not be provided or may be inaccurate for calls served by using this device.

This is a CONSUMER device.

This device may be operated ONLY in a fixed location. BEFORE USE, you MUST REGISTER THIS DEVICE with your wireless provider and have your provider's consent. Most wireless providers consent to the use of signal boosters. Some providers may not consent to use this device on their network. If you are unsure, contact your provider. In Canada, BEFORE USE, you must meet all requirements in ISED CPC-2-1-05. You MUST operate this device with approved antennas and cables as specified by the manufacturer. Donor Antennas MUST be installed at least 26 in (65 cm) from any person. Server Antennas MUST be installed at least 8 in (20 cm) from any person. You MUST cease operating this device immediately if requested by the FCC (or ISED) or a licensed wireless service provider.

WARNING. E911 location information may not be provided or may be inaccurate for calls served by this device.

FCC STATEMENT

Regulatory Information: US FCC Statement

This equipment has been tested and found to comply with the limits for a Class B digital device, under part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used under the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and the receiver.
- Connect the equipment to an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions:

- 1. This device may not cause harmful interference, and
- 2. this device must accept any interference received, including interference that may cause undesired operation.

Regulatory Information: Canada CAN ICES-3 (B)/NMB-3

This is a CONSUMER device. BEFORE USE, you must meet all requirements set out in CPC-2-1-05. This device MUST ONLY be operated with approved antennas and cables as specified by the manufacturer. The donor and server antenna(s) of this device MUST be installed to always ensure a minimum of 25.5 in (65 cm) and 8 in (20 cm) separation distance from the human body respectively. To reduce oscillations, sufficient separation distance is recommended between the donor and server antennas of the zone enhancer system. You MUST cease operation of this device immediately if requested by ISED or a licensed wireless service provider. WARNING: E911 location information may not be provided or inaccurate for calls served by this device.

This device complies with Industry Canada license-exempt RSS standard(s). Operation is subject to the following two conditions:

- · This device may not cause interference, and
- This device must accept any interference, including interference that may cause undesired operation of the device.

Compliance Contact

All compliance certificates for this product are available at nextivityinc.com/doc. In the event of a regulatory compliance issue, please get in touch with Nextivity Inc. directly. Nextivity Inc. can be contacted at nextivityinc.com/contact.

Trademark

CEL-FI, IntelliBoost, and the Nextivity logo are trademarks of Nextivity, Inc.

Patents

This product is covered by Nextivity, Inc., US patents and patents pending. Please refer to <u>nextivityinc.com</u> for details.

Copyright

Copyright © 2023 by Nextivity, Inc. All rights reserved. Reproduction or media conversion by any means is protected by copyright and may only occur with the prior written permission of Nextivity. Designed by Nextivity in California.

CONTACT

U.S. Headquarters: Nextivity, Inc.

- 16550 West Bernardo Drive, Bldg. 5, Suite 550
- San Diego, CA 92127, USA
- Phone: +1 858.485.9442
- www.nextivityinc.com.

Nextivity UK Ltd

• Unit 9, Basepoint Business Centre Rivermead Drive, Westlea Swindon SN5 7EX

Nextivity Singapore Pte. Ltd.

• 2 Changi Business Park Avenue 1, Level 2 - Suite 16, 486015 Singapore

Bureau in Europe Union

• Carrer Bassols 15-1, Barcelona 08026, Spain

Documents / Resources



NEXTIVITY G41-BE Single-Operator Cellular Coverage Solution [pdf] Instruction Manual G41-BE Single-Operator Cellular Coverage Solution, G41-BE, Single-Operator Cellular Coverage Solution, Operator Cellular Coverage Solution, Cellular Coverage Solution, Coverage Solution, Solution

References

- X Nextivity Smart Signal Boosters for Cellular, Critical Comms, HPUE, and Private LTE
- X Nextivity Smart Signal Boosters for Cellular, Critical Comms, HPUE, and Private LTE
- Contact Us Nextivity
- X Nextivity Smart Signal Boosters for Cellular, Critical Comms, HPUE, and Private LTE
- User Manual

Manuals+, Privacy Policy

This website is an independent publication and is neither affiliated with nor endorsed by any of the trademark owners. The "Bluetooth®" word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. The "Wi-Fi®" word mark and logos are registered trademarks owned by the Wi-Fi Alliance. Any use of these marks on this website does not imply any affiliation with or endorsement.