




NEXTIVITY GO G32 All-in-One Cellular Coverage Solution User Manual

[Home](#) » [NEXTIVITY](#) » NEXTIVITY GO G32 All-in-One Cellular Coverage Solution User Manual 

NEXTIVITY GO G32 All-in-One Cellular Coverage Solution



Contents

- [1 Introduction](#)
- [2 Features](#)
- [3 Industry-Leading Signal Gain](#)
- [4 Indoor/Outdoor NEMA 4 Rating](#)
- [5 Flexibility at Your Fingertips](#)
- [6 Stationary Mode](#)
- [7 Mobile Mode](#)
- [8 6-STEP SET UP](#)
- [9 CUSTOMER SERVICE](#)
- [10 Documents / Resources](#)
 - [10.1 References](#)
- [11 Related Posts](#)

Introduction

The World's First All-in-One Cellular Coverage Solution for Indoor/Outdoor Stationary and Mobile Applications

Designed to solve cellular coverage issues for indoor and outdoor applications, the Cel-Fi GO G32 Smart Signal Repeater is the first carrier-class cellular coverage solution to offer industry-leading signal gain. Through artificial intelligence and Nextivity's award-winning IntelliBoost® signal processing, GO G32 delivers the industry's best voice and data wireless performance.

The system is also guaranteed to be unconditionally network safe and does not interfere with other wireless devices. Plus, GO G32 is NEMA 4 rated to provide reliable coverage in any setting.

Features

- Performance Leadership



- Ease of Install



- Leaders in Value



- Fast Set Up



- Carrier Grade Approved










Industry-Leading Signal Gain


By leveraging Nextivity's award-winning IntelliBoost® chipset, GO is engineered to deliver unmatched cellular performance and signal gain up to 100 dB.

Indoor/Outdoor NEMA 4 Rating

GO G32 is built to offer reliable cellular connectivity for indoor and outdoor environments. With its NEMA 4 Rating, the system can withstand harsh weather conditions that include water, dust, and dirt.

-  **100dB Maximum Gain:** Industry-Leading 5G/4G/3G Voice and Data (65 db Mobile/100 dB Stationary Depending on the Region)
-  **Best Performance:** Smart Signal Repeater with IntelliBoost® Chipset Smart Technology
-  **Cellular Coverage:** Multi-User Mobile or Stationary Modes for Buildings, Residential, Remote, Vehicle, Trucking, RV, and Marine
-  **Ease of Set Up:** 6 Steps for Installers and Maximized by AntennaBoost™ for Optimum System Performance
-  **Cel-Fi WAVE:** Mobile Device Application for System Set Up and Changing Modes and Carriers
-  **Weather Resistant:** Indoor/Outdoor NEMA 4 and IP66 Rated
-  **Network Safe:** Carrier Approved with No Noise Guarantee

Flexibility at Your Fingertips



Operator Switching

Selecting your network operator is easy.

Just download the Cel-Fi WAVE app and select your mobile network carrier from the Settings page.


Mode Switching

Switch between Mobile and Stationary through the Cel-Fi WAVE app. Simply connect to your Repeater and select the Mode from the Settings page.

Stationary Mode

Providing coverage up to 1,500 m² (15,000 ft²) per system, Cel-Fi GO is ideal for a wide range of installations, including commercial properties, government buildings, small manufacturing operations, agricultural settings, rural areas, IoT applications, businesses, and large homes. To create the perfect solution, a variety of Cel-Fi donor and server antennas can be used based on environmental needs.

Cel-Fi GO In-Building




Cel-Fi GO In-Building




Mobile Mode


The Cel-Fi GO all-in-one Smart Signal Repeater is also the best solution for addressing the universal challenge of poor cellular coverage on the move. Simply select the appropriate donor/server antenna bundle to achieve the best voice and data wireless performance for vehicles and boats.




Cel-Fi GO Marine



Cel-Fi GO RV



Cel-Fi GO Trucking



Cel-Fi GO Vehicles

6-STEP SET UP

- Step 1: Install Server Antennas with Cable
- Step 2: Install Donor Antennas with Cable
- Step 3: Mount Cel-Fi GO
- Step 4: Connect Donor & Server Antennas with Splitter to the Cel-Fi GO
- Step 5: Connect the AC or CLA Power Source
- Step 6: Activate & Optimize Set Up with Cel-Fi WAVE



CUSTOMER SERVICE

Nextivity Inc.

16550 West Bernardo Drive, Bldg. 5, Suite 550, San Diego, CA 92127

www.cel-fi.com

Learn More



Documents / Resources



NEXTIVITY GO G32 All-in-One Cellular Coverage Solution [pdf] User Manual
GO G32 All-in-One Cellular Coverage Solution, GO G32, All-in-One Cellular Coverage Solution , Cellular Coverage Solution, Coverage Solution

References

- [!\[\]\(756219e9389f679d57027482aa5cf5fc_img.jpg\) Nextivity](#)