

NEXTORCH P8 High Output Cylindrical Flashlight User Manual

Home » NEXTORCH » NEXTORCH P8 High Output Cylindrical Flashlight User Manual



Contents

- 1 NEXTORCH P8 High Output Cylindrical
- **Flashlight**
- **2 SPECIFICATIONS**
- **3 FEATURES**
- **4 INSTRUCTION**
- **5 MAINTENANCE**
- 6 Documents / Resources
 - **6.1 References**
- 7 Related Posts

NEXTORCH

NEXTORCH P8 High Output Cylindrical Flashlight




SPECIFICATIONS

| ANSI / PLATO-FL1 | Strobe | Mid | Low | High |
|--------------------------|--|------------|-------|---------|
| Light Output | 1300 lm | 350 lm | 25 lm | 1300 lm |
| Nun Time | _ | 4 h 30 min | 60 h | 2 h |
| Beam Distance | _ | 115 m | 30 m | 240 m |
| / Impact Resistance | 2 m | | | |
| ∼ Waterproof | IPX7, 1 m | | | |
| Weight and Dimensions | Weight: 140 g / 4.93 oz Size: 140 mm (Length) × 28 mm (Head Diameter) × 24 mm (Body Diameter) | | | |
| Body Material | Light Source: OSRAM P9 | | | |
| | Aerospace grade aluminum 6061-T6 with anodizing | | | |

FEATURES

- OSRAM P9 LED, max output up to 1300 lumens.
- Specially hardened nano-ceramic breach bezel, effectively breaks glasses.
- One-step strobe and mode selection dual side switch for one hand operation.
- Preset 350 lumens medium mode as first light pattern, more suitable for daily use.
- Type-C direct charge design

INSTRUCTION



MAINTENANCE

- Being infected with seawater or any corrosive chemicals, please rinse immediately with clean water.
- Please use high quality batteries; Remove batteries when not working for a long time, and then store in a cool dry place.

If the waterproof O-ring is damaged, replace it immediately

WARRANTY

- NEXTORCH offers 5-year warranty.
- NEXTORCH warrants our products to be free from any defects in workmanship and material, we will replace
 or return faulty item. NEXTORCH reserves the right to replace similar products if original one is discontinued.
- The warranty excludes other accessories, but rechargeable batteries are warranted for 1 year from date of purchase.
- Any accessories or products are not covered in the warranty, NEXTORCH can repair for users with reasonable fee.
- Please scan the below QR code and access to NEXTORCH website (<u>www.nextorch.com</u>) to register your purchase. Email us at <u>info@nextorch.com</u> Call us: at 0086-662-6602777 Or contact our local dealer



CONTACT WITH NEXTORCH DESIGNER

In order to improve NEXTORCH , we appreciate you could offer our designers your after-use feedback and creative suggestions by scanning the following QR code. Thank you!



Documents / Resources



References

- MEXTORCH, Professional's Edge
- MEXTORCH Deutschland

Manuals+,