

NEXTORCH Saint Torch 11 LED Torch USB Interface Instruction Manual

Home » NEXTORCH » NEXTORCH Saint Torch 11 LED Torch USB Interface Instruction Manual



NEXTORCH



SAINT TORCH 11

Contents

- 1 SPECIFICATIONS
- **2 FEATURES**
- **3 INSTRUCTIONS**
- **4 MODULAR BATTERY PACK INSTRUCTIONS**
- **5 MULTI-FUNCTION CARRY BAG**
- **INSTRUCTIONS**
- **6 MAINTENANCE**
- **7 WARRANTY**
- **8 CONTACT WITH NEXTORCH DESIGNER**
- 9 Documents / Resources
 - 9.1 References
- 10 Related Posts

SPECIFICATIONS

ANSI / PLAT O-FL1	Memontary o	Turbo	High	Medium	Low	Strobe	S.O.S.
Light Output	3500 lm	3500 lm	1850 lm	500 lm	65 lm	3500 lm	1850 lm
Run Ti	_	3 h	3 h 30 min	16 h	110 h	_	_
Beam Distance	_	600 m	470 m	250 m	105m	_	_
Impac t Resistance	IPX7, 1 m						
Weig ht And Dime nsions	Weight: 790 g (with battery)						
	Size: 212 mm (length) × 83 mm (head diameter) × 50 mm (body diameter)						
Materials	Light Source: CREE® XHP70B LED						
	Aerospace-grade aluminum 6061-T6 with mil-spec type III anodizing						
Accessories	Multi-function carry bag, Seal cover, charger, Type-C cable, Shoulder strap						

Above tested specifications are strictly based on the standard of ANSI / PLATO-FL1. We tested Saint Torch 11 with NEXTORCH 4×2600 mAh (14.4 v) rechargeable Li-ion

the battery pack in 22 °C ± 3 °C. The specifications might be different when using different batteries or testing in different environments.

FEATURES

- Utilizes CREE ® XHP70B LED, max output up to 3500 lumens and max beam distance up to 600 meters
- Waterproof modular battery pack design, a portable power bank available for partial saint torch series products with charging and discharging design

• Intellligent DUO SWITCH


Provides ergonomic activation controls including partially pressing for momentary-on, clicking for constant-on, repeatly pressing to switch infinite loop between modes


- Type-C fast charging technology, charging time about 3 hours
- Multi-function carry bag, made of hard-use nylon

INSTRUCTIONS

Battery Pack Replacement

4 × 2600 mAh (14.4 v) rechargeable Li-ion battery pack







• Type-C Charging

Charge indicator: shines red when charging, green when charged


Momentary ON / OFF






- · Constant ON / OFF
- Mode Switch


Press lightly when the light is on





• S.O.S.

MODULAR BATTERY PACK INSTRUCTIONS



MULTI-FUNCTION CARRY BAG INSTRUCTIONS

• Multi-function carry bag is specially designed for Saint Torch series, made of hard-use nylon



MAINTENANCE

- 1. Being infected with seawater or any corrosive chemicals, please rinse immediately with clean water.
- 2. Please use high-quality batteries; Remove batteries when not working for a long time, and then store them in a cool dry place.
- 3. Replace waterproof O-ring immediately when considering the damage with use.

WARRANTY

- 1. NEXTORCH warrants our products to be free from any defects in workmanship and/or materials for a period of 15-day from the date of purchase. We will replace it. NEXTORCH reserves the right to replace an obsolete product with the current production, model.
- 2. NEXTORCH warrants our products to be free of defects for 5 years of use. We will repair it.
- 3. The warranty excludes other accessories, but rechargeable batteries are warranted for 1 year from the date of purchase.
- 4. In the event that any issue with a NEXTORCH product is not covered under this warranty, NEXTORCH can arrange to have the product repaired for a reasonable fee.
- 5. You could access to NEXTORCH website (www.nextorch.com) to gain warranty service information by

scanning the following QR code. You could also:

Email us at service@nextorch.com

Call us: 0086-400-8300-799

OR contact your local dealer/distributor.



http://aftersale.nextorch.com/

CONTACT WITH NEXTORCH DESIGNER



Documents / Resources



NEXTORCH Saint Torch 11 LED Torch USB Interface [pdf] Instruction Manual Saint Torch 11 LED Torch USB Interface, Saint Torch 11, LED Torch USB Interface

References

- M NEXTORCH, Professional's Edge
- MINEXTORCH Deutschland

Manuals+,