



# NEXTORCH TA30 One Step Strobe Tactical Flashlight User Manual

[Home](#) » [NEXTORCH](#) » NEXTORCH TA30 One Step Strobe Tactical Flashlight User Manual 






## Contents

- 1 NEXTORCH TA30 Max Ultra Bright One Step Strobe Tactical Flashlight
  - 1.1 SPECIFICATIONS
- 2 INSTRUCTIONS
  - 2.1 WARRANTY
- 3 Documents / Resources
  - 3.1 References
- 4 Related Posts

# NEXTORCH

## NEXTORCH TA30 Max Ultra Bright One Step Strobe Tactical Flashlight

### SPECIFICATIONS

ANSI / PLATO-FL1	Momentary on	Tactical Strobe	High	Medium	Low	Strobe
 Light Output	2100 lm	2100 lm	2100 lm	380 lm	70 lm	2100 lm
 Run Time	—	—	2 h 30 min	6 h	23 h	—
 Beam Distance	—	—	250 m	100 m	45 m	—
 Impact Resistance	2 m					
 Waterproof	IPX8, 2 m					
Weight and Dimensions	Weight: 148 g / 5.26 oz (Without Battery) Size: 153 mm (Length) × 28 mm (Diameter) × 38 mm (Head)					
Material	Light Source: CERR XHP50.2 LED					
	Aluminum					
Battery	1 × 21700					


Above tested specifications are strictly based on the standard of ANSI / PLATO-FL1. We tested TA30 MAX with 1 × 21700 (5000mAh) battery in 22°C ± 3°C. The specifications might be different when using a different battery or testing in a different environment.

## FEATURES


- Patented one Step Strobe technology: light tap for momentary on, or press hard for tactical strobe.
- Proprietary magnetic 5 position rotating selector.
- Specially hardened nano-ceramic breach bezel, effectively breaks glasses.

## INSTRUCTIONS


- **Battery Installation**




- **ON / OFF**  
Momentary ON / OFF



- **One Step Strobe**



- **Mode Switch Rotate**



## MAINTENANCE

1. Being infected with seawater or any corrosive chemicals, please rinse immediately with clean water.
2. Please use high quality batteries; Remove batteries when not working for a long time, and then store in a cool dry place.
3. Replace waterproof O-ring immediately when considering of the damage with use.

## WARRANTY

1. NEXTORCH warrants our products to be free from any defects in workmanship and/or materials for a period of 15-day from the date of purchase. We will replace it. NEXTORCH reserves the right to replace an obsolete product with a current production, like model.
2. NEXTORCH warrants our products to be free of defect for 5-year of use. We will repair it.
3. The warranty excludes other accessories, but rechargeable batteries are warranted for 1year from the date of purchase.
4. In the event that any issue with a NEXTORCH product is not covered under this warranty, NEXTORCH can arrange to have the product repaired for a reasonable fee.
5. You could access to NEXTORCH website ([www.nextorch.com](http://www.nextorch.com)) to gain warranty service information by scanning the following QR code. You could also:

Email us at [service@nextorch.com](mailto:service@nextorch.com)

Call us: 0086-400-8300-799

OR contact your local dealer/distributor.



### CONTACT WITH NEXTORCH DESIGNER

In order to improve NEXTORCH, we appreciate you could offer our designers your after-use feedback and creative suggestions by scanning the following QR code. Thank you!



### Documents / Resources



[NEXTORCH TA30 One Step Strobe Tactical Flashlight](#) [pdf] User Manual  
TA30, One Step Strobe Tactical Flashlight, TA30 One Step Strobe Tactical Flashlight

### References

- [NT NEXTORCH, Professional's Edge](#)
- [NT NEXTORCH Deutschland](#)