




NEXTTORCH C3 380 Lumens 3AAA Flashlight User Manual

[Home](#) » [NEXTTORCH](#) » NEXTTORCH C3 380 Lumens 3AAA Flashlight User Manual 

Contents






- [1 NEXTTORCH C3 380 Lumens 3AAA Flashlight](#)
- [2 SPECIFICATIONS](#)
- [3 FEATURES](#)
- [4 WARRANTY](#)
- [5 Documents / Resources](#)
 - [5.1 References](#)
- [6 Related Posts](#)

NEXTTORCH

NEXTTORCH C3 380 Lumens 3AAA Flashlight



SPECIFICATIONS

ANSI/PLATO-FL1	High	Medium	Low
 Light Output	380 lm	200 lm	40 lm
 Run Time	1 h 30 min	3 h	30 h
 Beam Distance	190 m	130 m	50 m
 Impact Resistance	1 m		
 Waterproof	IPX7 1 m		
Weight And Dimensions	Weight: 110 g (without battery); Size: 127 mm (Length) × 27.5mm (Body diameter) × 36mm (Head diameter)		
Body Material	Light Source: CREE® XP-G3 LED		
	Aerospace grade 6061-T6 aluminum body		
Accessories	6 x AAA Batteries, O-ring, Hanging ring, Lanyard, Manual.		


The above-tested specifications are strictly based on the standard of ANSI/PLATO-FL1. We tested C3 with three AAA size battery in 22°C±3°C. The specifications might be different when using different batteries or testing in a different environment.

FEATURES

- Brightness up to 380 lumens with CREE® XP-G3 LED
- Multiple brightness mode selection
- Easy to change battery
- High quality with waterproof and drop
- Virtually indestructible aerospace aluminum with mil-spec type II anodizing for extreme durability


QUICK START GUIDE

- Battery Installed




- ON/OFF

Press the switch firmly to finish turning it on or off



- Switch to another mode

Partially press to switch infinite loop between modes: High-Medium-Low



Press the switch firmly to finish turning it on or off Switch to another mode
Partially press to switch infinite loop between modes: High-Medium-Low

MAINTENANCE

1. Being infected with seawater or any corrosive chemicals, please rinse immediately with clean water.
2. Please use high-quality batteries; Remove batteries when not working for a long time, and then store in a cool dry place.
3. If the waterproof O-ring is damaged, replace it immediately.

WARRANTY

1. NEXTORCH offers a 5-year warranty.
2. NEXTORCH warrants our products to be free from any defects in workmanship and material, we will replace or return faulty item.

NEXTORCH reserves the right to replace similar products if original one is discontinued.

3. The warranty excludes other accessories, but rechargeable batteries are warranted for 1 year from date of purchase.
4. Any accessories or products are not covered in the warranty, NEXTORCH can repair for users with reasonable fee.
5. Please scan the below QR code and access to the NEXTORCH website (www.nextorch.com) to register your purchasing.

Email us info@nextorch.com

Call us: 0086-662-6602777 Or contact local dealer




CONTACT WITH NEXTORCH DESIGNER



In order to improve NEXTORCH, we appreciate you could offer our designers your after-use feedback and creative suggestions by scanning the following QR code. Thank you!



Documents / Resources

	NEXTTORCH C3 380 Lumens 3AAA Flashlight [pdf] User Manual C3 380 Lumens 3AAA Flashlight, Lumens 3AAA Flashlight, 3AAA Flashlight
---	---

References

-  [NEXTORCH, Professional's Edge](#)
-  [NEXTORCH Deutschland](#)

Manuals+.