



NEXTTORCH P83 Multi-light Source High Output One-step Strobe Flashlight User Manual

[Home](#) » [NEXTTORCH](#) » NEXTTORCH P83 Multi-light Source High Output One-step Strobe Flashlight User Manual 

Contents

- [1 NEXTTORCH P83 Multi-light Source High Output One-step Strobe Flashlight](#)
- [2 SPECIFICATIONS](#)
- [3 FEATURES](#)
- [4 INSTRUCTION](#)
- [5 WARRANTY](#)
- [6 Documents / Resources](#)
 - [6.1 References](#)
- [7 Related Posts](#)

NEXTTORCH







NEXTTORCH P83 Multi-light Source High Output One-step Strobe Flashlight



The above-tested specifications are strictly based on the standard of ANSI/ PLATO-FL1. We tested P83 with 1 x 18650 (2600mAh) Lithium battery in 22°C # 3°C. The specifications might be different when using a different

battery or testing in a different environment.

SPECIFICATIONS


ANSI / PLATO-FL1	Strobe	Momentary on	Medium	Low	High	Red & Blue Flash	Red Flash	Blue Flash	Red Light	Blue Light
 Light Output	1300 lm	1300 lm	350 lm	25 lm	1300 lm	2 lm	2 lm	2 lm	2 lm	2 lm
 Run Time	—	—	4 h 30 min	60 h	2 h	35 h	50 h	50 h	25 h	25 h
 Beam Distance	—	—	140 m	35 m	280 m	—	—	—	—	—
 Beam Intensity	—	—	4900 cd	300 cd	20000 cd	—	—	—	—	—
 Impact Resistance	2 m									
 Waterproof	IPX7, 1 m									
Weight and Dimensions	Weight: 177 g / 6.24 oz (Without Battery) Size: 155 mm (Length) × 35 mm (Head Diameter) × 28.5 mm (Body Diameter)									
Material	Light Source: White / Red / Blue Light LEDs									
	Aluminum Alloy									
Battery	1 × 18650									

FEATURES


- Max output up to 1300 lumens.
- Type-C Rechargeable.
- Red and blue emergency flash to attract attention and keep safety.
- One-step strobe and mode selection dual side switch for one hand operation.
- Preset 350 Jumens-medium modeas firstlight pattern more suitable for dailyuse.

INSTRUCTION


- Battery Replacement
1x 18650 battery (Do not use 2 x CR123A batteries)




- White Light
Strobe




- Type-C Rechargeable
Charging time about 3.5 hours




- White Light
Momentary ON




- White Light
Constant ON/ /OFF




- White Light
Mode Selection
Lightly press when the light in on



- Red and Blue Light
Red and Blue Flash



- Red and Blue Light
Mode Selection
Press when the red or blue light is on



MAINTENANCE

1. Being infected with seawater or any corrosive chemicals, please rinse immediately with clean water.
2. Please use high-quality batteries; Remove batteries when not working for a long time, and then store in a cool dry place.
3. If the waterproof O-ring is damaged, replace it immediately.

WARRANTY

1. NEXTORCH offers a 5-year warranty.
2. NEXTORCH warrants our products to be free from any defects in workmanship and material, we will replace or return faulty item.

NEXTORCH reserves the right to replace similar products if original one is discontinued.

3. The warranty excludes other accessories, but rechargeable batteries are warranted for 1 year from date of purchase.
4. Any accessories or products are not covered in the warranty, NEXTORCH can repair for users with reasonable fee.
5. Please scan the below QR code and access to the NEXTORCH website (www.nextorch.com) to register your purchasing.

Email us info@nextorch.com

Call us: 0086-662-6602777 Or contact local dealer




CONTACT WITH NEXTORCH DESIGNER



In order to improve NEXTORCH, we appreciate you could offer our designers your after-use feedback and creative suggestions by scanning the following QR code. Thank you!



Documents / Resources

	NEXTORCH P83 Multi-light Source High Output One-step Strobe Flashlight [pdf] User Manual P83 Multi-light Source High Output One-step Strobe Flashlight, Multi-light Source High Output One-step Strobe Flashlight, High Output One-step Strobe Flashlight, One-step Strobe Flashlight, Strobe Flashlight
---	---

References

-  [NEXTORCH, Professional's Edge](#)
-  [NEXTORCH Deutschland](#)