


**niko**  
226-57101 year  
Onefold  
Faceplate, For  
Single Switch  
Functions



## niko 226-57101 year Onefold Faceplate, For Single Switch Functions User Guide


[Home](#) » [niko](#) » niko 226-57101 year Onefold Faceplate, For Single Switch Functions User Guide 

### Contents

- 1 niko 226-57101 year Onefold Faceplate, For Single Switch Functions
- 2 Product Information
- 3 Product Usage Instructions
- 4 FAQ
- 5 INTRODUCTION
- 6 Technical data
- 7 Documents / Resources
  - 7.1 References

# niko

niko 226-57101 year Onefold Faceplate, For Single Switch Functions



## **Product Information**

### **Specifications**

- Product Name: Onefold faceplate, Niko Toggle alu blue grey brushed
- Function: Single switch functions
- Model Number: 226-57101
- Color: Alu blue grey brushed
- Warranty: 1 year

## **Product Usage Instructions**

### **Installation**

1. Turn off the power supply to the switch.
2. Remove the existing faceplate by unscrewing it from the switch.
3. Align the new onefold faceplate with the switch and screw it in place securely.
4. Turn on the power supply and test the switch to ensure proper functionality.

### **Maintenance**

Regularly clean the faceplate with a soft, damp cloth to prevent dust buildup and maintain its appearance.

### **Safety Precautions**

- Always turn off the power before installing or servicing the switch.
- Avoid using harsh chemicals or abrasive materials when cleaning the faceplate.

## FAQ

### **Q: How do I know if this faceplate is compatible with my switch?**

A: Ensure that the model number 226-57101 matches your existing switch model before purchasing.

### **Q: Can I paint over the faceplate to match my wall color?**

A: It is not recommended to paint over the faceplate as it may affect its functionality and appearance. It is best to choose a compatible color option.

## INTRODUCTION

226-57101

The Niko Toggle onefold faceplate clicks onto a single installed switch function. The faceplate combines with any available Niko Toggle for single switch functions. It consists of an upper frame, a light guide, and a lower frame that are mechanically interconnected. The upper frame is made of anodized brushed aluminum (alu blue-grey). The lower frame is made of dark grey polycarbonate (PC) + acrylic-styrene-acrylate (ASA), blue-grey coated. The upper frame is 6 mm thick and the lower frame 2 mm. Niko recommends a design combination with the Niko Toggle in the following color: alu blue grey.

- Exclusive materials
- Authentic vintage design
- Belgian design & craftsmanship
- The design matches Niko Pure portfolio
- Proven Niko quality
- Unique illuminated switch design (by adding feedback LED)

## Technical data

Onefold faceplate, for single switch functions, Niko Toggle alu blue grey brushed.


Simple faceplate for one switch.

- Color: alu blue grey (approximately NCS S 8005 – R80B, RAL 240 30 05)
- Recommended color central plate: alu blue grey
- Frame composition: It consists of an upper frame, light guide, and lower frame that are mechanically interconnected.
- Material upper frame: The upper frame is made of anodized brushed aluminum (alu blue-grey).
- Material lower frame: The lower frame is made of dark grey polycarbonate (PC) + acrylic-styrene-acrylate (ASA), blue-grey coated
- Varnish lower frame: The lower frame is enameled blue-grey.
- Frame thickness: The upper frame is 6 mm thick and the lower frame 2 mm.
- Lighting element
  - the faceplate is fitted with a light guide
  - the light guide is made of a translucent plastic
  - the light guide transports the light from the optional LED to the lever

- please note that the faceplate should not be mounted upside down to ensure that the optional LED fits nicely with the light guide
- Surface-mounting height: max. 8.5 mm
  - Fire safety self-extinguishing: complies with a filament test of 650°C
  - halogen-free
- Protection degree: IP41 for the combination of a mechanism, central plate and faceplate
- Impact resistance: The combination of a mechanism, a central plate and a faceplate has an impact resistance of IK06
- Dimensions (HxWxD): 83 x 83 x 10 mm
- Dimensions visible (HxWxD): 83 x 83 x 8 mm
- Certification marks: CEBEC
- Marking: CE

[www.niko.eu](http://www.niko.eu)

## Documents / Resources

	<p><a href="#">niko 226-57101 year Onefold Faceplate, For Single Switch Functions</a> [pdf] User Guide 226-57101, 226-57101 year Onefold Faceplate For Single Switch Functions, 226-57101, year Onefold Faceplate For Single Switch Functions, Faceplate For Single Switch Functions, Single Switch Functions, Switch Functions, Functions</p>
--	--

## References

- [Niko - home automation, switches, socket outlets and detector](#)
- [User Manual](#)

[Manuals+.](#) [Privacy Policy](#)

This website is an independent publication and is neither affiliated with nor endorsed by any of the trademark owners. The "Bluetooth®" word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. The "Wi-Fi®" word mark and logos are registered trademarks owned by the Wi-Fi Alliance. Any use of these marks on this website does not imply any affiliation with or endorsement.