



# NOMA GE26182 LED Color Changing Submersible Light with Remote Control Instruction Manual

[Home](#) » [Noma](#) » NOMA GE26182 LED Color Changing Submersible Light with Remote Control Instruction Manual 

# NOMA<sup>®</sup>

SUBMERSIBLE COLOR CHANGING PUCK LIGHT

## Instruction Manual

Retain carton for storage purposes

### Contents


- [1 Submersible Color Changing Puck Light](#)
- [2 SPECIFICATIONS](#)
- [3 Installation Guide](#)
- [4 Operating Instructions](#)
- [5 Documents / Resources](#)
- [6 Related Posts](#)

## Submersible Color Changing Puck Light

### SPECIFICATIONS

- Outdoor and Indoor Use
- Color changing with remote
- 10 RGB LED's
- Dimmable

- 4 Party Modes: Flash, Strobe, Fed, and Smooth
- Operated by 3x AA batteries (not included)



### Remote control operations:

- On/Off buttons
- 1x CR2025 Battery (included)

**IMPORTANT:** Please read this manual carefully before assembly and save it for reference.

### Installation Guide

Before mounting, ensure that the area is clear.

1. Attach the suction cups to the back of the submersible puck.
2. Press the puck with the attached suction cup to the surface.
3. Hold the puck in place until the suction cups are attached and secured to the area.

### Operating Instructions

1. Power On: Rotate the back of the puck light to reveal the battery compartment. Place 3x AA batteries in the battery compartment. Align and rotate the back of the puck light to secure the batteries in place.
2. Remote: Remove the battery pull tab to operate.  
To change the battery, locate the battery compartment on the narrow side of the remote.

- Insert CR2025 battery.
- Place the battery compartment back in the remote control so it locks in place.

## **Operation:**

1. Turn on the puck light by pressing the On button on the remote.
2. Select the desired color or the desired effect by pushing the corresponding button on the remote.
3. Press the Off button to turn off the puck light.

## **FCC Statement**

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation. Changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

**NOTE:** This equipment has been tested and has been found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna
- Increase the separation between the equipment and receiver
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

## **RF Exposure:**

The equipment complies with FCC radiation exposure limits set forth for an uncontrolled environment. This device should be installed and operated with a minimum distance of 20cm between the radiator & your body.


### **User Manual Notice for Licence-Exempt Radio Apparatus:**

This device complies with Industry Canada licence-exempt RSS standard(s). Operation is subject to the following two conditions: (1) this device may not cause interference, and (2) this device must accept any interference, including interference that may cause undesired operation of the device. CAN ICES-3 (B)

### **Radiation Exposure Statement:**

This equipment complies with IC radiation exposure limits set forth for an uncontrolled environment. This equipment should be installed and operated with a minimum distance of 20cm between the radiator & your body.

Designed and manufactured by  
GLOBE ELECTRIC COMPANY INC.  
150 ONEIDA, MONTREAL, QUEBEC,  
CANADA H9R 1A8  
Made in China  
[www.globe-electric.com](http://www.globe-electric.com)  
Customer Service: 1-888-543-1388  
FCC Responsible Party:  
Globe Electric  
15301 Shoemaker Ave  
Norwalk, CA 90650  
[www.globe-electric.com](http://www.globe-electric.com)

	<p><a href="#">NOMA GE26182 LED Color Changing Submersible Light with Remote Control</a> [pdf] Instruction Manual</p> <p>GE26182, 2AQUQGE26182, GE26182 LED Color Changing Submersible Light with Remote Control, LED Color Changing Submersible Light with Remote Control, Submersible Color Changing Puck Light</p>
---	---