



# NOTIFIER ABS-4D Single Row Enclosure Instruction Manual

[Home](#) » [NOTIFIER](#) » NOTIFIER ABS-4D Single Row Enclosure Instruction Manual 

## Contents

- [1 NOTIFIER ABS-4D Single Row Enclosure](#)
- [2 DIMENSION](#)
- [3 Documents / Resources](#)
  - [3.1 References](#)
- [4 Related Posts](#)



**NOTIFIER ABS-4D Single Row Enclosure**



## DIMENSION


The ABS-4D is a single-row enclosure for use with the SCS-8/SCE-8, ACS series annunciators and the Intelligent Network Annunciator (INA). The enclosure is suitable for both surface mount and semi-flush mount (requires optional trim ring) applications.

Available in either NOTIFIER gray or red, the ABS-4D includes the backbox, locking door with LEXAN® window, and two keys.

Conduit access is provided via five knockouts on the top of the enclosure, five on the bottom, and three on the back surface.

Product information and enclosure dimensions are as follows:


- ABS-4D Locking enclosure (gray) with LEXAN® window
- ABS-4DR Locking enclosure (red) with LEXAN® window
- TRABS-4D Trim ring (gray) for use with ABS-4D
- TRABS-4DR Trim ring (red) for use with ABS-4DR



Document 15073 Rev. A 11/24/93 15073:A  
ECN 93-343

[www.PDF-Zoo.com](http://www.PDF-Zoo.com)  
[firealarmresources.com](http://firealarmresources.com)

## Documents / Resources



[NOTIFIER ABS-4D Single Row Enclosure](#) [pdf] Instruction Manual  
ABS-4D Single Row Enclosure, ABS-4D, Single Row Enclosure, Row Enclosure

## References

- [Fire Alarm Resources | Download fire alarm documents](#)