



Home » NOUS » nous B1Z ZigBee Smart Switch Module Instruction Manual 🤼



Description

Contents [hide]

- 1 B1Z ZigBee Smart Switch Module
- 2 PRECAUTIONS
- 3 Design and controls
- 4 Assembly
- 5 Connection
- 6 How to connect your device to Alexa
- 7 Documents / Resources
 - 7.1 References

B1Z ZigBee Smart Switch Module

The Zigbee NOUS B3Z switch (hereinafter – the switch) is designed to organize automatic and manual shutdown of electrical appliances in the room, through remote access via the Internet, using a smartphone or tablet with the Nous Smart Home application installed. Communication with the switch is configured through a remote server using the P2P protocol, for which a wireless zigbee adapter is used. The switch is equipped with a mechanical button and a global indication of the device status.

The device is equipped with an electromechanical relay.


⚠ NOTE: You will need a Nous E1, Nous E7 or other Tuya compatible ZigBee gateway/hub to connect.

The connection of a smart socket to the Internet cannot be guaranteed in all cases, as it depends on many conditions: the quality of the communication channel and intermediate network equipment, the make and model of the mobile device, the version of the operating system, etc.

PRECAUTIONS

- Read this manual carefully.
- Use the product within the temperature and humidity limits specified in the technical data sheet.
- Do not install the product near heat sources, such as radiators, etc.
- Do not allow the device to fall and be subject to mechanical loads.
- Do not use chemically active and abrasive detergents to clean the product. Use a damp flannel cloth for this.
- Do not overload the specified capacity. This may cause short circuit and electric shock.
- Do not disassemble the product yourself diagnostics and repair of the device must be carried out only in a certified service center.

Design and controls



N	Name	Description	
0	Name	Description	

1	Button	A short press of the button switches the device "O N" "OFF". A long press of the button (5-7 C) resets the smart outlet settings and zigbee networ k connection parameters.
2	Indicator	Shows the current status of the device

Assembly

Installation procedure:

1	Connect the switch as shown in one of the electrical diagrams.	110-240V
2	Marking: • 0 – relay output terminal • I – relay input terminal • S – switch input terminal • L – Live (110-240V) terminal • N – Neutral terminal • GND – DC ground terminal • DC+ – DC positive terminal	24V GND DC+ W ## ## ## ## ## 1 02 S1 S2 W ## ## ## ## ## ## 1 1 1 1 2 S1 S2
3	When the installation is complete , the device is ready to use.	NOT L LUZSISZ
	Importantly:	Make sure that the zigbee network is stable and has sufficient level in the selected installat ion location.

Connection

To connect the Nous B3Z device, you need a smartphone based on the Android or iOS mobile operating system with the Nous Smart Home application installed. This mobile application is free and available for download from Play Market and App Store.

The QR code for the application is given below:





https://a.smart321.com/noussmart

After installing the program, for its correct operation, it is necessary to grant it all permissions in the corresponding section of the smartphone settings. Then you need to register a new user of this program.

The procedure for connecting the device to the Zigbee network:

1	Connect the smartphone to the access point that will be used to connect the device. Make sure the network frequency range is 2.4 GHz, otherwise the device will not connect, as Zigbee Habs are not designed to work with 5 GHz Wi-Fi networks; (your ZigBee hub should already be connected to the app)
2	Connect the device to the network. If the global indication does not flash quickly, then press the button for 5-7 seconds to reset the smart outlet settings to factory values.
3	Open the Nous Smart Home app and click the button to add a new device
4	An autoscan will appear, prompting you to add a new device. Confirm the connection and start pairing.
5	If autoscan doesn't see your device, you can select it manually from the list of devices





When the device is removed from the device list of the application user, the settings of the smart socket will be reset to factory values and it will be necessary to shorten the procedure of connecting to the Wi-Fi network again. If the password for the Wi-Fi access point was entered incorrectly, then after the timer expires, a "failed to connect to Wi-Fi" window appears in the application with step-by-step instructions to fix the problem.

How to connect your device to Alexa


1	Sign in with your Alexa account and password (if you'r e not already signed in, sign up first); After logging in, click the menu in the upper left corner, then click "Settings" and select "Set up a new device";
2	Select "Skills" in the options bar, then search for "NOU S Smart Home" in the search bar; In the search results, select NOUS Smart Home, then click Enable.
3	Enter the username and password you previously registered (the account is only supported in the United States); When you see the correct page, it means that your Alexa account is linked to your NOUS Smart Home account.
Alexa Alexa Alexa To:12 AM Add Device Lists Reminders & Alarms Contacts Routines Things to Try Skills & Games Activity Help & Feedback Settings	Alexa Nous Smart Nome Read Guides Segund TRY Serses Ascert Swing replant TRY Serses Venerie Engine Scill Ascourt Ties Seta: 3. Enter the Nous Smart APP account and password, then tap "Link Now" to link your Nous Smart account to enable the Skill. Now you can start your smart home journey. Logo Logo Logo Logo Assert Seta: Oth seeape
III O <	Common commands

4	Device discovery: Users must tell Echo, "Echo (or Alex a), open my devices." Echo will start to find the devices added in NOUS Smart Home APP, it will take about 20 seconds to show the result. Or you can click "Open devices" in Alexa APP, it will show the devices found successfully. Note: "Echo" is one of the wake-up names, which can be any of these three names (Settings): Alexa/Echo/Amazon.
5	List of support skills User can control devices with following instructions: Alexa, turn on [device] Alexa, turn off [device]

Attention: the name of the device must match the NOUS Smart Home APP.



Documents / Resources



References

User Manual

- NOUS
- ▶ B1Z, B1Z ZigBee Smart Switch Module, NOUS, Smart Switch Module, Switch Module, ZigBee Smart Switch Module

Leave a comment

Your email address will not be published. Required fields are marked *

Comment *

Name

Email

Save my name, email, and website in this browser for the next time I comment.

Post Comment

Search:

Website

e.g. whirlpool wrf535swhz

Search

Manuals+ | Upload | Deep Search | Privacy Policy | @manuals.plus | YouTube

This website is an independent publication and is neither affiliated with nor endorsed by any of the trademark owners. The "Bluetooth®" word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. The "Wi-Fi®" word mark and logos are registered trademarks owned by the Wi-Fi Alliance. Any use of these marks on this website does not imply any affiliation with or endorsement.