



## nVent CADDY 517A Light Fixture Suspension Bar For T-Grid Owner's Manual

[Home](#) » [nVent Caddy](#) » nVent CADDY 517A Light Fixture Suspension Bar For T-Grid Owner's Manual 



**LIGHT FIXTURE SUSPENSION BAR FOR T-GRID**



## Contents

### 1 FEATURES

### 2 SPECIFICATIONS

### 3 ADDITIONAL PRODUCT DETAILS

### 4 WARNING

### 5 Documents / Resources

#### 5.1 References

## FEATURES

Reduces installation time  
No tools required for installation  
End clips rotate for mounting horizontal or vertical base plates  
Position of fixture is adjustable, simply slide to location  
Applicable to a wide variety of light fixtures  
Measure width of bar to find appropriate bar for fixture  
No center clips required  
Replaces fixture bar

## SPECIFICATIONS

**Finish:** nVent CADDY Armour

**Material:** Spring Steel

| Product Attribute    | Light Fixture Suspension Bar for T-Grid, Narrow 1/2" x 1/8" Replacement Bar | Light Fixture Suspension Bar for T-Grid, Standard 5/8" x 1/4" Replacement Bar  | Light Fixture Suspension Bar for T-Grid, Wide 3/4" x 1/8" Replacement Bar |
|----------------------|---|--|---|
| Catalog Number       | <a href="#">517B</a>  | <a href="#">517A</a>   | <a href="#">517C</a>  |
| Replacement Bar Type | Narrow 1/2" x 1/8"  | Standard 5/8" x 1/4"   | Wide 3/4" x 1/8"  |
| Light Fixtures       | Capri HSG<br>Halo H7<br>Lightolier 711                                      | Capri PR-751CX<br>Capri R-10C<br>Capri R-10X<br>Capri R-9X<br>Halo H17<br>Juno AP<br>Juno APT<br>Juno IC<br>Juno ICT<br>Juno J<br>Juno SC<br>Juno TC<br>Thomas RI-IC | Marco<br>Progress P-7   |
| Packing Quantity     | 1.0000  | 1.0000   | 1.0000  |

## ADDITIONAL PRODUCT DETAILS

No load rating, for positioning only.

WARNING

nVent products shall be installed and used only as indicated in nVent’s product instruction sheets and training materials.  
Instruction sheets are available at [www.nvent.com](http://www.nvent.com) and from your nVent customer service representative. Improper installation, misuse, misapplication or other failure to completely follow nVent’s instructions and warnings may cause product malfunction, property damage, serious bodily injury and death and/or void your warranty.

|   |  |
|---|--|
| <b>North America</b><br>+1.800.753.9221<br>Option 1 – Customer Care<br>Option 2 – Technical Support | <b>Europe</b><br>Germany:<br>800 1890272<br>Other Countries:<br>+31 13 5835404 |
| <b>Europe</b><br>Netherlands:<br>+31 800-0200135<br>France:<br>+33 800 901 793                      | <b>APAC</b><br>Shanghai:<br>+ 86 21 2412 1618/19<br>Sydney:<br>+61 2 9751 8500 |

Our powerful portfolio of brands:  
[nVent.com](http://www.nvent.com) CADDY ERICO HOFFMAN RAYCHEM SCHROFF  
TRACER  
© 2023 nVent. All nVent marks and logos are owned or licensed by nVent Services GmbH or its affiliates. All other trademarks are the property of their respective owners.  
nVent reserves the right to change specifications without notice.



Documents / Resources

|  |  |
|--|--|
|  | <a href="#">nVent CADDY 517A Light Fixture Suspension Bar For T-Grid</a> [pdf] Owner's Manual<br>517A Light Fixture Suspension Bar For T-Grid, 517A, Light Fixture Suspension Bar For T-Grid, Fixture Suspension Bar For T-Grid, Suspension Bar For T-Grid, Bar For T-Grid, T-Grid |
|--|--|

References

- 🌟 [Building a more Sustainable and Electrified World | nVent](#)
- 🌟 [Building a more Sustainable and Electrified World | nVent](#)

- [User Manual](#)

[Manuals+](#), [Privacy Policy](#)