

**nVent CADDY  
812MB18A  
Combination Box  
Conduit Hanger**



# nVent CADDY 812MB18A Combination Box Conduit Hanger Owner's Manual

[Home](#) » [nVent Caddy](#) » nVent CADDY 812MB18A Combination Box Conduit Hanger Owner's Manual 

## Contents

- [1 nVent CADDY 812MB18A Combination Box Conduit Hanger](#)
- [2 Product Information](#)
- [3 Product Usage Instructions](#)
- [4 FEATURES](#)
- [5 PRODUCT ATTRIBUTES](#)
- [6 ADDITIONAL PRODUCT DETAILS](#)
- [7 DIAGRAMS](#)
- [8 Documents / Resources](#)
  - [8.1 References](#)
- [9 Related Posts](#)



**nVent CADDY 812MB18A Combination Box Conduit Hanger**



## Product Information

The nVent CADDY B18 Combination Box/Conduit Hanger is designed for the efficient and secure installation of electrical boxes and conduits in overhead applications. It simplifies the process with a single-threaded rod drop, enhancing field efficiency with nVent CADDY Conduit Clamps.

## Specifications

- **Material:** Steel; Spring Steel
- **Finish:** Pre-galvanized
- **nVent CADDY Armour EMT Conduit Size:** 1/2; 3/4
- **Hole Size (HS):** 1/4
- **Hole Type:** Plain
- **Screw Included:** No
- **Length (L):** 18
- **Width (W):** 2.1

## Product Usage Instructions

1. Identify the appropriate location for mounting the electrical box and conduit.
2. Insert the conduit into the hanger and align the box with the desired position.
3. Secure the hanger in place using the provided mounting hardware or appropriate fasteners.
4. Ensure that the installation is by local electrical codes and regulations.

## Warnings and Certifications

**Certifications:** Ensure to follow all of nVent's product instruction sheets and training materials for proper installation. Improper use may cause product malfunction, property damage, bodily injury, or void the warranty.

## Contact Information

For inquiries and support, please contact nVent customer service representatives in your region:

- **Europe Netherlands:** +31 800-0200135
- **France:** +33 800 901 793
- **Germany:** 800 1890272
- **Other Countries:** +31 13 5835404
- **APAC Shanghai:** +86 21 2412 1618/19
- **Sydney:** +61 2 9751 8500

## Additional Information

For more details and resources, visit nVent's website at [www.nvent.com](http://www.nvent.com).

## FAQ

- **Q: Are screws included with the hanger?**  
A: No, screws are not included. Make sure to use appropriate fasteners for installation.
- **Q: What sizes of conduit are compatible with this hanger?**  
A: The hanger is suitable for 1/2 and 3/4 EMT conduits.

## CATALOG NUMBER

The nVent CADDY B18 Combination Box/Conduit Hanger presents an efficient and secure solution for the installation of electrical boxes and conduit in overhead applications by streamlining the process with a single-threaded rod drop. The system is designed to provide greater efficiency in the field with our class-leading range of nVent CADDY Conduit Clamps.

## CERTIFICATIONS



## FEATURES

- Scoreline breakaway feature can be easily modified by hand while maintaining UL listing
- Eliminates need for offset bending conduit
- Designed to be versatile and reusable
- Labor and time savings due to built-in first means of support
- NEC® & CEC compliant

## PRODUCT ATTRIBUTES


- **Material:** Steel; Spring Steel
- **Finish:** Pre-galvanized;nVent CADDY Armour

- **EMT Conduit Size:** 1/2";3/4"
- **Hole Size (HS):** 1/4"
- **Hole Type:** Plain
- **Screw Included:** No
- **Length (L):** 18"
- **Width (W):** 2.1"

## ADDITIONAL PRODUCT DETAILS

NEC® 300.11 requires a dedicated drop wire/rod. For single and multiple runs of conduit.

## DIAGRAMS



## WARNING

nVent products shall be installed and used only as indicated in nVent's product instruction sheets and training materials. Instruction sheets are available at [www.nvent.com](http://www.nvent.com) and from your nVent customer service representative. Improper installation, misuse, misapplication or other failure to completely follow nVent's instructions and warnings may cause product malfunction, property damage, serious bodily injury and death and/or void your warranty.

### North America

+1.800.753.9221

**Option 1** – Customer Care

**Option 2** – Technical Support

### Europe

**Netherlands:** +31 800-0200135

**France:** +33 800 901 793

### Europe

**Germany:** 800 1890272


**Other Countries:** +31 13 5835404

APAC  
Shanghai: + 86 21 2412 1618/19  
Sydney: +61 2 9751 8500

[nVent.com](http://nVent.com)

© 2024 nVent. All nVent marks and logos are owned or licensed by nVent Services GmbH or its affiliates. All other trademarks are the property of their respective owners.  
nVent reserves the right to change specifications without notice.

Documents / Resources



[nVent CADDY 812MB18A Combination Box Conduit Hanger](#) [pdf] Owner's Manual  
812MB18A Combination Box Conduit Hanger, 812MB18A, Combination Box Conduit Hanger, Box Conduit Hanger, Conduit Hanger, Hanger

References

- 🌟 [Building a more Sustainable and Electrified World | nVent](#)
- 🌟 [Building a more Sustainable and Electrified World | nVent](#)
- [User Manual](#)

[Manuals+](#), [Privacy Policy](#)

This website is an independent publication and is neither affiliated with nor endorsed by any of the trademark owners. The "Bluetooth®" word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. The "Wi-Fi®" word mark and logos are registered trademarks owned by the Wi-Fi Alliance. Any use of these marks on this website does not imply any affiliation with or endorsement.