



# nVent CADDY 812MB18S Combination Box Conduit Hanger Owner's Manual

[Home](#) » [nVent Caddy](#) » nVent CADDY 812MB18S Combination Box Conduit Hanger Owner's Manual 

## nVent CADDY 812MB18S Combination Box Conduit Hanger Owner's Manual



### Contents

#### **1 COMBINATION BOX/CONDUIT HANGER FOR 1/2-3/4" EMT WITH STUD**

- 1.1 CATALOG NUMBER**
- 1.2 CERTIFICATIONS**
- 1.3 FEATURES**
- 1.4 PRODUCT ATTRIBUTES**
- 1.5 ADDITIONAL PRODUCT DETAILS**
- 1.6 DIAGRAMS**

#### **2 Documents / Resources**

- 2.1 References**

#### **3 Related Posts**


## COMBINATION BOX/CONDUIT HANGER FOR 1/2-3/4" EMT WITH STUD

### CATALOG NUMBER

#### 812MB18S

The nVent CADDY B18 Combination Box/Conduit Hanger presents an efficient and secure solution for the installation of electrical boxes and conduit in overhead applications by streamlining the process with a single-threaded rod drop. The system is designed to provide greater efficiency in the field with our class-leading range of nVent CADDY Conduit Clamps.

### CERTIFICATIONS



### FEATURES

Scoreline breakaway feature can be easily modified by hand while maintaining UL listing
Eliminates need for offset bending conduit
Designed to be versatile and reusable
Labor and time savings due to built-in first means of support
NEC® & CEC compliant


### PRODUCT ATTRIBUTES

<b>Material :</b> Steel; Spring Steel
<b>Finish :</b> Pregalvanized;nVent CADDY Armour
<b>EMT Conduit Size:</b> 1/2";3/4"
<b>Screw Included:</b> Yes
<b>Screw Diameter (Sc):</b> 1/4"
<b>Screw Length (L):</b> 9/16"
<b>Length (L):</b> 18"
<b>Width (W):</b> 2.1"

### ADDITIONAL PRODUCT DETAILS

NEC® 300.11 requires dedicated drop wire/rod. For single and multiple runs of conduit.

### DIAGRAMS



## WARNING

nVent products shall be installed and used only as indicated in nVent's product instruction sheets and training materials.

Instruction sheets are available at [www.nvent.com](http://www.nvent.com) and from your nVent customer service representative.

Improper installation, misuse, misapplication or other failure to completely follow nVent's instructions and warnings may cause product malfunction, property damage, serious bodily injury and death and/or void your warranty.

### North America

+1.800.753.9221

Option 1 – Customer Care

Option 2 – Technical Support

### Europe

Netherlands:

+31 800-0200135

### France:

+33 800 901 793

### Europe

Germany:

800 1890272

Other Countries:

+31 13 5835404

### APAC

Shanghai:

+ 86 21 2412 1618/19

Sydney:

+61 2 9751 8500

Our powerful portfolio of brands : [nVent.com](http://nVent.com)


**CADDY ERICO HOFFMAN RAYCHEM SCHROFF TRACER**

© 2024 nVent. All nVent marks and logos are owned or licensed by nVent Services GmbH or its affiliates. All other trademarks are the property of their respective owners.

nVent reserves the right to change specifications without notice.



## Documents / Resources

	<a href="#">nVent CADDY 812MB18S Combination Box Conduit Hanger</a> [pdf] Owner's Manual 812MB18S, 812MB18S Combination Box Conduit Hanger, Combination Box Conduit Hanger, B ox Conduit Hanger, Conduit Hanger, Hanger
---	---

## References

- [🌟 Building a more Sustainable and Electrified World | nVent](#)
- [🌟 Building a more Sustainable and Electrified World | nVent](#)
- [User Manual](#)

[Manuals+](#), [Privacy Policy](#)

This website is an independent publication and is neither affiliated with nor endorsed by any of the trademark owners. The "Bluetooth®" word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. The "Wi-Fi®" word mark and logos are registered trademarks owned by the Wi-Fi Alliance. Any use of these marks on this website does not imply any affiliation with or endorsement.