nVent CADDY ABS1 In Deck Adjustable Box Support





nVent CADDY ABS1 In Deck Adjustable Box Support Instructions

Home » nVent Caddy » nVent CADDY ABS1 In Deck Adjustable Box Support Instructions



Contents

- 1 nVent CADDY ABS1 In Deck Adjustable Box
- **Support**
- **2 Product Information**
- **3 Product Usage Instructions**
- **4 CONNECT AND PROTECT**
- **5 FEATURES**
- 6 Documents / Resources
 - **6.1 References**
- **7 Related Posts**



nVent CADDY ABS1 In Deck Adjustable Box Support



Product Information

Specifications

• Product Name: nVent CADDY In-Deck Adjustable Box Support

• Part Numbers: ABS1, ABS2

· Material: Steel

• Adjustable Hole Sizes:

Hole Size 1 (HS1): 0.188"Hole Size 2 (HS2): 0.25"

• Dimensions:

Length (L): 3.75"Width (W): 1.25"

• Height (H): Adjustable from 4" to 6.5"

Product Usage Instructions

- 1. Identify the appropriate hole size needed for your in-deck electrical box.
- 2. Adjust the box support to the desired height within the adjustable range.
- 3. Secure the in-deck electrical box onto the adjustable box support.
- 4. Ensure the support components are firmly in place before concrete pours.
- 5. Follow standard safety protocols during installation.

Features

- · Tool-free adjustment for in-deck electrical boxes
- Enhanced on-site efficiency and flexibility
- Steel construction for stability during concrete pours

For more information, visit our website: nVent.com/CADDY

FAQ

- 1. Q: Can the nVent CADDY In-Deck Adjustable Box Support be used for wood deck applications?
 - A: No, the ABS series is specifically designed for concrete deck applications due to the material and installation requirements.
- 2. Q: What is the weight capacity of the adjustable box support?

A: The nVent CADDY In-Deck Adjustable Box Support can support typical in-deck electrical boxes used in construction applications.

nVent CADDY In-Deck Adjustable Box Support

CONNECT AND PROTECT






The nVent CADDY In-Deck Adjustable Box Support (ABS) is a fast and secure method to install electrical boxes for concrete deck applications. The ABS series is designed to provide tool-free adjustment of commercially available in-deck electrical boxes while offering added on-site efficiency and flexibility. All support components are comprised of steel for a strong foundation, giving confidence the installation will remain stable during concrete pours.

FEATURES

- Ideal solution for in-deck concrete electrical box applications
- Easy, tool-free adjustment for various concrete deck depths
- Universal support for a wide range of commercially available electrical boxes
- Enhanced stability, utilizing the nVent CADDY Footed Box/Conduit Support 4" and 6" base
- More efficient installation compared to traditional methods

| Part Number | Hole Size 1 HS1 | Hole Size 2 HS2 | Length L | Width W | Height H |
|-------------|--------------------|--------------------|-------------|------------|-------------|
| ABS1 | 0.188" | 0.25" | 3.75" | 1.25" | 4" - 6.5" |
| ABS2 | 0.188" | 0.25" | 3.75" | 1.25" | 6" - 8.5" |



Our powerful portfolio of brands:

- CADDY
- ERICO
- HOFFMAN
- RAYCHEM
- SCHROFF
- TRACER

©2024 nVent. All nVent marks and logos are owned or licensed by nVent Services GmbH or its affiliates. All other trademarks are the property of their respective owners. nVent reserves the right to change specifications without notice. CADDY-DS-N00888-AdjustableBoxSupport-USEN-2401

nVent.com/CADDY

Documents / Resources



nVent CADDY ABS1 In Deck Adjustable Box Support [pdf] Instructions

ABS1 In Deck Adjustable Box Support, ABS1, In Deck Adjustable Box Support, Adjustable Box Support, Support, Support

References

- * Electrical, Fixing, Fastening & Support Solutions | nVent CADDY
- User Manual

Manuals+, Privacy Policy

This website is an independent publication and is neither affiliated with nor endorsed by any of the trademark owners. The "Bluetooth®" word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. The "Wi-Fi®" word mark and logos are registered trademarks owned by the Wi-Fi Alliance. Any use of these marks on this website does not imply any affiliation with or endorsement.