

nVent CADDY CATHPMABSF Cat HP J Hook Mod Clip **Brackets User Guide**

Home » nVent Caddy » nVent CADDY CATHPMABSF Cat HP J Hook Mod Clip Brackets User Guide Table 1





Improved nVent CADDY Cat HP Mod Clip Brackets

Contents

- 1 CONNECT AND PROTECT
- 2 IMPROVED NVENT CADDY CAT HP J-HOOK MOD CLIP WITH SHOT-FIRE
- 3 IMPROVED NVENT CADDY CAT HP J-HOOK MOD CLIP WITH ANGLE BRACKET
- 4 IMPROVED NVENT CADDY CAT HP J-HOOK MOD CLIP WITH STRAIGHT **BRACKET**
- 5 Documents / Resources
 - **5.1 References**

CONNECT AND PROTECT



Improved nVent CADDY Cat HP Mod Clip Brackets simplify cable management and offer both stability and flexibility during installation. Our bracket design allows users to modify the clip by using just a nut and bolt to add an attachment of choice. By eliminating the need for screws, rivets or special tools, both installation time and cost are reduced. Our innovative nVent CADDY J-Hook Versa-Mount Technology is compatible with the nVent CADDY Cat HP Mod Clip Brackets, allowing for multiple structural and installation methods for wall, ceiling and threaded rod mounting applications due to its unique attachment design.

• Link J-Hooks to multiple color options, aiding in pathway identification and organization








IMPROVED NVENT CADDY CAT HP J-HOOK MOD CLIP WITH SHOT-FIRE BRACKET





Features

- Complete with nVent CADDY Cat HP J-Hook with Shot-Fire Bracket and pre-assembled drive pin from DEWALT®
- · Quickly and easily attaches to concrete, steel or composite metal decking
- Integrated pin installs easily using powder-actuated or single-shot gas-actuated tools
- ICC-ES ESR-2024 evaluation report available for drive pin from DEWALT® ready-to-go out of the box
- Works with nVent CADDY J-Hook Versa-Mount Technology


Material: Steel, Spring Steel

Finish: Electrogalvanized, nVent CADDY Armour



Part Number	Offset	Static Load	Width
	A	F	W
CATHPMABSF	1.563"	60 lb	1.85"

IMPROVED NVENT CADDY CAT HP J-HOOK MOD CLIP WITH ANGLE BRACKET



Features

- Complete with nVent CADDY CAT HP J-Hook with Shot-Fire Bracket
- · Quickly and easily attaches to concrete, steel or composite metal decking
- Integrated pin installs easily using powder-actuated or single-shot gas-actuated tools
- Works with nVent CADDY J-Hook Versa-Mount Technology

Material: Spring Steel


Finish: nVent CADDY Armour



Part Number	Hole Size HS	Static Load F
CATHPMA8	0.25"	200 lb
CATHPMA4	0.25"	200 lb
CATHPMAN	0.25"	160 lb
САТНРМА6	0.25"	200 lb

IMPROVED NVENT CADDY CAT HP J-HOOK MOD CLIP WITH STRAIGHT BRACKET





Features

- Can be attached to various nVent CADDY fasteners or screwed directly to a wall
- Ideal for attaching to concrete, steel or wood surfaces
- No screws, rivets or special tools required for assembly
- Two tabs lock onto nVent CADDY Cat HP components to provide rigidity and stability
- Works with nVent CADDY J-Hook Versa-Mount Technology

Material: Spring Steel

Finish: nVent CADDY Armour





Part Number	Hole Size HS	Static Load F
CATHPMS4	0.25"	200 lb

Our powerful portfolio of brands:

CADDY ERICO HOFFMAN RAYCHEM SCHROFF TRACER

©2024 nVent. All nVent marks and logos are owned or licensed by nVent Services GmbH or its affiliates. All other trademarks are the property of their respective owners. nVent reserves the right to change specifications without notice.

nVent.com/CADDY



Documents / Resources



nVent CADDY CATHPMABSF Cat HP J Hook Mod Clip Brackets [pdf] User Guide CATHPMABSF Cat HP J Hook Mod Clip Brackets, CATHPMABSF, Cat HP J Hook Mod Clip Bra ckets, Hook Mod Clip Brackets, Mod Clip Brackets, Clip Brackets, Brackets

References

- * Electrical, Fixing, Fastening & Support Solutions | nVent CADDY
- User Manual

Manuals+, Privacy Policy

This website is an independent publication and is neither affiliated with nor endorsed by any of the trademark owners. The "Bluetooth®" word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. The "Wi-Fi®" word mark and logos are registered trademarks owned by the Wi-Fi Alliance. Any use of these marks on this website does not imply any affiliation with or endorsement.