



nVent CADDY FB-P Through Stud Conduit Clamp Owner's Manual

[Home](#) » [nVent Caddy](#) » nVent CADDY FB-P Through Stud Conduit Clamp Owner's Manual 

Contents

- [1 nVent CADDY FB-P Through Stud Conduit Clamp](#)
- [2 Product Information](#)
- [3 Product Usage Instructions](#)
- [4 FEATURES](#)
- [5 SPECIFICATIONS](#)
- [6 Documents / Resources](#)
 - [6.1 References](#)
- [7 Related Posts](#)



nVent CADDY FB-P Through Stud Conduit Clamp



Product Information

Specifications:

- **Finish:** nVent CADDY Armour
- **Material:** Spring Steel
- **Catalog Number:** FB8P, FB12P
- **EMT Conduit Size:** 1/2, 3/4

Features:

- Eliminates conduit rattling
- Provides a quick means of support for horizontal runs of Rigid, EMT, MC/AC or ENT through metal stud
- Installs with screw gun

Product Usage Instructions

- **Step 1: Prepare the area**

Ensure that the metal stud is clean and free from any debris or obstructions.

- **Step 2: Determine the location**

Identify the desired location on the metal stud where you want to install the conduit clamp. Make sure it is suitable for supporting the conduit.

- **Step 3: Attach the conduit clamp**

Take the FB-P Through Stud Conduit Clamp and position it over the metal stud at the desired location. Align the holes in the clamp with the holes in the metal stud.

- **Step 4: Secure the clamp**

Using a screw gun, insert screws through the holes in the clamp and into the metal stud. Tighten the screws firmly to ensure a secure installation.

- **Step 5: Install the conduit**

Once the clamp is securely attached to the metal stud, insert the desired type of conduit (Rigid, EMT, MC/AC, or ENT) through the clamp. Make sure the conduit is properly aligned and supported by the clamp.

- **Step 6: Repeat if necessary**

If you need to support multiple conduits, repeat steps 3-5 for each additional conduit.

FAQ:

- **Q: What sizes of EMT conduit are compatible with the FB-P Through Stud Conduit Clamp?**

A: The FB-P Through Stud Conduit Clamp is compatible with 1/2" and 3/4" EMT conduit.

- **Q: Can I use the FB-P Through Stud Conduit Clamp for other types of conduit?**

A: Yes, the FB-P Through Stud Conduit Clamp can also be used with Rigid, MC/AC, or ENT conduit.

- **Q: How do I ensure a secure installation?**

A: Use a screw gun to tighten the screws firmly into the metal stud, ensuring a tight fit between the clamp and the stud.

FEATURES

- Eliminates conduit rattling
- Provides a quick means of support for horizontal runs of Rigid, EMT, MC/AC or ENT through metal stud
- Installs with a screw gun

SPECIFICATIONS

- **Finish:** nVent CADDY Armour
- **Material:** Spring Steel

Catalog Number	EMT Conduit Size
FB8P	1/2"
FB12P	3/4"

WARNING

nVent products shall be installed and used only as indicated in nVent's product instruction sheets and training materials. Instruction sheets are available at www.nvent.com and from your nVent customer service representative. Improper installation, misuse, misapplication or other failure to completely follow nVent's instructions and warnings may cause product malfunction, property damage, serious bodily injury and death and/or void your warranty

Europe

- **Netherlands:** +31 800-0200135
- **France:** +33 800 901 793

Europe

- **Germany:** 800 1890272
- **Other Countries:** +31 13 5835404


APAC

- **Shanghai:** + 86 21 2412 1618/19
- **Sydney:** +61 2 9751 8500

© 2023 nVent. All nVent marks and logos are owned or licensed by nVent Services GmbH or its affiliates. All other trademarks are the property of their respective owners.
nVent reserves the right to change specifications without notice.

[nVent.com](https://nvent.com)

Documents / Resources

	<p>nVent CADDY FB-P Through Stud Conduit Clamp [pdf] Owner's Manual FB12P, FB-P Through Stud Conduit Clamp, FB-P, Through Stud Conduit Clamp, Stud Conduit Clamp, Conduit Clamp, Clamp</p>
--	--

References

- [🌟 Building a more Sustainable and Electrified World | nVent](#)
- [User Manual](#)