



nVent CADDY IDSM16 Independent Support Clip Owner's Manual

[Home](#) » [nVent Caddy](#) » nVent CADDY IDSM16 Independent Support Clip Owner's Manual 

Contents

- [1 nVent CADDY IDSM16 Independent Support Clip](#)
- [2 Product Usage Instructions](#)
- [3 FAQ](#)
- [4 FEATURES](#)
- [5 SPECIFICATIONS](#)
- [6 DIAGRAMS](#)
- [7 CONTACT](#)
- [8 Documents / Resources](#)
 - [8.1 References](#)



nVent CADDY IDSM16 Independent Support Clip



Product Usage Instructions

Installation

1. Ensure that the T-grid size is compatible with the Independent Support Clip.
2. Identify the desired location for installation.
3. Place the Independent Support Clip onto the T-grid, aligning the flange with the grid.
4. Insert the screw through the hole in the flange and into the T-grid.
5. Tighten the screw securely using an appropriate tool.

Fixture Support

The Independent Support Clip is designed to provide support for fixtures. To use the clip for fixture support, follow these steps:

1. Attach the fixture to the Independent Support Clip using the appropriate mounting hardware.
2. Ensure that the fixture is securely attached and properly aligned.

FAQ

- **Q:** What is the maximum static load that the Independent Support Clip can handle?
- **A:** The Independent Support Clip can handle a maximum static load of 290 N.
- **Q:** Where can I find nVent's product instruction sheets?
- **A:** nVent's product instruction sheets are available at www.nvent.com and can also be obtained from your nVent customer service representative.
- **Q:** Can the Independent Support Clip be used for fixtures of any size?
- **A:** The Independent Support Clip is designed to accommodate fixtures within a T-grid size of 24 mm.
- **Q:** Are there any special tools required for installation?
- **A:** No, the Independent Support Clip does not require any tools for installation.

INDEPENDENT SUPPORT CLIP




FEATURES

- Provides a means of independent support of fixtures
- No tools are required for installation
- Includes mounting hardware

SPECIFICATIONS

Catalog Number	Item Name	Material	Finish	T-Grid Size	Flange Thickness(FT)	Screw Diameter(SC)	Screw Length(L)	Static Load(F)
IDSM16	173460	Spring Steel	nVent CADDY Armour	24 mm	1.5 mm	M6	16 mm	290 N

DIAGRAMS



WARNING

nVent products shall be installed and used only as indicated in nVent's product instruction sheets and training materials. Instruction sheets are available at www.nvent.com and from your nVent customer service representative. Improper installation, misuse, misapplication or other failure to completely follow nVent's instructions and warnings may cause product malfunction, property damage, serious bodily injury and death and/or void your warranty.

CONTACT

North America

- +1.800.753.9221
- Option 1 – Customer Care
- Option 2 – Technical Support

Europe

- Netherlands:
- +31 800-0200135
- France:
- +33 800 901 793

Europe

- Germany:
- 800 1890272
- Other Countries:
- +31 13 5835404


APAC

- Shanghai:
- + 86 21 2412 1618/19
- Sydney:
- +61 2 9751 8500



[nVent.com](#) CADDY ERICO HOFFMAN RAYCHEM SCHROFF TRACER.

© 2023 nVent. All nVent marks and logos are owned or licensed by nVent Services GmbH or its affiliates. All other trademarks are the property of their respective owners. nVent reserves the right to change specifications without notice.

Documents / Resources

	<p>nVent CADDY IDSM16 Independent Support Clip [pdf] Owner's Manual 173460, IDSM16 Independent Support Clip, IDSM16, Independent Support Clip, Support Clip, Clip</p>
---	---

References

-  [Building a more Sustainable and Electrified World | nVent](#)
-  [Building a more Sustainable and Electrified World | nVent](#)
- [User Manual](#)

