Manuals+ — User Manuals Simplified.

nVent HOFFMAN CS480 Straight Coupling Installation Guide

Contents

nVent HOFFMAN CS480 Straight Coupling

Product Information

- **Product Name:** CS480 Straight Coupling
- **Model Number:** 87569883
- **Package Contents:** 1x CS480 Straight Coupling, 1x Set Screw (item 5), 4x Unspecified Items
- **Caution:** To avoid personal injury and/or product damage, an alternate set screw (item 5) is required when the enclosure is mounted below the joint fitting.
- **Torque:** 22 Ft-lbs (30 Nm)
- **Diameter:** 0.318 mm

Product Usage Instructions

- **Step 1:** Ensure that you have the CS480 Straight Coupling and the necessary components.
- **Step 2:** If you are planning to mount the enclosure below the joint fitting, make sure to use the alternate set screw (item 5) provided.
- **Step 3:** Carefully align the CS480 Straight Coupling with the joint fitting or the enclosure.
- **Step 4:** Use the provided set screw (item 5) to secure the coupling in place. Tighten the set screw using a torque of 22 Ft-lbs (30 Nm).
- **Step 5:** Repeat steps 3 and 4 for any additional couplings or fittings that need to be connected.

Note: It is essential to follow the caution mentioned in the user manual regarding mounting the enclosure below the joint fitting to prevent personal injury or product damage.

Parts

1	2	3
(1x)	(1x)	(1x)

4	5	
(4x)	(1x)	

CAUTION

- To avoid personal injury and/or product damage, alternate set screw (item 5) is required when enclosure is mounted below joint fitting.

Installation Instructions

22 Ft–lbs
30 Nm

① ② ③ ④ ⑤

Ø .31
8 mm

Ø5.5 mm (4X)
.217

35 mm
1.36

Ø40.9 mm
1.61

Contact

Documents / Resources

nVent HOFFMAN CS480 Straight Coupling [pdf] Installation Guide
CS480, CS480 Straight Coupling, Straight Coupling, Coupling

References

- ☀ **We connect and protect | nVent**