



nVent HOFFMAN ProLine G2 Sequestr External Disconnect Type 12 Instruction Manual

[Home](#) » [nVent HOFFMAN](#) » nVent HOFFMAN ProLine G2 Sequestr External Disconnect Type 12 Instruction Manual 


Contents

- [1 nVent HOFFMAN ProLine G2 Sequestr External Disconnect Type 12](#)
- [2 Documents / Resources](#)
 - [2.1 References](#)
- [3 Related Posts](#)














nVent HOFFMAN ProLine G2 Sequestr External Disconnect Type 12








A



P (mm)	Enclosure Height Hauteur de l'enceinte Altura del gabinete
548.5	2200
448.5	2000
348.5	1800



1  1X	2  0x	3  1x	4  2x
5  1x	6  6x	7  1x	8  1x
9  0x	10  0x	11  0x	12  1x
13  1x	14  2x	15  2x	16  0x
17  1x	18  2x		















AT-AT







4 NM
44 LB IN







8





9

















Y (mm)	Enclosure Height
665	2200
565	2000
465	1800






















AH-AH

Documents / Resources

	nVent HOFFMAN ProLine G2 Sequestr External Disconnect Type 12 [pdf] Instruction Manual ProLine G2 Sequestr External Disconnect Type 12, Sequestr External Disconnect Type 12, External Disconnect Type 12, Disconnect Type 12, ProLine G2 Sequestr
---	--

References

-  [We connect and protect | nVent](#)

