Manuals+ — User Manuals Simplified.

# nvent 4Z34 Multi-Function Clip User Manual

Contents

nvent-LOGO

nvent 4Z34 Multi-Function Clip

- Provides attachment of conduit and boxes
- Supports #10-24 and 1/4-20 threaded bridle rings

Part Number	4Z34
Material	Spring Steel
Finish	nVent CADDY Armour
Rod Size (RS)	1/4″
Wire Size	#12 – #8
Flange Thickness (FT)	1/8″ – 3/8″
Hole Size (HS)	1/4″
Screw Included	No
Static Load 1 (F1)	25 lb
Static Load 2 (F2)	20 lb
Certifications	cULus ITB
Standard Packaging Quantity	100 pc
UPC	78285650500
EAN-13	8711893706543

1/2″ and 5/8″ rod sizes are to be installed on threaded rod only.
NEC® 300.11 requires dedicated drop wire/rod and EC311.

NEC is a registered trademark of, and National Electrical Code (NEC) standard is a copyright of the National Fire Protection Association, Inc. UL, UR, cUL, cUR, cULus and cURus are registered certification marks of UL LLC.

WARNING
nVent products shall be installed and used only as indicated in nVent's product instruction sheets and training materials. Instruction sheets are available at www.erico.com and from your nVent customer service representative. Improper installation, misuse, misapplication or other failure to completely follow nVent 's instructions and warnings may cause product malfunction, property damage, serious bodily injury and death and/or void your warranty.

Documents / Resources

nvent 4Z34 Multi-Function Clip [pdf] User Manual
4Z34 Multi-Function Clip, 4Z34, Multi-Function Clip, Clip

References

- ☀ **[nVent CADDY, ERICO, ERIFLEX, LENTON New Website | nVent](#)**

- ☀ **[nVent CADDY, ERICO, ERIFLEX, LENTON New Website | nVent](#)**