


nVent
8P4I CADDY
Push In Conduit
Clamp



nVent 8P4I CADDY Push In Conduit Clamp Owner's Manual

[Home](#) » [nVent](#) » nVent 8P4I CADDY Push In Conduit Clamp Owner's Manual 

Contents

- [1 nVent 8P4I CADDY Push In Conduit Clamp](#)
- [2 Product Usage Instructions](#)
- [3 FAQ](#)
- [4 OVERVIEW](#)
- [5 FEATURES](#)
- [6 PRODUCT ATTRIBUTES](#)
- [7 DIAGRAMS](#)
- [8 Contacts](#)
- [9 Our Brands](#)
- [10 Documents / Resources](#)
 - [10.1 References](#)



nVent 8P4I CADDY Push In Conduit Clamp



Product Usage Instructions

Installation Steps

1. Identify the suitable location for the conduit clamp.
2. Ensure the conduit size matches the compatibility of the clamp (1/2 EMT).
3. Push-in the conduit into the clamp until secure.
4. Verify that the conduit is properly aligned for vertical or horizontal installation.
5. If needed, thread the clamp for additional security.

Maintenance and Safety Tips

- Regularly inspect the clamp for any signs of wear or damage.
- Avoid exceeding the maximum diameter limit of the clamp (0.866 inches).
- Follow all safety precautions outlined in the product manual to prevent accidents.

Removal Instructions

1. Unthread the conduit clamp if threaded for removal.
2. Gently pull out the conduit from the clamp.
3. Inspect the clamp for any remaining debris or damage after removal.

Cleaning and Storage Recommendations

- Clean the clamp with a mild detergent and water solution if needed.
- Store the clamp in a dry and cool environment to prevent corrosion.
- Avoid storing near sources of excessive heat or moisture.

FAQ

Frequently Asked Questions

- **Q:** Can this conduit clamp be used for outdoor installations?
 - **A:** The product is suitable for indoor use. For outdoor installations, consult with nVent customer service for appropriate options.
- **Q:** What is the maximum load capacity of this conduit clamp?
 - **A:** The load capacity may vary based on installation conditions. Refer to the product documentation for load capacity details or contact nVent customer service.
- **Q:** Is additional hardware required for installing this conduit clamp?
 - **A:** The clamp is designed for easy installation without additional hardware. Ensure proper alignment and compatibility with the conduit size.

OVERVIEW



CATALOG NUMBER

- 8P4I


FEATURES

- Push-in installation of conduit
- Eliminates need for offset bending conduit
- May be used for either vertical or horizontal installations

PRODUCT ATTRIBUTES

- **Material:** Spring Steel
- **Finish:** nVent CADDY Armour
- **EMT Conduit Size:** 1/2"
- **Outer Diameter:** 0.71 – 0.87"
- **Hole Size:** 1/4"
- **Hole Type:** Threaded
- **Ultimate Static Load 1:** 25 lb
- **Ultimate Static Load 2:** 15 lb

DIAGRAMS



WARNING

nVent products shall be installed and used only as indicated in nVent's product instruction sheets and training materials.

Instruction sheets are available at www.nvent.com and from your nVent customer service representative. Improper installation, misuse, misapplication or other failure to completely follow nVent's instructions and warnings may cause product malfunction, property damage, serious bodily injury and death and/or void your warranty.

Contacts

North America

- +1.800.753.9221
- **Option 1** – Customer Care
- **Option 2** – Technical Support

Europe

- **Netherlands:**
 - +31 800-0200135
- **France:**
 - +33 800 901 793

Europe

- **Germany:**
 - 800 1890272
- **Other Countries:**
 - +31 13 5835404

APAC

- **Shanghai:**
 - + 86 21 2412 1618/19
- **Sydney:**
 - +61 2 9751 8500

Our Brands


Our powerful portfolio of brands

- CADDY
- ERICO
- HOFFMAN
- RAYCHEM
- SCHROFF
- TRACER

© 2024 nVent. All nVent marks and logos are owned or licensed by nVent Services GmbH or its affiliates. All other trademarks are the property of their respective owners.
nVent reserves the right to change specifications without notice.

[nVent.com](https://www.nvent.com)

Documents / Resources

	<p>nVent 8P4I CADDY Push In Conduit Clamp [pdf] Owner's Manual 8P4I CADDY Push In Conduit Clamp, 8P4I, CADDY Push In Conduit Clamp, Push In Conduit Clamp, Conduit Clamp</p>
--	--

References

- [🌟 Building a more Sustainable and Electrified World | nVent](#)
- [🌟 Building a more Sustainable and Electrified World | nVent](#)
- [User Manual](#)

[Manuals+](#), [Privacy Policy](#)

This website is an independent publication and is neither affiliated with nor endorsed by any of the trademark owners. The "Bluetooth®" word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. The "Wi-Fi®" word mark and logos are registered trademarks owned by the Wi-Fi Alliance. Any use of these marks on this website does not imply any affiliation with or endorsement.