



**8PF Conduit  
to Stud  
Attachment**



## nVent 8PF Conduit to Stud Attachment Owner's Manual

[Home](#) » [nVent](#) » nVent 8PF Conduit to Stud Attachment Owner's Manual 

### Contents

- [1 nVent 8PF Conduit to Stud Attachment](#)
- [2 Product Information](#)
- [3 Product Usage Instructions](#)
- [4 Frequently Asked Questions](#)
- [5 FEATURES](#)
- [6 PRODUCT ATTRIBUTES](#)
- [7 Contact](#)
- [8 Documents / Resources](#)
  - [8.1 References](#)



**nVent 8PF Conduit to Stud Attachment**



## Product Information

### Specifications

**Catalog Number:** 8PF

### Features

- Easily snaps onto stud
- Push-in conduit support
- Fasten to stud with screw for additional support

### Product Attributes

**WARNING:** nVent products shall be installed and used only as indicated in nVent's product instruction sheets and training materials. Instruction sheets are available at [www.nvent.com](http://www.nvent.com) and from your nVent customer service representative. Improper installation, misuse, misapplication, or other failure to completely follow nVent's instructions and warnings may cause product malfunction, property damage, serious bodily injury, and death and/or void your warranty.

### Contact Information

- **Europe Netherlands:** +31 800-0200135
- **France:** +33 800 901 793
- **Germany:** 800 1890272
- **Other Countries:** +31 13 5835404
- **APAC Shanghai:** +86 21 2412 1618/19
- **Sydney:** +61 2 9751 8500

### Brands under nVent

Our powerful portfolio of brands: nVent.com, CADDY, ERICO, HOFFMAN, RAYCHEM, SCHROFF, TRACER. All trademarks are property of their respective owners. nVent reserves the right to change specifications without notice.

## **Product Usage Instructions**

### **Installation Steps**

1. Identify the stud where the product will be mounted.
2. Snap the product onto the stud securely.
3. If additional support is required, fasten the product to the stud using screws.
4. Ensure proper alignment and secure attachment for stability.

### **Maintenance**

Regularly inspect the product for any signs of damage or loosening. Tighten screws if necessary to maintain secure attachment. Do not exceed the recommended weight capacity.

### **Safety Precautions**

- Read and follow all provided instructions carefully.
- Avoid overloading the product beyond its specified capacity.
- Keep out of reach of children and pets.
- If in doubt, consult a professional for installation assistance.

### **Cleaning and Care**

Use a damp cloth to clean the product as needed. Avoid using harsh chemicals that may damage the surface finish.

### **Storage**

When not in use, store the product in a dry and safe place away from direct sunlight or extreme temperatures.

### **Disposal**

Dispose of the product responsibly following local regulations. Recycle where possible.

## **Frequently Asked Questions**

- **Q: Can this product be used on drywall?**
  - A: Yes, this product can be used on drywall. Ensure proper mounting techniques are followed for secure attachment.
- **Q: What is the maximum weight this product can support?**
  - A: The maximum weight capacity of this product is X pounds. Do not exceed this limit to prevent damage or injury.
- **Q: Is this product suitable for outdoor use?**

- A: This product is designed for indoor use. Avoid exposing it to outdoor elements to maintain its durability.


## FEATURES

Easily snaps onto stud Push-in conduit support Fasten to stud with screw for additional support

## PRODUCT ATTRIBUTES

- Material: Spring Steel
- Finish: nVent CADDY Armour
- Outer Diameter: 18 – 22 mm
- A: 38.86 mm

## DIAGRAMS



## WARNING

nVent products shall be installed and used only as indicated in nVent's product instruction sheets and training materials. Instruction sheets are available at [www.nvent.com](http://www.nvent.com) and from your nVent customer service representative. Improper installation, misuse, misapplication or other failure to completely follow nVent's instructions and warnings may cause product malfunction, property damage, serious bodily injury and death and/or void your warranty

## Contact

### North America

- +1.800.753.9221
- Option 1 – Customer Care
- Option 2 – Technical Support

### Europe

- Netherlands:
- +31 800-0200135
- France:
- +33 800 901 793

### Europe

- Germany:
- 800 1890272
- Other Countries:
- +31 13 5835404
- APAC
- Shanghai:
- + 86 21 2412 1618/19
- Sydney:
- +61 2 9751 8500


### Our powerful portfolio of brands:

- CADDY ERICO
- HOFFMAN
- RAYCHEM
- SCHROFF
- TRACER

[nVent.com](https://nVent.com)

2024 nVent. All nVent marks and logos are owned or licensed by nVent Services GmbH or its affiliates. All other trademarks are the property of their respective owners. nVent reserves the right to change specifications without notice

### Documents / Resources

	<p><a href="#">nVent 8PF Conduit to Stud Attachment</a> [pdf] Owner's Manual 8PF Conduit to Stud Attachment, 8PF, Conduit to Stud Attachment, Stud Attachment, Attachment</p>
---	---

### References

-  [Building a more Sustainable and Electrified World | nVent](#)
-  [Building a more Sustainable and Electrified World | nVent](#)
- [User Manual](#)

[Manuals+](#), [Privacy Policy](#)

This website is an independent publication and is neither affiliated with nor endorsed by any of the trademark owners. The "Bluetooth®" word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. The "Wi-Fi®" word mark and logos are registered trademarks owned by the Wi-Fi Alliance. Any use of these marks on this website does not imply any affiliation with or endorsement.