



## nVent A1BFV1GDV1N Caddy All In One Between Stud with Adjustable Mud Ring Multi Box Owner's Manual


[Home](#) » [nVent](#) » nVent A1BFV1GDV1N Caddy All In One Between Stud with Adjustable Mud Ring Multi Box Owner's Manual 

### Contents

- [1 nVent A1BFV1GDV1N Caddy All In One Between Stud with Adjustable Mud Ring Multi Box](#)
- [2 FEATURES](#)
- [3 PRODUCT ATTRIBUTES](#)
- [4 ADDITIONAL PRODUCT DETAILS](#)
- [5 DIAGRAMS](#)
- [6 WARNING](#)
- [7 Documents / Resources](#)
  - [7.1 References](#)
- [8 Related Posts](#)



**nVent A1BFV1GDV1N Caddy All In One Between Stud with Adjustable Mud Ring Multi Box**



## FEATURES

- Comes with multiple boxes pre-assembled for side by side power and data applications
- Adjustable mud ring accommodates various thicknesses of drywall
- Can be adjusted after the installation of drywall
- Pre-bent tabs on support bracket help to quickly square assembly to stud
- Center marks provide easy height positioning
- Includes multiple knockouts on each side of the box


## PRODUCT ATTRIBUTES

- Material: Steel
- Finish: Pregalvanized
- Knockout Sizes, Box 1: (8) 1/2", 3/4";(3) 1/2"
- Knockout Sizes, Box 2: (5) 1/2", 3/4";(1) 1/2";(3) 1"
- Gang, Box 1: 1
- Ground Wire Included, Box 1: Yes
- Volume, Box 1: 32.8 in<sup>3</sup>
- Gang, Box 2: 1
- Ground Wire Included, Box 2: No
- Volume, Box 2: 32.8 in<sup>3</sup>
- Drywall Thickness: 3/4" – 1 1/2"
- Stud Spacing: 16" – 24"
- Depth: 3 5/8"
- A: 5 3/4"
- B: 4 1/8"

## ADDITIONAL PRODUCT DETAILS

- Ground wire pigtail is 10".
- 24" stud spacing requires use of three mounting screws.
- Use only with nVent CADDY All-in-One box assemblies.

## DIAGRAMS



## WARNING

nVent products shall be installed and used only as indicated in nVent's product instruction sheets and training materials. Instruction sheets are available at [www.nvent.com](http://www.nvent.com) and from your nVent customer service representative. Improper installation, misuse, misapplication or other failure to completely follow nVent's instructions and warnings may cause product malfunction, property damage, serious bodily injury and death and/or void your warranty.

### North America

+1.800.753.9221

Option 1 – Customer Care Option 2 – Technical Support.

### Europe Netherlands:

+31 800-0200135 France:

+33 800 901 793

### Europe Germany:

800 1890272 Other Countries: +31 13 5835404

### APAC

Shanghai:

+ 86 21 2412 1618/19 Sydney:

+61 2 9751 8500

## Documents / Resources

	<p><a href="#">nVent A1BFV1GDV1N Caddy All In One Between Stud with Adjustable Mud Ring Multi Box</a> [pdf] Owner's Manual</p> <p>A1BFV1GDV1N, Caddy All In One Between Stud with Adjustable Mud Ring Multi Box, A1BFV1GDV1N Caddy All In One Between Stud, Caddy All In One Between Stud, All In One Between Stud</p>
--	--

## References

- 🌟 [The Future of Connection and Protection | nVent](#)
- 🌟 [The Future of Connection and Protection | nVent](#)

Manuals+.