

nVent B922CC14A Erico 2 Hole Telecom Lug



nVent B922CC14A Erico 2 Hole Telecom Lug Owner's Manual

[Home](#) » [nVent](#) » nVent B922CC14A Erico 2 Hole Telecom Lug Owner's Manual 

Contents

- [1 nVent B922CC14A Erico 2 Hole Telecom Lug](#)
- [2 Specifications](#)
- [3 Product Information](#)
- [4 Product Usage Instructions](#)
- [5 FAQ](#)
- [6 FEATURES](#)
- [7 PRODUCT ATTRIBUTES](#)
- [8 DIAGRAMS](#)
- [9 CONTACT](#)
- [10 Documents / Resources](#)
 - [10.1 References](#)



nVent B922CC14A Erico 2 Hole Telecom Lug



Specifications

- **Catalog Number:** B922CC14A
- **Dimensions:** 1.875" x 0.625" x 0.125" x 0.375" x 0.625"
- **Hole Diameter:** 0.281"

Product Information

- The 2-hole telecom Lug is designed to provide an efficient bolting surface for grounding and power applications.
- Made of electrolytic grade copper, it offers reliable performance for telecom ground bars.
- This product is specifically intended for use with the nVent ERICO Cadweld mould GLPCC001TC.

Product Usage Instructions

1. Ensure that the 2-hole Telecom Lug is compatible with your specific grounding or power application needs.
2. Use the provided hole spacing to securely attach the lug to the telecom ground bars.
3. Only use the designated nVent ERICO Cadweld mould GLPCC001TC for proper installation.
4. Refer to nVent's product instruction sheets and training materials for detailed installation guidelines.

FAQ

- **Q:** Can I use the 2 Hole Telecom Lug with other Cadweld molds?
- **A:** No, the 2 Hole Telecom Lug is specifically designed for use with the nVent ERICO Cadweld mould GLPCC001TC. Using it with other moulds may result in improper installation and potential product malfunction.
- **Q:** What should I do if the hole spacing does not align with my telecom ground bars?

- **A:** If you encounter hole spacing issues, please contact us for assistance. For sizes not listed, customized options may be available to suit your specific requirements.

CATALOG NUMBER

- B922CC14A



FEATURES

- Provides an efficient bolting surface for grounding and power applications
- Electrolytic grade copper
- Hole spacing for telecom ground bars
- For use with nVent ERICO Cadweld mould GLPCC001TC only



PRODUCT ATTRIBUTES

- **Material:** Copper
- **Finish:** Tinned
- **Height:** 0.31"
- **Length:** 1.88"
- **Width:** 0.62"
- **Thickness:** 0.12"
- **A:** 0.38"
- **B:** 0.62"
- **Hole Size:** 0.28"
- **Angle:** 90 °
- **Equivalent Conductor Size:** 99.45 kcmil

ADDITIONAL PRODUCT DETAILS

- For sizes not listed, contact us.

DIAGRAMS



WARNING

- nVent products shall be installed and used only as indicated in nVent's product instruction sheets and training materials.
- Instruction sheets are available at www.nvent.com and from your nVent customer service representative.
- Improper installation, misuse, misapplication or other failure to completely follow nVent's instructions and warnings may cause product malfunction, property damage, serious bodily injury and death and/or void your warranty.

CONTACT

North America

- +1.800.753.9221
- Option 1 – Customer Care
- Option 2 – Technical Support

Europe

- Netherlands:
- +31 800-0200135
- France:
- +33 800 901 793

Europe

- Germany:
- 800 1890272
- Other Countries:
- +31 13 5835404

APAC

- Shanghai:
- + 86 21 2412 1618/19
- Sydney:
- +61 2 9751 8500

- [nVent.com](#).

© 2024 nVent. All nVent marks and logos are owned or licensed by nVent Services GmbH or its affiliates. All other trademarks are the property of their respective owners. nVent reserves the right to change specifications without notice.

Documents / Resources



[nVent B922CC14A Erico 2 Hole Telecom Lug](#) [pdf] Owner's Manual
B922CC14A Erico 2 Hole Telecom Lug, B922CC14A, Erico 2 Hole Telecom Lug, 2 Hole Telecom Lug, Telecom Lug, Lug

References

- [User Manual](#)

Manuals+. [Privacy Policy](#)

This website is an independent publication and is neither affiliated with nor endorsed by any of the trademark owners. The "Bluetooth®" word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. The "Wi-Fi®" word mark and logos are registered trademarks owned by the Wi-Fi Alliance. Any use of these marks on this website does not imply any affiliation with or endorsement.