



# nVent RBM266785F LENTON End Alignment Fitting Owner's Manual

[Home](#) » [nVent](#) » nVent RBM266785F LENTON End Alignment Fitting Owner's Manual 

## Contents

- [1 nVent RBM266785F LENTON End Alignment Fitting](#)
- [2 Product Information](#)
- [3 Product Usage Instructions](#)
- [4 FAQ \(Frequently Asked Questions\)](#)
- [5 FEATURES](#)
- [6 CARATTERISTICHE DEL PRODOTTO](#)
- [7 ADDITIONAL PRODUCT DETAILS](#)
- [8 DIAGRAMS](#)
- [9 Documents / Resources](#)
  - [9.1 References](#)
- [10 Related Posts](#)



nVent RBM266785F LENTON End Alignment Fitting



## Product Information

### Specifications

- Catalog Number: RBM266785F
- Material: Acciaio (Steel)
- Rebar Size, Metric: 36 mm
- Rebar Size, US: #11
- Rebar Size, Canada: 35M
- Height: 64 mm
- Diameter 1: 76 mm
- Diameter 2: 65 mm

### Features

- Durable, re-usable and long lasting
- Easily replaced if damaged
- Split-collar design allows for easy installation and removal

### Additional Product Details

Diameter 2 is the mating surface for the outside diameter of the appropriate sleeve. Prior to installation, please read and understand all of the detailed instructions and safety notices provided in the nVent LENTON Cadweld Rebar Splicing System Instruction Manual. Sizes not shown may be available by special order. Contact your nVent LENTON representative for more information.

### Diagrams

### Warning

- Europa Netherlands: +31 800-0200135
- France: +33 800 901 793
- Europa Germany: 800 1890272

- Other Countries: +31 13 5835404
- APAC Shanghai: +86 21 2412 1618/19
- Sydney: +61 2 9751 8500

Our powerful portfolio of brands: nVent.com, CADDY, ERICO, HOFFMAN, RAYCHEM, SCHROFF, TRACER. All trademarks and registered trademarks belong to their respective owners. nVent reserves the right to change specifications without notice.

## **Product Usage Instructions**

### **Step 1: Preparation**

Prior to installation, make sure you have the necessary tools and equipment:

- End alignment fitting
- Sleeve
- Reinforcing steel
- Packing materials
- Installation manual

### **Step 2: Sleeve Placement**

1. Select the appropriate sleeve for your application.
2. Place the sleeve onto the reinforcing steel.
3. Ensure the end alignment fitting properly locates the sleeve onto the reinforcing steel.

### **Step 3: Packing Material Retention**

The end alignment fitting also retains the packing materials and holds them in place. This helps ensure a leak-free installation.

### **Step 4: Installation and Removal**

The split-collar design of the end alignment fitting allows for easy installation and removal. Follow the instructions provided in the installation manual for proper installation and removal techniques.

### **Step 5: Safety Precautions**

Before starting the installation process, read and understand all of the detailed instructions and safety notices provided in the nVent LENTON Cadweld Rebar Splicing System Instruction Manual. Adhere to all safety precautions to prevent accidents or injuries.

### **Step 6: Special Orders**

If the required size of the end alignment fitting is not shown, you may be able to order it as a special order. Contact your nVent LENTON representative for more information on special orders.

## **FAQ (Frequently Asked Questions)**

**Q: Can the end alignment fitting be reused?**

A: Yes, the end alignment fitting is durable, reusable, and long-lasting. It can be easily replaced if damaged.

**Q: What is the purpose of diameter 2?**

A: Diameter 2 is the mating surface for the outside diameter of the appropriate sleeve. It ensures proper alignment and connection.

**Q: How do I contact nVent LENTON for more information?**

A: You can contact nVent LENTON through their representatives. Refer to the warning section for contact details specific to your region.

End alignment fittings properly locate the sleeve onto the reinforcing steel. The fittings also retain the packing materials and hold them in place, which helps ensure a leak-free installation.

## **FEATURES**

- Durable, re-usable and long lasting
- Easily replaced if damaged
- Split-collar design allows for easy installation and removal



## **CARATTERISTICHE DEL PRODOTTO**

- **Material:** Acciaio
- **Rebar Size, Metric:** 36 mm
- **Rebar Size, US:** #11
- **Rebar Size, Canada:** 35M
- **Height:** 64 mm
- **Diameter 1:** 76 mm
- **Diameter 2:** 65 mm

## **ADDITIONAL PRODUCT DETAILS**

- Diameter 2 is the mating surface for the outside diameter of the appropriate sleeve.
- Prior to installation, please read and understand all of the detailed instructions and safety notices provided in the nVent LENTON
- Cadweld Rebar Splicing System Instruction Manual.
- Sizes not shown may be available by special order. Contact your nVent LENTON representative for more information.

## **DIAGRAMS**



#### **America del Nord**

+1.800.753.9221

Option 1 – Customer Care

Option 2 – Technical Support

#### **Europa**

Netherlands:

+31 800-0200135

France:

+33 800 901 793

#### **Europa**

Germany:

800 1890272

Other Countries:

+31 13 5835404

#### **APAC**

Shanghai:

+ 86 21 2412 1618/19

Sydney:

+61 2 9751 8500

#### **Our powerful portfolio of brands:**

nVent.com CADDY ERICO HOFFMAN RAYCHEM SCHROFF TRACER

© 2023 nVent. All nVent marks and logos are owned or licensed by nVent Services GmbH or its affiliates. All other trademarks are the property of their respective owners.

nVent reserves the right to change specifications without notice.

---

## **Documents / Resources**



[nVent RBM266785F LENTON End Alignment Fitting](#) [pdf] Owner's Manual  
RBM266785F LENTON End Alignment Fitting, RBM266785F, LENTON End Alignment Fitting,  
End Alignment Fitting, Alignment Fitting, Fitting

## References

- [🌟 The Future of Connection and Protection | nVent](#)
- [🌟 The Future of Connection and Protection | nVent](#)
- [User Manual](#)