

nVent TRC112 Caddy Swift Clip Threaded Rod Attachment **Owner's Manual**

Home » nVent » nVent TRC112 Caddy Swift Clip Threaded Rod Attachment Owner's Manual



Contents

- 1 nVent TRC112 Caddy Swift Clip Threaded Rod **Attachment**
- **2 Product Information**
- **3 Product Usage Instructions**
- **4 FEATURES**
- **5 PRODUCT ATTRIBUTES**
- 6 Documents / Resources
- **6.1 References**
- **7 Related Posts**



nVent TRC112 Caddy Swift Clip Threaded Rod Attachment



Product Information

Specifications

Product Name: nVent CADDY SWIFT CLIP THREADED ROD ATTACHMENT

Outer Diameter: 1 1/8 inches
Copper Tube Size: 1 inch
Rod Size: 3/8 inches

• Catalog Number: TRC112

Features

- Easy and secure attachment to threaded rods
- Designed for use with 1 1/8 inch outer diameter pipes
- Compatible with 1-inch copper tubes and 3/8-inch rods

Product Attributes

The nVent CADDY SWIFT CLIP THREADED ROD ATTACHMENT offers the following attributes:

- Secure and reliable installation
- Durable construction for long-lasting performance
- Efficient and time-saving installation process

Additional Product Details

This product is designed to provide a convenient solution for attaching threaded rods to pipes. It ensures a secure connection and is compatible with various pipe sizes. The nVent CADDY SWIFT CLIP THREADED ROD ATTACHMENT is built to withstand the demands of different applications, offering reliability and durability.

WARNING: nVent products must be installed and used according to nVent's product instruction sheets and training materials. Failure to follow instructions and warnings may result in product malfunction, property damage, serious bodily injury, death, and/or voiding of the warranty.

Contact Information

If you have any questions or need further assistance, please contact nVent customer service representatives:

• Europe Netherlands: +31 800-0200135

France: +33 800 901 793Germany: 800 1890272

Other Countries: +31 13 5835404
APAC Shanghai: +86 21 2412 1618/19

• Sydney: +61 2 9751 8500

Visit <u>www.nvent.com</u> for more information about our powerful portfolio of brands. *nVent, CADDY, ERICO, HOFFMAN, RAYCHEM, SCHROFF, and TRACER are trademarks or registered trademarks of their respective owners*. nVent reserves the right to change specifications without notice.

Product Usage Instructions

Step 1: Preparation

Before starting the installation process, ensure that you have the following tools and materials:

- nVent CADDY SWIFT CLIP THREADED ROD ATTACHMENT
- Threaded rod
- 1-inch copper tube
- 3/8-inch rod
- Fasteners (if required)
- Installation manual

Step 2: Positioning

Determine the desired location for the attachment and mark the positions where the threaded rod, copper tube, and rod will be installed.

Step 3: Installation

- 1. Insert the threaded rod into the nVent CADDY SWIFT CLIP THREADED ROD ATTACHMENT.
- 2. Position the attachment on the marked location and align it with the threaded rod.
- 3. Securely fasten the attachment to the surface using appropriate fasteners (if required).
- 4. Slide the 1-inch copper tube onto the threaded rod until it reaches the desired position.
- 5. Attach the 3/8-inch rod to the threaded rod using compatible connectors or fasteners.

Step 4: Finalizing

Ensure that all connections are secure and properly tightened. Double-check the alignment and positioning of the attached components. Make any necessary adjustments to achieve the desired installation.

Maintenance

Regularly inspect the nVent CADDY SWIFT CLIP THREADED ROD ATTACHMENT and its connections for signs of wear or damage. If any issues are detected, promptly address them to maintain optimal performance and safety.

FAQ

Q: Can this attachment be used with different pipe sizes?

A: Yes, the nVent CADDY SWIFT CLIP THREADED ROD ATTACHMENT is compatible with 1-inch copper tubes and 3/8-inch rods.

Q: Is this product suitable for outdoor installations?

A: Yes, the nVent CADDY SWIFT CLIP THREADED ROD ATTACHMENT is designed to withstand various environmental conditions and can be used for outdoor installations.

Q: How can I obtain additional product instruction sheets?

A: Additional product instruction sheets can be found on the nVent website at <u>www.nvent.com</u>. You can also contact nVent customer service representatives for assistance.

FEATURES

- · Snap-on and twist installation requires no tools
- Easily adjusts by rotating up or down on the threaded rod

- For support and positioning of refrigeration, A/C tubing, PEX piping, conduit and cabling
- · Secures pipe and insulation without any breaks
- Compliant with UL® 2043 and suitable for use in air handling (plenum) spaces

PRODUCT ATTRIBUTES

• Material: Polyamide

• Working Temperature: -40 to 284 °F

• Outer Diameter: 1 1/8" • Copper Tube Size: 1"

• Rod Size: 3/8"

ADDITIONAL PRODUCT DETAILS

Clip must be installed with temperature at or above 14 °F (-10 °C).

WARNING

nVent products shall be installed and used only as indicated in nVent's product instruction sheets and training materials. Instruction sheets are available at www.nvent.com and from your nVent customer service representative. Improper installation, misuse, misapplication or other failure to completely follow nVent's instructions and warnings may cause product malfunction, property damage, serious bodily injury and death and/or void your warranty.

North America

+1.800.753.9221 Option 1 - Customer Care Option 2 - Technical Support

Europe

• Netherlands: +31 800-0200135

• France: +33 800 901 793

Europe

• Germany: 800 1890272

• Other Countries: +31 13 5835404

APAC

• Shanghai: + 86 21 2412 1618/19

• Sydney: +61 2 9751 8500

nVent.com

© 2023 nVent. All nVent marks and logos are owned or licensed by nVent Services GmbH or its affiliates. All other trademarks are the property of their respective owners.

nVent reserves the right to change specifications without notice.

Documents / Resources



nVent TRC112 Caddy Swift Clip Threaded Rod Attachment [pdf] Owner's Manual TRC112 Caddy Swift Clip Threaded Rod Attachment, TRC112, Caddy Swift Clip Threaded Rod Attachment, Threaded Rod Attachment, Rod Attachment, Rod Attachment

References

- * Building a more Sustainable and Electrified World | nVent
- * Building a more Sustainable and Electrified World | nVent
- User Manual

Manuals+, Privacy Policy