

## Oase 400 Filtral UVC All in one Pump and Filter Unit **Instruction Manual**

Home » Oase » Oase 400 Filtral UVC All in one Pump and Filter Unit Instruction Manual





Filtral UVC 400, 800, 1600 **Operating instructions** 



**Malfunction remedy** 

Malfunction	Possible cause	Remedy
Unit is not operating	No mains voltage	Check the mains voltage.
	Water housing is open (safety	Turn the head of the unit clock-
Delivery or fountain height	Nozzle blocked	Unscrew and clean the nozzle
insufficient or not con		insert
consistent,	The loss of pressure on the pipe to the watercourse/water feature is too high	Reduce hose length and conne ct parts to a minimum, route ho ses as straight as possible
Cloudy water	Intake openings blocked	Clean housing
	Filter media clogged	Clean filter media
	Impeller unit blocked	Clean the running unit
	Pond extremely dirty	Remove algae and leaves from the pond, change the water
	Quartz glass tube soiled	Clean the quartz glass tube
	Flow regulator excessively throttled	Set flow regulator
The UVC lamp is not lit	The UVC lamp overheats.	After cooling down, the UVC
	The temperature monitor turned off the UVC lamp	lamp switches on again auto m atically
	The UVC lamp is defective	Replace the UVC lamp.
	The UVC lamp is not inserted into the socket properly	Insert the UVC lamp correctly into the socket
The unit switches off after a short running period	Water temperature too high	Observe the maximum water temperature of +77 °F (+35 °C)

## Contents

1 Documents / Resources

1.1 References

2 Related Posts

## **Documents / Resources**

Case:	Oase 400 Filtral UVC All in one Pump and Filter Unit [pdf] Instruction Manual 400, 800, 1600, Filtral UVC All in one Pump and Filter Unit
Case'	Oase 400 Filtral UVC All In One Pump and Filter Unit [pdf] Instruction Manual 400, 800, 1600, Filtral UVC All In One Pump and Filter Unit

## References

• 
Market | Atlantic Water Gardens

Manuals+,