

Contents [[hide](#)]

- [1 OCOM MSR605 Android Magnetic Card Reader and Writer](#)
- [2 Specifications](#)
- [3 Product Details](#)
- [4 FEATURES](#)
- [5 All-round show](#)
- [6 Application Area](#)
- [7 Parameter](#)
- [8 Production Line](#)
- [9 Quality Assurance](#)
- [10 Test Equipments](#)
- [11 Packing and Shipment](#)
- [12 Frequently Asked Questions](#)
- [13 Documents / Resources](#)
 - [13.1 References](#)



OCOM MSR605 Android Magnetic Card Reader and Writer



Specifications:

• Performance Characteristics:

- Read card: Track1 /Track2/ Track3
- Bit per density: 210 bpi
- Coercive force: 75/210bpi
- Card thickness: 0.76-1.2mm
- Reading speed: 5-55ips
- Writing speed: 5-30ips
- STD card Jitter: +/-15%
- Write jitter: Interval < +/- 10%, Sub-interval < +/- 12%
- Error rate: Read < 0.5%, Write < 0.8%
- Head life: Min. 500K swipes for both read/write head

• Physical Characteristics:

- Interface: USB
- Power: DC+9V, 2A
- Dimension: 212(L) x 64(W) x 63(H) mm

Accessories:

- 1 magnetic head clear card
- 1 Power Cord with Adapter
- 1 MSR605 Software CD
- 1 Instruction Manual PDF Format

Software:

- Program software support: Windows XP/Vista 32 or 64 bit systems, DOS/Linux and Windows 95/98/Me/2000/NT/XP/VISTA/Windows 7
- Operation System support: CE, FCC, UL, CUL, ROHS

Product Details:

• Relevant documents:

- [Click here for more product information.](#)

User Manual / Instructions:

1. Connect the ISO Magnetic Stripe Card Reader/Writer (Model: MSR605) to your computer using the provided USB cable.
2. Ensure the power adapter is connected and the device is powered on.
3. Insert a compatible magnetic stripe card into the reader/writer.
4. Use the provided software CD to install the necessary programs for reading and writing to the magnetic stripe card.
5. Follow the instructions in the manual to read or write data to the card as needed.

Specifications

Performance Characteristics	
Read card:	Track1 /Track2/ Track3
Bit per density:	210 bpi 75/210bpi 210 bpi
Coercive force:	Read/write 300-4000 oe Mag.card
Card thickness:	0.76-1.2mm
Reading speed:	5-55ips
Writing speed:	5-30ips
STD card Jitter:	+/-15%
Write jitter:	Interval < +/- 10%, Sub-interval < +/- 12%
Error rate:	Read < 0.5% Write < 0.8%
Head life:	Min. 500K swipes for both read/write head
Physical Characteristics	
Interface:	USB
Power:	DC+9V, 2A

Dimension:	212(L) x 64(W) x 63(H) mm
Accessories:	1 magnetic head clear card
	1 Power Cord with Adapter
	1 MSR605 Software CD
	1 Instruction Manual PDF Format
Software	
Program software support:	Windows XP/Vista 32 or 64 bit systems
Operation System support:	DOS/Linux and Windows 95/98/Me/2000/NT/XP/VISTA/Windows 7
Safe	
Certificate:	CE, FCC, UL, CUL, ROHS

Product Details

PRODUCT PICTURE



FEATURES

Simple but not easy

Reading/Writing magnetic stripe card complied with ISO formats;



Sequential write function,
up to 12 digits (1 up);
All 3 tracks can set to 75/210 BPI;

Writing and verifying data on single,dual, or triple track in one swipe;



Programmable leading bit, raw data,DMVIAAMVA, and user defined format;



High/Low Coercive encoding circuitry selectable on screen;

Read and Write High & Low Coercive force of magnetic stripe;



All-round show



Application Area

- Financial Banking: Credit Card, Debit Card, Bank Card
- Retail: Gift Card, Customer ID, Store ID
- Government: Driver License, Health Card, Government ID
- Any movable data collection Trade shows, Racing events
- Employee's Time / Attendance data collection

- Exhibition visitors data collection, Conference attendants data collection
- Card Verification: Age verification
- Point of Sales: Payment collection, Credit card data collection
- Law Enforcement: DMV card
- Attendance: Student ID, Membership Card, Club ID



Parameter

Performance Characteristics	
Read card:	Track1/Track2/Track3
Bit per density:	210 bpi 75/210bpi 210 bpi
Coercive force:	Read/write 300-4000 oe Mag.card
Card thickness:	0.76-1.2mm
Reading speed:	5-55ips
Writing speed:	5-30ips
STD card Jitter:	+/-15%
Write jitter:	Interval < +/- 10%, Sub-interval < +/- 12%
Error rate:	Read < 0.5% Write < 0.8%
Head life:	Min. 500K swipes for both read/write head
Physical Characteristics	
Interface:	USB
Power:	DC+9V, 2A
Dimension:	212(L) x 64(W) x 63(H) mm
Accessories:	1 magnetic head clear card
	1 Power Cord with Adapter
	1 MSR605 Software CD
	1 Instruction Manual PDF Format
Software	
Program software support:	Windows XP/Vista 32 or 64 bit systems
Operation System support:	DOS/Linux and Windows 95/98/Me/2000/NT/XP/VISTA/Windows 7
Safe	
Certificate:	CE, FCC, UL, CUL, ROHS

Production Line



Capacity

Verified	Product Name	Production Line Capacity	Actual Units Produced(Previous Year)
✓	Thermal Printer	40,000 Sets / Month	250,000 Sets
✓	Dot Matrix Printer	15,000 Sets / Month	10,000 Sets
✓	Bluetooth Printer	30,000 Sets / Month	20,000 Sets
✓	Barcode Scanner	40,000 Sets / Month	20,000 Sets
✓	POS Machine	5,000 Sets / Month	10,000 Sets
✓	Magnetic Card Reader and Writer	45,000 Sets / Month	50,000 Sets

Indicates information has been verified onsite by TUV on 2013,7.15

Quality Assurance

OCOM is dedicated to providing most cost-effective products and services with highest quality that will meet customers' satisfaction.

Since the establishment, OCOM has been sticking strictly to the standard and requirements of ISO9001: 2000 in the processes of research, design, manufacturing and services. OCOM's products have passed CE, FCC, TUV, RoHS and other certifications.

We make strictly IQC, IPQC and OQC inspection per industrial standard. All the products must pass 24-48 hours aging test before shipment. Some designated models can have as long as 24 months warranty.



Test Equipments

Verified	Machine Name	Brand & Model No.	Quantity
✓	Ageing Tester	No Information	6
✓	Withstand Voltage Tester	CC2670A	1
✓	Oscilloscope	TBS1102	1
✓	DC Power Supply	PS-305DM	6
✓	Digital Torque Meter	HP100	1
✓	Calliper	GUANGLU	2
✓	Multi-meter	VC890D	7
✓	Test Computer	No Information	13

Certifications



Packing and Shipment



Payment



Customers Reference

Over the years, OCOM keep efforts on marking "OCOM• as an internationally recognized brand,and we have established goods relationship with our customers and have friendly communication with each other.



Why you choose us?



Company Profile

This Assessed Supplier Has Been Independently Verified

Build Your Growth On Trust




TÜVRheinland®
Precisely Right.



OCOM Technologies Limited, founded in 2007, is one of the leading suppliers of POS and Auto-ID related products from China.

OCOM's products portfolio covers Thermal Printer, Dot Matrix Printer, Barcode Printer, Barcode Scanner, Magnetic Card Reader, POS Terminal, and POS peripherals. Our products have passed CE, FCC, RoHS and other required certificates, and are hot selling in Europe, Australia, Asia, and other areas.



OCOM has a professional team including marketing, R&D, quality control, production and sales service. The management members have worked in the FORTUNE 500 companies as senior managers for many years. All of the sales have more than 5 years' experience, which helps us to meet and exceed the customers' satisfaction.

OCOM has a professional team including marketing, R&D, quality control, production and sales service. The management members have worked in the FORTUNE 500 companies as senior managers for many years. All of the sales have more than 5 years' experience, which helps us to meet and exceed the customers' satisfaction.

OCOM has been sticking to the quality system of ISO9001:2008. We make strictly IQC, IPQC and CQC inspection per industrial standard. All the products must pass 24-48 hours aging test before shipment. Some designated models can have as long as 24 months warranty. We have the mass production capabilities that produce thousands of printers and scanners a week. Based on our strong capacity, the normal lead time for main products is about 3 to 7 days even for bulk order.

"Integrity based, Strive for excellence, Win-win cooperation". We would like to establish stable and reliable partnerships with customers all over the world. OEM/ODM is welcome.



Contact us

Any queries, please contact us immediately, big surprise is waiting for you.

Address: Unit 701, Block 14, Zhongxing Industrial Park, Chuangye Road, Nanshan District, Shenzhen 518054, China;

Websites: <http://www.possolution.com.cn> ; <http://www.ocominc.com>;

E-mail: ocom@ocominc.com, ocomtech@gmail.com ;

Skype: ocominc2000, cominc;

MSN: ocomtech@hotmail.com, ocominc@hotmail.com;

Trademanager: szocominc, cn1500439666;

QQ: 2485890637, 190852203;

Tel/Fax: +86.755.8605.3207.



Relevant documents:

Do you want to know more product information? Please Click here.

[Specification](#)

[Driver](#)

Frequently Asked Questions

What is the maximum card thickness supported by the MSR605?

The MSR605 supports magnetic stripe cards with a thickness range of 0.76mm to 1.2mm.


What is the reading speed of the MSR605?

The reading speed of the MSR605 is between 5 to 55 inches per second.

Is the MSR605 software compatible with Windows 10?

The software provided with the MSR605 supports Windows XP/Vista/7, but it may not be compatible with Windows 10. It is recommended to check for updated software versions or drivers for Windows 10 compatibility.

Documents / Resources

	<p>OCOM MSR605 Android Magnetic Card Reader and Writer [pdf]</p> <p>Instruction Manual</p> <p>MSR605 Android Magnetic Card Reader and Writer, MSR605, Android Magnetic Card Reader and Writer, Magnetic Card Reader and Writer, Card Reader and Writer, Reader and Writer, Writer</p>
---	---

References

- [User Manual](#)

Leave a comment

Your email address will not be published. Required fields are marked *

Comment *

Name

Email

Website

☐ Save my name, email, and website in this browser for the next time I comment.

Post Comment

Search:

Search

[Manuals+](#) | [Upload](#) | [Deep Search](#) | [Privacy Policy](#) | [@manuals.plus](#) | [YouTube](#)

This website is an independent publication and is neither affiliated with nor endorsed by any of the trademark owners. The "Bluetooth®" word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. The "Wi-Fi®" word mark and logos are registered trademarks owned by the Wi-Fi Alliance. Any use of these marks on this website does not imply any affiliation with or endorsement.