



OCOM OCPP-M03 Small Handheld Bluetooth Mobile Pos Thermal Receipt Printer Instructions

[Home](#) » [ocom](#) » OCOM OCPP-M03 Small Handheld Bluetooth Mobile Pos Thermal Receipt Printer Instructions



OCOM OCPP-M03 Small Handheld Bluetooth Mobile Pos Thermal Receipt Printer Instructions



Contents

- [1 Specification](#)
- [2 Product Picture](#)
- [3 Features](#)
- [4 All-round show](#)
- [5 Application Area](#)
- [6 Parameter](#)
- [7 Paper Roll Installation](#)
- [8 Shipping and payment](#)
- [9 Company Profile](#)
- [10 Relevant documents](#)
- [11 Related Videos](#)
- [12 Documents / Resources](#)
 - [12.1 References](#)
- [13 Related Posts](#)

Specification

Overall Dimension (W×D×H)	105×75×45mm
Weight	134g
Color	Black
Effective print width	48mm
Print method	Thermal line printing
Print commands	ESC/POS compatible command set
Print speed	Up to 90mm/sec
Resolution	8 dots/mm(203dpi)
Print font	12×24/ 24×24
Column capacity	32 columns/ 16columns
Character size	1.5 x 3.0 mm(W x H)/ 3.0×3.0mm(W×H)
Paper dimensions	58.0±0.1mm x diameter 40.0mm
Paper thickness	0.06 to 0.08mm
Character set	Alphanumeric/ Chinese Kanji
Interface	USB, RS-232, Bluetooth (optional)
Flash	256KB

Power Adapte	9V DC/2A
Battery Power	7.4V DC/ 1500mA; battery can stay by for 4-5 days, w hen it is full power, it can print 120-150m paper
Other features	Paper detection, power detection, Manual shut down
Working conditions	Temperature:-10degree C 50degree C,Humidity:10% 90%
Storage conditions	Temperature:-20degree C 70degree C,Humidity:5% 95%
Device name	Can be customized, letter and digital for option, at max 30 ASCII characters.
Password	Enter default pairing code "1234", it can be customized . At max 6 digitals
Power plug dimension	3.5*1.1mm

Product Picture



Features

Simple but not easy

Battery charge indicator, easy to know rest power.



Higher print speed 90mm/sec



Support Windows, Android, or iPhone OS;
Bluetooth, USB and RS232 communication



Higher print speed 90mm/sec.
100km TPH Life



Low power consumption and large
capacity Lithium battery.

All-round show



Application Area

Bus/Taxi receipt, Traffic Citation, Logistics, Transportation, Warehouse management, Delivery, Illegal Parking Ticket, Drugstore, Food delivery, restaurant, Price Tag, Retail/Farm



Parameter

Overall Dimension (wxDxH)	105 x75x45mm
Weight	134g
Color	Black
Effective print width	48mm
Print method	Thermal line printing
Print commands	ESC/POS compatible command set
Print speed	Up to 90mm/sec
Resolution	8 dots/mm(203dpi)
Print font	12×24/ 24×24
Column capacity	32 columns/ 16columns
Character size	1.5 x 3.0 mm(W x H)/ 3.0×3.0mm(WxH)
Paper dimensions	58.010.1 mm x diameter 40.0mm
Paper thickness	0.06 to 0.08mm
Character set	Alphanumeric/ Chinese Kanji
Interface	USB, RS-232, Bluetooth (optional)
Flash	256KB
Power Adapter	9V DC/2A

Paper Roll Installation



A Open the printer cover.)

B Install the roller in the roll paper, and put them into the printer.

C (Pull out some paper outside the Vrinter and then close the printer cove)

D (Close the top cover. Press the printer cover to avoid error position of roll paper
E (Tear-off the paper correctly)

Shipping and payment

1. EXPRESS: around 3-7 working days to arrive
2. INTERNATIONAL AIR MAIL: usually around 2-4 days to arrive, will also depend on which destination port
3. By sea: depend on which destination port
4. T/T
5. Western Union
6. Escrow
7. UC

Company Profile

We have FCC, CE, RoHS, and other certifications. We have sell our products to West Europe, North American, Africa, Asia-Pacific and other countries. OCOM has professional teams including marketing, R&D, quality control, production and sales service. All of the sales representatives have 3 to 10 years experience in international trading, which help us to meet the customers' needs. OCOM have been sticking to the quality system of ISO9001:2008. We conduct strict IQC, IPQC and OQC inspection in every industrial procedure. Based on our strong capacity, the normal lead time for main products is about 3 to 7 days even for bulk order You can find more information of us at www.ocominc.com, Together we quest for the best



Relevant documents


- *Specification
- *Program Manual
- *Instruction Manual
- *Driver for WinXP Win2000 WinVista Win8-32bit
- *Driver for Win8-64bit
- *Driver for Linux
- *Printer Parameters Setting Tools
- *USB Printdemo(Application Software demo)
- *Bluetooth Printdemo(Application Software demo)
- *SDK for Android
- *CD Files

Related Videos

How is the ocpp-m05-bb works via bluetooth and usb cable OCPP-M05-BB-I work with Android and IOS System Video for OCPP-M05 work with andriod tablet via usb cable



Documents / Resources

	<p>OCOM OCPP-M03 Small Handheld Bluetooth Mobile Pos Thermal Receipt Printer [pdf] Instructions</p> <p>OCPP-M03 Small Handheld Bluetooth Mobile Pos Thermal Receipt Printer, OCPP-M03, Small Handheld Bluetooth Mobile Pos Thermal Receipt Printer, Mobile Pos Thermal Receipt Printer, Thermal Receipt Printer, Receipt Printer</p>
---	--

References

- [OCPP-M05-BB-I work with Android and IOS System](#)
- [Video for OCPP-M05 work with andriod tablet via usb cable](#)
- [how is the ocpp-m05-bb works via bluetooth and usb cable](#)
- ocominc.com/download/14050515332419.html
- ocominc.com/download/14050516464735.html