$\underline{\textbf{Manuals+}} \ - \ \textbf{User Manuals Simplified}.$



OHSUNG ELECTRONICS LCWB-004 PCB Module Instruction Manual

Home » Ohsung Electronics » OHSUNG ELECTRONICS LCWB-004 PCB Module Instruction Manual



OHSUNG ELECTRONICS LCWB-004 PCB Module



Contents

- 1 LCWB-004 Overview and
- **Specification**
- **2 FCC Statement**
- 3 ISED Statement
- **4 Customer Support**
- 5 Documents / Resources
 - **5.1 References**
- **6 Related Posts**

LCWB-004 Overview and Specification

Overview

- 1. This is a Wi-F i& BLE Combo module
- 2. Wi-Fi wireless communication with wired LAN IoT product for protocol and application performance based on IEEE 802.11 b/g/n (HT20) standard technology
- 3. The RTL8720 series highly integrated Bluetooth Low Energy controller with a UART interface. It combines a BLE Protocol (PHY, LL, L2CAP, SM, ATT, GAP, GATT), BLE Baseband, Modem, and BLE RF in chip, also supports BLE user GATT-based profile application.

Specification

Categories		Details
Model Name		LCWB-004
WIFI	Range of Frequency	2400MHz ~ 2483.5MHz
	Channel	14EA
	Transmission Output	17 dBm (802.11b)
		15 dBm (802.11g)
		14 dBm (802.11n)
	Reception sensitivity	-88 dBm (802.11b)
		-75 dBm (802.11g)
		-72 dBm (802.11n)
	Modulation	802.11b : DQPSK, DBPSK, CK 802.11g/n : OFDM/64- QAM,16-QAM, QPSK, BPSK
BLE	Range of Frequency	2402 MHz ~ 2480 MHz
	Channel	40EA
	Transmission Output	4.5 dBm
	Reception sensitivity	-95 dBm
Antenna		PCB Pattern Antenna
Dimension		L x W x H : 48 x 20 x 11.2 (typical) mm
Power		5V±0.5V / 12V±1.2V

FCC Statement

FCC Part 15.19 Statemen ts:	This device complies with Part 15 of the FCC Rules. Operation is subject to the foll owing two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.
-----------------------------	---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

FCC Part 15.105 stateme nt(Class B)	This equipment has been tested and found to comply with the limits for a Class B di gital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interfer ence in a residential installation. This equipment generates, uses and can radiate r adio frequency energy and, if not installed and used in accordance with the instructi ons, may cause harmful interference to radio communications. However, there is n o guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures: Reorient or relocate the receiving antenna. Increase the separation between the equipment and receiver. Connect the equipment into an outlet on a circuit different from that to which the receiver is connected. Consult the dealer or an experienced radio/TV technician for help.
FCC Part 15.21 statement	Any changes or modifications not expressly approved by the party responsible for c ompliance could void the user's authority to operate this equipment. This device m ust not be co-located or operating in conjunction with any other antenna or transmit ter.
Responsible Party Inform ation	Supplier's Declaration of Conformity 47 CFR § 2.1077 Compliance Information Responsible Party –U.S. Contact Information LG Electronics USA 1000 Sylvan Avenue Englewood Cliffs New Jersey, United States, 07632
	Regulatory notice to host manufacturer according to KDB 996369 D03 OEM Manual This module has been granted modular approval as below listed FCC rule parts.
	FCC Rule parts 15C(15.247)
	Summarize the specific operational use conditions
	The OEM integrator should use equivalent antennas which is the same type and
	equal or less gain then an antenna listed below this instruction manual.
	RF exposure considerations
	The module has been certified for integration into products only by OEM integrat ors under the following condition:
	The antenna(s) must be installed such that a minimum separation distance of at least 20 cm is maintained between the radiator (antenna) and all persons at all times.
	The transmitter module must not be co-located or operating in conjunction with a ny other antenna or transmitter except in accordance with FCC multi-transmitter product procedures.
	Mobile use As long as the three conditions above are met, further transmitter tes ting will not be required.
	OEM integrators should provide the minimum separation distance to end users in their end-product manuals. Antennas list

Modular Approval Statem ent

This module is certified with the following integrated antenna.

 Max. Antenna gain: 1.72 dBi / Ant. Type: PCB Printed Antenna Any new antenn a type, higher gain than listed antenna should be met the requirements of FCC r ule 15.203 and 2.1043 as permissive change procedure.

End Product Labeling

The module is labeled with its own FCC ID and IC Certification Number. If the FCC ID and IC Certification Number are not visible when the module is installed inside a nother device, then the outside of the device into which the module is installed must also display a label referring to the enclosed module. In that case, the final end pro duct must be labeled in a visible area with the following:

"Contains FCC ID: BEJ-LCWB004 "Contains IC: 2703H-LCWB004

Information on test modes and additional testing requirements

- OEM integrator is still responsible for testing their end-product for any additional compliance requirements required with this module installed (for example, digita I device emissions, PC peripheral requirements, additional transmitter in the host, etc.). Additional testing, Part 15 Subpart B disclaimer
- The final host product also requires Part 15 subpart B compliance testing with th e modular transmitter installed to be properly authorized for operation as a Part 15 digital device.
- The final host product also requires Part 15 subpart B compliance testing with the
 modular transmitter installed to be properly authorized for operation as a Part
 15 digital device.

ISED Statement

Licensed-exempt State ment	This device contains licence-exempt transmitter(s)/receiver(s) that comply with Innovation, Science and Economic Development Canada's licence-exempt RSS(s). Operation is subject to the following two conditions: 1. This device may not cause interference. 2. This device must accept any interference, including interference that may cause undesired operation of the device.
RF Exposure Statement (MPE)	The antenna(s) must be installed such that a minimum separation distance of at lea st 20 cm is maintained between the radiator (antenna) and all persons at all times.
End Product Labeling	Final product labeling (IC) The module is labeled with its own FCC identification and IC certification number. If the FCC identification and IC certification number are not visible when the module is installed inside another device, the external portion of the device in which the module is installed must also have a label referencing the module included. In this case, the final product must be labeled in a visible area with the following information: Contains transmitter module IC: 2703H-LCWB004

Customer Support

Tel: 1588-6400

[Certification Mark / Certification Number] KC: R-C-LGE-LCWB-004

Company: Ohsung Electronics

Production Date: 2023.

Manufacturer/Country: Ohsung Electronics/KOREA

Documents / Resources



OHSUNG ELECTRONICS LCWB-004 PCB Module [pdf] Instruction Manual LCWB-004, LCWB-004 PCB Module, PCB Module, Module

References

• User Manual

Manuals+, Privacy Policy

This website is an independent publication and is neither affiliated with nor endorsed by any of the trademark owners. The "Bluetooth®" word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. The "Wi-Fi®" word mark and logos are registered trademarks owned by the Wi-Fi Alliance. Any use of these marks on this website does not imply any affiliation with or endorsement.