



OKIN CB4620 Control Box Instructions

[Home](#) » [OKIN](#) » OKIN CB4620 Control Box Instructions 

Contents

- [1 OKIN CB4620 Control Box](#)
- [2 Product Information](#)
- [3 Product Usage](#)
- [4 Process of test](#)
- [5 FCC Statement](#)
- [6 Documents / Resources](#)
- [7 Related Posts](#)



OKIN CB4620 Control Box



Product Information

- **Product Name:** CB.46
- **Function:** Head and foot actuator control
- **Power Supply:** 29V DC
- **LED Indicators:** Power LED (green), Pairing LED (blue)
- **Compliance:** FCC and ISED regulations

Product Usage

1. Connect the head actuator to the device and control it with the remote. To move the head up, click the “head up” button on the remote, the head actuator will move out and stop when the button is released. To move the head down, click the “head down” button on the remote, the head actuator will move in and stop when the button is released.
2. Connect the foot actuator to the device and control it with the remote. To move the foot up, click the “foot up” button on the remote, the foot actuator will move out and stop when the button is released. To move the foot down, click the “foot down” button on the remote, the foot actuator will move in and stop when the button is released.
3. The LED indicators on the device are as follows: The power LED is green and indicates power supply to the control box. The pairing LED is blue and indicates that the device is paired with a remote.
4. The device complies with FCC and ISED regulations for radiation exposure. Install and operate the device with a minimum distance of 20cm between the radiator and your body. Do not operate this device in conjunction with any other antenna or transmitter.

Process of test

HEAD

- Connect to head actuator, control by remote single:
- Click head up button on the remote, head actuator moves out, stop when released
- Click head down button head actuator moves in, stop when released
- This function takes effect only by pressing the corresponding button on the remote

FOOT

- Connect to foot actuator, control by remote single:
- Click foot up button foot actuator moves out stop when released
- Click foot down button foot actuator moves in stop when released
- This function takes effect only by pressing the corresponding button on the remote

Power LED & PAIRING LED

Power supply for control box, PAIRING LED of control box is blue, POWER LED is green

Power

Connect to the 29V DC

FCC Statement

This device complies with part 15 of the FCC rules. Operation is subject to the following two conditions: (this device may not cause harmful interference, and (this device must accept any interference received, including in terference that may cause undesired operation. Changes or modifications not expressly approved by the party responsible for compliance could void the user’s aut hority to opera te the equipment.

NOTE:

This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a re sidential installation. This equipment generates uses and can radiate radio frequency energy and, if not insta lled and used in accordance with the instructions, may cause harmful interference to radio communications. Howe ver, there is no guarantee that int erference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interferenc e by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connec ted.
- Consult the dealer or an experienced radio/TV technician for help.

Radiation Exposure Statement

This equipment complies with FCC radiation exposure limits set forth for an uncontrolled environment. This equipment should be installed and operated with minimum distance 20cm between the radiator and your body. This transmitter must not be co-located or operating in conjunction with any other antenna or transmitter.


ISED Statement

This device complies with Industry Canada license exempt RSS standard(s). Operation is subject to the following two conditions: (This device may not cause interference, and (This device must accept any interference, including interference that may cause undesired operation of the device. The digital apparatus complies with Canadian CAN ICES 3 (B)/NMB 3(B). This radio transmitter (ISED certification number: 25804 CB4620) has been approved by Industry Canada to operate with the antenna types listed with the maximum permissible gain indicated. Antenna types not include d in this list, having a gain greater than the maximum gain indicated for that type, are strictly prohibited for use with this device.

Radiation Exposure Statement

This equipment complies with Canada radiation exposure limits set forth for an uncontrolled environment. This equipment should be installed and operated with minimum distance 20cm between the radiator & your body

Documents / Resources



OKIN CB4620 Control Box [pdf] Instructions
CB4620, 2AVJ8-CB4620, 2AVJ8CB4620, CB.46, CB4620 Control Box, Control Box