



OLINK OLK978E S Series 65W PD Charger User Guide

[Home](#) » [Olink](#) » OLINK OLK978E S Series 65W PD Charger User Guide 

Contents

- [1 OLINK OLK978E S Series 65W PD Charger](#)
- [2 Product Information](#)
- [3 Product Usage Instructions](#)
- [4 Package Content](#)
- [5 Before You Use](#)
- [6 Safety Notes](#)
- [7 Using Your Product](#)
- [8 Care and Maintenance](#)
- [9 FCC Statement](#)
- [10 Specifications](#)
- [11 Documents / Resources](#)
 - [11.1 References](#)
- [12 Related Posts](#)



OLINK OLK978E S Series 65W PD Charger



Product Information

The OLINK S Series-65W PD Charger is a high-performance charger that allows you to charge your devices quickly and efficiently. It features a Type-C port and a USB-A port, providing flexibility for charging multiple devices simultaneously. The charger is compact in size, measuring 74mmx29mmx34mm, making it portable and easy to carry.

Specifications

- Product Model: OLK978E
- Port Type: Type-C, USB-A
- Product Size: 74mmx29mmx34mm
- Operating Temperature: 0-25/32 -77
- Input: 100-240V~50/60 Hz 2A
- Single-Port Output (Type-C): 5V 3A, 9V 3A, 12V 3A, 15V 5A, 20V 3.25A, 65W MAX
- Single-Port Output (USB-A): 3.6-6V 3A, 6-9V 2A, 9-12V 1.5A, 18W MAX
- Dual-Port Output (USB-A + Type-C): 45W+18W, 63W MAX

Product Usage Instructions

Before You Use

Thank you for choosing the OLINK product. Before you start using the charger, please read and understand the following instructions:

- Please use an OLINKTM cable, your device's original cable, or other certified cable for the full performance of the product and your safety.

Using Your Product

To use the OLINK S Series-65W PD Charger, follow the steps below:

1. Connect the charger to a power source using the provided power cable.
2. Plug your device's cable into the appropriate port on the charger (Type-C or USB-A).
3. Ensure that your device is compatible with the charger's output specifications.
4. If using a single port, connect your device to the corresponding port.
5. If using dual ports, connect one device to the Type-C port and another device to the USB-A port.
6. The charger will automatically detect and provide the optimal charging output for your device.
7. Once your device is connected, it will start charging. Monitor the charging progress on your device's screen.
8. When your device is fully charged, disconnect it from the charger.

FAQ

Q: Can I use any cable with the OLINK S Series-65W PD Charger?

- **A:** For the best performance and safety, it is recommended to use an OLINK™ cable, your device's original cable, or another certified cable.

Q: Can I charge multiple devices simultaneously?

- **A:** Yes, the OLINK S Series-65W PD Charger supports dual-port output, allowing you to charge two devices at the same time. Connect one device to the Type-C port and another device to the USB-A port.

Q: How do I know if my device is compatible with this charger?

- **A:** Ensure that your device's charging cable is compatible with either Type-C or USB-A ports. Additionally, check your device's power requirements to ensure they fall within the charger's output specifications.

Package Content

- OLINK S Series-65W PD Charger x 1
- C to C Cable x 1
- User Guide

Before You Use

- Thank You for Choosing
- Please take your time and read the following instructions and information thoroughly before you operate the product.

Safety Notes

- The product is intended for indoor use only.

- Use the product for its intended purpose only.
- Use the product only in moderate climatic conditions.
- The maximum ambient temperature during the product's operation must not exceed 25 °C/ 77 °F.
- Protect the product from dirt, moisture, splashes, and overheating, use it in dry rooms only.
- Do not use the product in the immediate vicinity of heaters or other heat sources or direct sunlight.
- Do not operate the product outside the power limits given in the specifications.
- Do not drop the product and do not expose it to any major shocks.
- Do not continue to operate the product if it becomes visibly damaged.
- Do not modify the product in any way, doing so voids the warranty.
- The disconnection from line voltage is made by AC plug.
- The product is not intended to be repaired by service personnel in case of failure or component defect (the product can be disposed of).
- Keep this product out of the reach of children!

Using Your Product

- Connect your terminal device to a USB charging socket using a suitable USB cable.
- Connect the charger to a properly installed and easily accessible power socket.
- The charging process is displayed on your terminal device.
- Pay attention to the terminal device's maximum charging time for the batteries.
- Disconnect the terminal device from the charger if you want to stop charging or if the terminal device is fully charged, then disconnect the charger from the mains.
- For the full performance of the product and your own safety, please use an OLINK™ cable, your device's original cable, or other certified cables.

Warning

- Only connect the product to a socket that has been approved for the device. The socket must be installed close to the product and easily accessible.
- When using a multi-socket power strip, make sure that the sum power draw of all the connected devices does not exceed its maximum throughput rating.
- If you will not be using the product for a long period of time, disconnect it from mains power.

Care and Maintenance

- Disconnect the product from the power supply before cleaning it.
- Only use a dry cloth or a dry brush to clean the product.

FCC Statement

This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions:

1. this device may not cause harmful interference,
2. this device must accept any interference received. Including interference that may cause undesired operation.


NOTE: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, Uses, and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the User is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and the receiver.
- Connect the equipment to an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio / TV technician for help.

Specifications

- **Product Model:** OLK978E
- **Port Type:** Type-C, USB-A
- **Product Size:** 74mmx29mmx34mm
- **Operating Temperature:** 0°C-25°C/32°F -77°F
- **Input:** 100-240V~50/60 Hz 2A
- **Single-Port Output:** (Type-C) 5V 3A 9V 3A 12V 3A 15V 5A
 - 20V 3.25A 65W MAX
 - (USB-A) 3.6-6V 3A 6-9V 2A
 - 9-12V 1.5A 18W MAX
- **Dual-Port Output:** (USB-A + Type-C) 45W+18W 63W MAX

Documents / Resources

	OLINK OLK978E S Series 65W PD Charger [pdf] User Guide OLK978E S Series 65W PD Charger, OLK978E, S Series 65W PD Charger, 65W PD Charger, PD Charger, Charger
---	--

References

- [User Manual](#)