



OnLyee CR01001F Projection Alarm Clock User Guide

[Home](#) » [OnLyee](#) » OnLyee CR01001F Projection Alarm Clock User Guide 

Contents

- [1 OnLyee CR01001F Projection Alarm Clock](#)
- [2 LOCATION OF CONTROLS](#)
- [3 POWERING ON](#)
- [4 TIME SETTING](#)
- [5 ALARM SETTING](#)
 - [5.1 Turn off Alarm](#)
- [6 PROJECTION MODE](#)
- [7 USB CHARGING](#)
- [8 Documents / Resources](#)
 - [8.1 References](#)
- [9 Related Posts](#)




OnLyee CR01001F Projection Alarm Clock



Alarm Clock with Time Projection

- CREATE YOUR PERFECT SLEEP ENVIRONMENT

LOCATION OF CONTROLS




1. SET TIME BUTTON
2. HOUR BUTTON
3. MINUTE BUTTON
4. DIMMER/DST BUTTON
5. SNOOZE/OK BUTTON
6. ALARM 1
7. ALARM 2
8. ALARM ON/PAUSE
9. PROJECTION ON/FLIP/OFF
10. VOLUME+ BUTTON
11. VOLUME- BUTTON
12. AM INDICATOR
13. PM INDICATOR
14. ALARM 1 INDICATOR
15. ALARM 2 INDICATOR
16. DST INDICATOR
17. FOCUS RING
18. BATTERY COMPARTMENT
19. USB PORT
20. DC JACK
21. SPEAKER
22. HOLDER (x 2pcs)
23. PROJECTION DIMMER

POWERING ON




1. Install 2pcs 1.5V “AAA” size batteries to the proper terminals in the battery compartment to memorize the time/alarm setting in case of a power outage.

- **Note:** Without AC power in, batteries don't support the time display, but an alarm will still go off.











2. Connect the adapter line to the DC jack, then plug it into a 100~240V AC wall power outlet.



TIME SETTING






1. Press  the button once, display  starts flashing.
2. Press  the button to set the hour. press  the button to set the minute.
3. Press  the button to save time or wait for another 10 seconds to confirm automatically.
4. To change the 12H/24H time format Hold press  to change the 12H/24H time format.

ALARM SETTING

1. Press  the button, the alarm indicator  will light up, the  display starts flickering.
2. Press  the button to set the hour, and press  the button to set the minute.
3. Press  the button or  button to save alarm time or just wait for another 10 seconds to confirm automatically.
4. Press  or  button to adjust the alarm volume.
5. Press  the button to save the volume setting.




Turn off Alarm


When an alarm goes off:

1. Press  the button to temporarily turn off the alarm for 9 minutes. The alarm will ring every next 9 minutes.
2. Press  the button or  button to turn off the alarm for 24 hours. The alarm indicator  is still on, which means the alarm is still activated and will ring after 24 hours.
3. When an alarm is off, press  the button to activate the alarm, the setting will be the same as last time.
4. Cancel Alarm

- Hold the  button until the alarm indicator  disappears from the display, the alarm will never go off.
- Setting ALARM 2 is the same as ALARM 1.


PROJECTION MODE

1. Press the projection mode  button to turn on the projection.
2. Press  the button once again to flip the projection reversely when the time is projected backward.
3. Press  once again to turn off the projection.




Note:

1. The best projection distance is 1.5 to 3.0 meters (4.92 to 9.84 feet).
2. A projector is a common LED light. So the projector is not visible in a bright environment.

Rotate the focus ring  to adjust the clarity of the projection image.



Note: if the projection is fuzzy, please rotate the focus ring (17) to adjust the angle for a clear image.



PROJECTION DIMMER


- press  the button to adjust the brightness of the projection for your preference.

DIMMER & DST

- Repeat  the button to adjust the brightness of the display for your preference.
- Hold the  press button to switch the DST function.


USB CHARGING

- Our projection clock has a USB Charger Port, which can charge both your phone and tablet at the same time.
- The maximum charge current is 1 Ampere.



- Contact our experts support@onlyee.com
- <http://www.onlyee.com>

Documents / Resources



[OnLyee CR01001F Projection Alarm Clock](#) [pdf] User Guide
CR01001F Projection Alarm Clock, CR01001F, Projection Alarm Clock, Alarm Clock, Clock

References

- [User Manual](#)