

Orbit T5B-200 Square Box Owner's Manual

[Home](#) » [Orbit](#) » Orbit T5B-200 Square Box Owner's Manual 

Orbit T5B-200 Square Box



Contents

1 SPECIFICATION & FEATURES

1.1 DESCRIPTION

1.2 CERTIFICATION

1.3 FEATURES

1.4 INSTRUCTION FOR USE

2 DIMENSIONS

3 CONFIGURATION DATA

4 CUSTOMER SUPPORT

5 Documents / Resources

5.1 References

6 Related Posts

SPECIFICATION & FEATURES

DESCRIPTION

Orbit Industries' selection of 5" Square Boxes and Accessories provides the capacity needed to handle modern-day hospital, commercial, government, university and other data installations. Up to 75 cubic inches of capacity allow for an easier installation of high-speed cable, resulting in reduced labor costs and cable stress.

CERTIFICATION

- UL File E227970 Listed



FEATURES

- More than double the capacity of standard 4" square boxes.
- Increased capacity easily meets minimum bend radius requirements for an easier installation.
- Extra space in the box reduces the chance of short circuits and ground faults due to cramped spaces and cable stress.
- Can store the BICSI-recommended slack cable loop, allowing for easy access and cable termination by a single technician.
- Supports all current copper CAT and fiber optic cables in addition to predicted cable size increases.
- Suitable brackets allow the T5B to use a 4" ring, reducing material costs.
- Available in blue for data applications.

INSTRUCTION FOR USE


- T5B-50/200



- T5B-200



- B-T5B




- *B-T5C




- *T5C



- *T5R



- T5P-200



- T5P-100



DIMENSIONS

T5 Box:
Width: 5"

Height: 5"
Depth: 3-1/4"
Cu.In.: 71.8

T5 Cover:
Width: 5"
Height: 5"

CONFIGURATION DATA

Cat. No.	Description	K.O. on Sides	K.O. on Bottom	Std.Pkg.
T5B-50/200	TRUE 5" SQUARE BOX, 1/2" KO & 2" MKO	(2) 1" to 2" C.K.O.'s (4) 1/2" & 3/4" C.K.O.'s (8) 1/2" K.O.'s	(1) 1/2" & 3/4" M.K.O.'s (1) 3/4" & 1" M.K.O.'s & (1) 1/2" K.O.'s (2) Ground Screws	12
T5B-200	TRUE 5" SQUARE BOX	(2) 1" to 2" C.K.O.'s, (2) 1" & 1-1/4" M.K.O.'s (2) 1/2" & 3/4" M.K.O.'s	(1) 1/2" & 3/4" M.K.O.'s (1) 3/4" & 1" M.K.O.'s & (1) 1/2" K.O.'s (2) Ground Screws	12
T5C	TRUE 5" BLANK COVER	—	—	50
T5R	TRUE 5" REDUCER COVER, 4" SQUARE OPENING	—	—	50
T5P-100	TRUE 5" SQUARE BOX PARTITION, FOR USE WITH 3-1/4" DEEP BOXES, FLAT TO 1" 2-GANG RINGS	—	—	25
T5P-200	TRUE 5" SQUARE BOX PARTITION, FOR USE WITH 3-1/4" DEEP BOXES, 5/8", 1-1/4" TO 2" 2-GANG RINGS	—	—	25
B-T5B	BLUE TRUE 5" SQUARE BOX	(2) 1" to 2" C.K.O.'s, (2) 1" & 1-1/4" M.K.O.'s (2) 1/2" & 3/4" M.K.O.'s	(1) 1/2" & 3/4" M.K.O.'s (1) 3/4" & 1" M.K.O.'s & (1) 1/2" K.O.'s (2) Ground Screws	12
B-T5C	BLUE TRUE 5" BLANK COVER	—	—	50

CUSTOMER SUPPORT

www.orbitelectric.com

Application and Performance Specification Information is Subject to Change Without Notification.

LOS ANGELES, CA 1-800-90-ORBIT



Documents / Resources



[Orbit T5B-200 Square Box](#) [pdf] Owner's Manual
T5B-200, T5B-50-200, T5C, T5B-200 Square Box, Square Box, Box

References

- [User Manual](#)