




ORCA 0-0202 Display 2 User Guide

[Home](#) » [ORCA](#) » ORCA 0-0202 Display 2 User Guide 



Contents

- [1 0-0202 Display 2](#)
- [2 Documents / Resources](#)
- [3 Related Posts](#)

0-0202 Display 2

Preface

Dear users:

Thank you for purchasing the product. We provide you with the Quick Start Guide in order to use the product more easily. Please read it carefully. The Quick Start Guide is applicable to this Android device. The guide introduced the basic functions and normal functions of Android system. Any difference, please refer to the reality as standard. Welcome to contact us if you have any inquiries for the guide or product when you use it.

Desktop initialization and Application

1. Initial page

Lock screen interface slide up to unlock, as below picture.



2. Initial desktop

Slide the STOW up and go to the desktop, as below picture.




1. Menu bar layout

1. Desktop menu Introduction: This interface can start the application in a quick way, enter the menu operation, users can add shortcuts to the desktop according to their own needs, as below picture.




2. Menu bar layout: All the application and user installation applications are here, and all applications can be opened, as below picture.



3. System setting

The user can set up the system on this interface.




4. Wi-Fi setting

In this interface, a user can search Wi-Fi, input password, can be connected, under the advanced settings can be connected to the WLAN directly, WLAN sleep state setting.



5. Bluetooth setting

Search this interface for Bluetooth pairing, remove or cancel paired Bluetooth devices, as the below figure.



6. Data traffic setting

Set up data traffic switch when connecting to mobile network, monitor the usage of application traffic.



7. More setting

Turn on and off flight mode, switch on NFC, set network sharing with convenient hot spot, VPN settings, manually or automatically search mobile network, Ethernet configuration.




8. Display setting

Brightness, sleep time setting, in screen saver, font size, screen rotation switch, etc.



9. Prompt tone and notification settings

Set media volume, alarm volume, notify volume size (can also use physical keys to the corresponding interface directly to adjust, do not disturb settings) notification ringtone settings and other operations.



10. Storage setting

View system memory usage, install and uninstall SD cards.




11. Battery settings

Check battery usage.




12. User settings

Users can add or delete accounts.



13. Location information

Turn on or off the GPS, or restrict an application to use to obtain location information.



14. Security settings

Set screen locking mode with some encryption settings, can manage unknown sources of application installation settings, etc.




15. Language and input method settings

Set display language and input method text to voice, mouse/touch panel (pointer speed), etc.




16. Backup and reset settings

Do data backup and restore factory settings, restore factory settings will clear all content, please be careful.




17. Date and time settings

Set the time and timazone and tima format for 24 hoursor 12 hours,or turn on automatic confirmation, which synchronizes automatically when the device is connected to the network.




18. Accessibility

Click with accessibility,for quick settings of oersonal operation habits,such as:Caption, magnification gesture,front size,display size,power button ends call,auto-rotate screen,speak password,cojor inversion,color correction.




19. Printing

You can print the picture or file.



20. Status Information

View battery status, battery power, SIM card status/IMEI information / I P Soa MAC address, bluetooth address, serial number, boot time, etc.



Use warnings:

@wWith the wrong type of battery replacement will be explosive danger, be sure to use the original battery.

@The company shall not take any responsibility for the loss or removal of the information in the tablet, which is caused by the operation, maintenance or other accidents of the

@ non-normal operation of the software and hardware.

@Please backup your important information at any time.

@Please do not disassemble the tablet; otherwise it will lose the right to guarantee.

@@Adapter description:

INPUT:

OUTPUT:

Manufacturer's Name: Orca Technologies AS

Address: Tordenskiolds gate3, 0160 Oslo, Norway

Product name: Orca Display2

Model number: 0-0202

Operating Temperature: – 20°C to 60 °C

This device was tested for typical body – worn operations. To comply with RF exposure requirements, a minimum separation distance of 0mm must be maintained between the user's body and the handset, including the antenna. Third – party belt – clips, holsters, and similar accessories used by this device should not contain any metallic components. Body – worn accessories that do not meet these requirements may not comply with RF exposure requirements and should be avoided. Use only the supplied or an approved antenna.

Specific Absorption Rate (SAR) information:

This Orca Display 2 meets the government's requirements for exposure to radio waves. The guidelines are based on standards that were developed by independent scientific organizations through periodic and thorough evaluation of scientific studies. The standards include a substantial safety margin designed to assure the safety of all persons regardless of age or health. FCC RF Exposure Information and Statement the SAR limit of USA (FCC) is 1.6 W/kg averaged over one gram of tissue. Device types: Orca Display 2 has also been tested against this SAR limit. This device was tested for typical body-worn operations with the back of the Orca Display 2 kept 0mm from the body. To maintain compliance with FCC RF exposure requirements, use accessories that maintain an 0mm separation distance between the user's body and the back of the Orca Display 2. The use of belt clips, holsters and similar accessories should not contain metallic components in its assembly. The use of accessories that do not satisfy these requirements may not comply with FCC RF exposure requirements and should be avoided.

Manufacturer's Name: Orca Technologies A5
Address: Tordenskloddsgate 3, 0160 Oslo, Norway
Product name : Orca Display 2
Model number: 0-0202
FCC ID: 2A799-0-0202

This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions:

1. this device may not cause harmful interference, and
2. this device must accept any interference received, including interference that may cause undesired operation.


Any changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

NOTE: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver
- Connect the equipment to an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help. The device has been evaluated to meet general RF exposure requirement. The device can be used in portable exposure condition without restriction.



Documents / Resources

	ORCA 0-0202 Display 2 [pdf] User Guide O-0202, O0202, 2A799-O-0202, 2A799O0202, 0-0202 Display 2, Display 2
---	--