Manuals+ — User Manuals Simplified.

ORIONSTAR GreetingBot Mini Service Robot User Guide

Contents

ORIONSTAR GreetingBot Mini Service Robot

PRODUCT INFORMATION

MODEL NAME: AI SERVICE ROBOT GREETINGBOT MINI MINI BUT MIGHTY

PRODUCT DESCRIPTION

GreetingBot Mini is a versatile robot that can welcome and guide customers, answer questions, and promote products. It uses a self-developed RobotOS system that can be customized for differen.t needs. It has been successfully used in over 20 scenarios, helping customers save costs and Improve efficiency for a better experience.

- **Overall Size**: 1000 mm x 410 mm x 410 mm
- **Net Weight:** 21 Kg
- **Screen Size:** 14-Inch
- **Screen Resolution**: 1080P
- **Screen Camera:** 48 Million Pixels Camera *1 Supports photography and video calls
- **Microphone:** 6-Mic Arrays, 360° Sound Source Positioning, 5m Sound Range
- **Network**: Wi-Fi: 2.4 G/5 G, 4 G
- **Operation System**: Android 9
- **Battery Life**: 10-12 H (Based on actual working conditions)
- **Charging Dock**: 213 mm x 221 mm x 251 mm
- **Charging Time**: 4.5 H

DETAILS

14-Inch HD Display

- With its 14-Inch screen, GreetingBot Mini can dis- play more information at once.
- The ultra-high-definition resolution ensures a clear and attractive picture on the screen.

Auto- Recharging

- When the battery level is below 10%, GreetingBot Mini will automatically returns to the charger.
- Fast charging less than 4.5 hours.
- Non-stop tasks.

Harman Kardon Sound Effects

- With 30W superpower and 5 sep- arate sound modules, it delivers a home theater-like experience with clear treble, loud midrange, and powerful bass.

Accessories

- Support external function expansion modules and equip- ments to meet various de- mands of decorative customi- zation.
  Robot headgear and body stick- ers make GreetingBot Mini a cus- tomized appearance.

FEATURES

- **Dynamic Promotion**
  The robot actively detects and welcomes customers, and handles various tasks like selling gift cards and distributing coupons. It can also proactively recommends special- ties to customers while thev wait.

- **Tour Guide**

  GreetingBot Mini can seamlessly navigate through various environments without the need for location markers. Its self-navigation techniques can accurately lead people to designated locations.

- **Secondary Development**

  50 server-side API interfaces and 23 cli- ent-side API interfaces were opened. Exclu- sive plug-in-based secondary develop- ment technology makes it easy and lowers the cost by 1/10 of the industry standard.

ALL SCENARIOS COVERED

Restaurant | Nursing home | Hotel | Office | Hospital | Shopping mall | Exhibition | Club

PRODUCT CORE CAPABILITY

- **Flexible Passability**

  GreetingBot Mini guarantees flexible op- eration in small spaces with a minimum channel chassis diameter of 55 cm.

- **Multi-Robot Cooperation**

  Intelligent scheduling enables multiple GreetingBot Mini to avoid collision without human intervention when their paths intersect.

- **Interactive Capability**

  The innovative ChatMax Platform combines ChatGPT with scenar- io-based data and provides the most intelligent personalized sce- nario ChatBot service.

Official distributor

- **gr@generationrobots.com**
- +33 5 56 39 37 05
- **www.generationrobots.com**

Documents / Resources

	ORIONSTAR GreetingBot Mini Service Robot [pdf] User Guide GreetingBot Mini Service Robot, GreetingBot, Mini Service Robot, Service Robot, Robot

References

- ⟲ **Robotic arm, mobile robot, autonomous robots, ROS robot**
- ⟲ **Robotic arm, mobile robot, autonomous robots, ROS robot**