

OSM Technology OSMWF1 Remote Controller Instructions

Home » OSM Technology » OSM Technology OSMWF1 Remote Controller Instructions



Contents

- 1 OSM Technology OSMWF1 Remote Controller
- 2 Remote Controller -fully control
- **3 Remote Control Functions**
- **4 FCC Compliance Statement**
- **5 Specifications**
- 6 Documents / Resources
 - **6.1 References**



OSM Technology OSMWF1 Remote Controller




Remote Controller -fully control

When the lamp is powered on, long press the remote control switch within 5 seconds, and the lamp flashes twice, indicating that the remote control is connected to the lamp. If the connection is not successful, you can disconnect the power supply and reconnect it.



Remote Control Functions



FCC Compliance Statement

This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired Overduon." Any changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

NOTE: This equipment has been tested and found to comply with the limits for a Class B digital device, under Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used by the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and the receiver.

to cancel the timing.

- Connect the equipment to an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

The device has been evaluated to meet general RF exposure requirements. The device can be used in portable exposure conditions without restriction.

Specifications

Feature	Specification
Brightness Levels	20%, 40%, 60%, 80%, 100%
Color Temperature Adjustment	3000K to 5000K
Timing Function	60 minutes
FCC Compliance	Part 15 of the FCC Rules
Interference Handling	Instructions provided for minimizing interference

Documents / Resources

	OSM Technology OSMWF1 Remote Controller [pdf] Instructions OSMWF1, OSMWF1 Remote Controller, Remote Controller, Controller
	OSM Technology OSMWF1 Remote Controller [pdf] Instructions OSMWF1, OSMWF1 Remote Controller, Remote Controller, Controller

References

User Manual

Manuals+, Privacy Policy

This website is an independent publication and is neither affiliated with nor endorsed by any of the trademark owners. The "Bluetooth®" word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. The "Wi-Fi®" word mark and logos are registered trademarks owned by the Wi-Fi Alliance. Any use of these marks on this website does not imply any affiliation with or endorsement.