



OSRAM LEDSC03 LEDDriving Smart Canbus Instruction Manual

[Home](#) » [OSRAM](#) » OSRAM LEDSC03 LEDDriving Smart Canbus Instruction Manual 

OSRAM

LEDSC03 LEDDriving Smart Canbus Instruction Manual



Contents

- [1 LEDSC03 LEDDriving Smart Canbus](#)
- [2 Documents / Resources](#)
 - [2.1 References](#)
- [3 Related Posts](#)


LEDSC03 LEDDriving Smart Canbus

LEDSC03/LEDSC03-1



BMW 3 series F30
BMW 3 series F31
BMW 3 series F80



2




3




1. Connect the SMART CANBUS (load resistor) plug to the vehicle connector.
2. Connect the SMART CANBUS (load resistor) socket with the headlight. ²⁾

4



Mount the SMART CANBUS (load resistor) to the vehicle's body (metal).
Please note: Pull the cable ties until they are taut. ³⁾

5



For questions regarding maintenance or technical problems, please contact OSRAM customer service via automotive-service@osram.com.

Documents / Resources



[OSRAM LEDSC03 LEDDriving Smart Canbus](#) [pdf] Instruction Manual
LEDSC03 LEDDriving Smart Canbus, LEDSC03, LEDDriving Smart Canbus, Smart Canbus, Canbus

References

- [OSRAM](#) [OSRAM Americas](#) | [OSRAM SYLVANIA Homepage](#)