

OTTOCAST CP79 Wireless Android Auto Adapter User Manual


Home » ottocast » OTTOCAST CP79 Wireless Android Auto Adapter User Manual

Contents

- 1 OTTOCAST CP79 Wireless Android Auto **Adapter**
- 2 What's in the box
- 3 Connection diagram
- 4 Setting up wireless Android Auto
- 5 Firmware update
- 6 How to report an issue
- 7 FCC
- **8 TRADEMARKS**
- 9 Documents / Resources
- **10 Related Posts**



OTTOCAST CP79 Wireless Android Auto Adapter



READ ME FIRST


This adapter is designed for Android smartphones to use Android Auto wirelessly on factory car multimedia system which has built-in wired Android Auto function.

Function	Convert OEM wired Android Auto to wireless
Compatibility	Cars with OEM Android Auto
Control	OEM touch screen, steering wheel, and joystick control
Input Power	USB 5V~1A
Connectivity	WiFi & Bluetooth

What's in the box

- Wireless adapter *1
- USB cable (Type-C to A) *1
- USB cable (Type-C to C) *1
- User manual *1


Connection diagram



NOTE! The adapter should be plugged into the Android Auto-enabled USB port if there are multi USB ports in your car.

Setting up wireless Android Auto


1. Install Android Auto on your smartphone, next enable [Wireless Android Auto] in Android Auto app settings.




2. Pair your smartphone with the vehicle's Bluetooth.



3. Plug the adapter into your vehicle's Android Autoenabled USB port.



4. Continue to pair your smartphone with the adapter's Bluetooth: [AUTO-xxxx]. It will then connect to Android Auto wirelessly after a few seconds.



Firmware update

Firmware update is NOT recommended when every function works well.

- 1. If you have connected to the Android Auto wirelessly, disable Bluetooth and forget the WiFi network first
- 2. Join the adapter's WiFi network [AUTO-xxxx] again by manual and the password is 88888888 (Tap YES if there is a pop-up notification of internet access)




3. Enter 192.168.1.101 on smartphone browser, next tap "Switch P2P"



4. On your phone, go to WiFi >> Advanced settings>> WiFi direct, tap [AUTO-xxxx] and make sure it has connected




5. Enter 192.168.1.101 again on smartphone browser, next tap "Update".



NOTE! The blue led indicator will flash rapidly while updating. Wait for more 30s after the light is always on, then disconnect and reconnect the adapter from USB port to finish the whole update.

How to report an issue

 Any issue while using the adapter, you could directly report the issue online and send us the feedback screenshot. We will fix it as soon as possible.



• Follow the 1-4 steps of [Firmware update] on the previous page, then enter 192.168.1.101 again on the browser to submit the issue.

FCC

This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions:

- 1. This device may not cause harmful interference
- 2. this device must accept any interference received, including interference that may cause undesired operation.

TRADEMARKS

- Google, Google Play, Android, Android Auto, are trademarks of Google Inc., registered in the U.S. and other countries. Apple, iPhone, iPad, and CarPlay are trademarks of Apple Inc., registered in the U.S. and other countries.
- We are not affiliated with Google Inc. or Apple Inc. All other product and service names mentioned are the trademarks of their respective companies.

Documents / Resources



OTTOCAST CP79 Wireless Android Auto Adapter [pdf] User Manual

CP79 Wireless Android Auto Adapter, CP79, Wireless Android Auto Adapter, Android Auto Adapter, Adapter, Adapter

Manuals+, home

privacy