



oxygenics PowerSelect FX Instructions

[Home](#) » [oxygenics](#) » oxygenics PowerSelect FX Instructions 

oxygenics PowerSelect FX Instructions



oxygenics®
Pure Shower Genius®

POWERSELECT




EASY INSTALLATION INSTRUCTIONS



STEP 1

Remove your existing shower head. To remove, turn the existing shower head in a counterclockwise direction.




STEP 2

Remove any remnants of old plumber's tape and flush out shower pipe for 5 to 10 seconds.




STEP 3

Wrap plumber's tape clockwise 3 or 4 turns around threaded end of shower arm.




STEP 4

In a clockwise direction, screw your new shower head onto the taped portion of the shower arm. Hand tighten only.



EASY TWIST SPRAY SELECTION



Enjoying multiple spray patterns during your shower has never been easier. With the PowerSelect's easy twist design, simply rotate the easy spray selector for a quick spray change.

WHAT'S INCLUDED

- + Fixed Shower Head
- + Plumber's Tape

STOP! NEED HELP?

PLEASE DO NOT RETURN THIS PRODUCT TO THE STORE.

If you need installation assistance, replacement parts or have questions regarding our warranty, our Customer Service team can be contacted by:

PHONE:

1-866-440-9257

or 775-420-5600

LIVE CHAT:

www.oxygenics.com

EMAIL:
support@oxygenics.com
ONLINE:
www.oxygenics.com/claims

Business hours:
Monday – Thursday 7:00 am to 5:00 pm PST
Friday 7:00 am to 4:30 pm PST*
*Closed on all nationally observed holidays

1.75 GPM

For use with automatic compensating valves rated at 1.31 GPM (4.97 L/min) or less.



2.5 GPM

For use with automatic compensating valves rated at 1.88 GPM (7.10 L/min) or less.

www.oxygenics.com/



Contents

- [1 Documents / Resources](#)
 - [1.1 References](#)
- [2 Related Posts](#)

Documents / Resources



[oxygenics PowerSelect FX](#) [pdf] Instructions
oxygenics, PowerSelect FX

References

- 💧 [Oxygenics - Pure Bathing Genius](#)
- 💧 [Submit a Warranty Claim - Oxygenics](#)

